

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	1317	10003	7.60	183.2			7.1	981	81.0	2	0.2	
NSW	8127	37444	4.61	175.9			3.1	5192	70.2	19	0.6	
Victoria	6594	40258	6.11	176.9			35.0	4572	67.0	24	0.7	
Tasmania	919	5255	5.72	175.9			44.8	734	77.9	4	1.6	
SA	1449	11189	7.72	175.3			33.6	1068	72.7	5	0.5	
WA	3015	22458	7.45	177.8			66.8	2135	76.9	5	0.2	
Australia	21421	126607	5.91	177.1			26.0	14682	71.8	59	0.5	
TYPE:												
Fleece	12978	82611	6.37	179.3			25.2	11259	87.9	14	0.2	
Skirting	5446	28948	5.32	173.6			26.3	3078	56.0	45	1.8	
Carding	2997	15048	5.02	171.7			28.8	345	13.5	0	0.0	
2007/2008:												
Queensland	1425	9515	6.68	183.7			8.0	1029	78.6	5	1.0	
NSW	8892	38717	4.35	176.4			4.3	5115	64.0	24	0.8	
Victoria	5264	32602	6.19	177.4			33.4	3434	65.5	41	1.1	
Tasmania	668	3501	5.24	176.0			36.2	484	68.0	0	0.0	
SA	1384	10386	7.50	178.0			28.5	1010	73.7	2	0.3	
WA	3183	21293	6.69	177.9			68.2	2256	75.1	2	0.1	
Australia	20816	116014	5.57	177.7			24.3	13328	68.7	74	0.7	
TYPE:												
Fleece	12289	75588	6.15	180.3			25.1	10211	84.8	26	0.3	
Skirting	5293	25500	4.82	173.7			23.8	2721	52.6	48	2.4	
Carding	3234	14926	4.62	171.5			22.4	396	14.5	0	0.0	
DIFFERENCES:												
Queensland	8.2	4.9-	0.92-	0.3	4.6-	4.4-	0.9	4.9	2.4-	150.0	0.8	
NSW	9.4	3.4	0.26-	0.3	3.7	2.3	1.2	1.5-	6.2-	26.3	0.2	
Victoria	20.2-	19.0-	0.08	0.3	18.8-	16.7-	1.6-	24.9-	1.5-	70.8	0.4	
Tasmania	27.3-	33.4-	0.48-	0.1	33.4-	11.8-	8.6-	34.1-	9.9-	100.0-	1.6-	
SA	4.5-	7.2-	0.22-	1.5	5.7-	1.7	5.1-	5.4-	1.0	60.0-	0.2-	
WA	5.6	5.2-	0.76-	0.1	5.1-	16.3-	1.4	5.7	1.8-	60.0-	0.1-	
Australia	2.8-	8.4-	0.34-	0.3	8.0-	8.7-	1.7-	9.2-	3.1-	25.4	0.2	
Fleece	5.3-	8.5-	0.22-	0.6	8.0-		0.1-	9.3-	3.1-	85.7	0.1	
Skirting	2.8-	11.9-	0.50-	0.1	11.8-		2.5-	11.6-	3.4-	6.7	0.6	
Carding	7.9	0.8-	0.40-	0.1-	0.9-		6.4-	14.8	1.0	0.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JULY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = 7.2%.

It has moved from 34.5% of the clip at the end of JULY last year to 40.2% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	62.5	3.0	20.9	21.5	88.3	15.6	37.2	34.3	60.3	21.7	73.7	72.1	9.9	
NSW	62.0	4.4	20.6	22.0	81.8	15.8	37.6	32.0	49.3	26.8	70.0	70.0	8.9	
Victoria	63.3	2.4	21.5	23.3	83.5	16.8	33.5	35.1	45.2	22.0	70.1	70.5	9.3	
Tasmania	69.5	1.4	20.8	22.3	82.9	17.0	34.3	32.8	37.9	41.5	71.1	73.4	8.8	
SA	59.5	3.3	22.4	23.1	86.5	16.5	34.9	37.4	52.5	19.3	73.4	71.8	9.3	
WA	61.8	2.0	20.8	22.7	81.4	17.0	33.0	34.9	50.2	13.5	69.1	69.9	11.7	
Australia	62.5	3.0	21.1	22.6	83.3	16.4	35.1	34.2	49.1	22.4	70.5	70.8	9.3	
TYPE:														
Fleece	66.1	1.9	21.2	21.9	85.7	15.3	36.3	33.4	48.1	22.1	73.4	72.2	9.4	
Skirting	54.4	6.0	20.5	23.3	74.9	21.1	29.8	39.0	54.8	21.8	59.3	70.4	9.2	
Carding	57.7	3.9	21.8	25.5	62.6	18.9	32.6	27.9	36.3	38.4	54.4	0.0	0.0	
2007/2008:														
Queensland	62.1	2.3	20.6	21.4	86.2	16.4	34.4	37.2	65.0	25.5	70.7	71.9	9.6	
NSW	61.1	2.8	20.3	21.9	82.5	16.2	36.0	33.7	51.0	23.0	69.7	71.5	9.6	
Victoria	61.7	1.7	21.7	23.2	84.5	16.5	34.7	35.3	44.0	19.6	72.1	70.2	8.6	
Tasmania	68.6	0.7	20.9	22.8	81.6	16.5	33.3	34.1	47.5	28.0	68.9	0.0	0.0	
SA	60.3	2.1	22.3	22.7	87.8	16.0	34.7	37.5	54.5	21.3	73.9	69.5	8.9	
WA	59.4	2.1	20.0	23.2	78.4	16.9	32.1	35.3	47.3	13.6	65.8	70.3	10.3	
Australia	61.2	2.2	20.8	22.5	83.1	16.4	34.5	35.1	50.0	20.4	70.0	70.9	9.2	
TYPE:														
Fleece	64.4	1.3	20.9	21.8	85.4	15.5	35.5	34.6	49.8	19.6	72.6	73.0	8.8	
Skirting	53.7	4.4	20.2	23.3	74.8	20.9	30.0	39.4	53.4	22.1	60.4	70.1	9.3	
Carding	57.2	3.0	21.5	25.4	61.9	18.9	30.4	26.8	35.0	34.2	51.5	0.0	0.0	
DIFFERENCES:														
Queensland	0.4-	0.7-	0.3-	0.1-	2.1-	0.8	2.8-	2.9	4.7	3.8	3.0-	0.2-	0.3-	
NSW	0.9-	1.6-	0.3-	0.1-	0.7	0.4	1.6-	1.7	1.7	3.8-	0.3-	1.5	0.7	
Victoria	1.6-	0.7-	0.2	0.1-	1.0	0.3-	1.2	0.2	1.2-	2.4-	2.0	0.3-	0.7-	
Tasmania	0.9-	0.7-	0.1	0.5	1.3-	0.5-	1.0-	1.3	9.6	13.5-	2.2-	73.4-	8.8-	
SA	0.8	1.2-	0.1-	0.4-	1.3	0.5-	0.2-	0.1	2.0	2.0	0.5	2.3-	0.4-	
WA	2.4-	0.1	0.8-	0.5	3.0-	0.1-	0.9-	0.4	2.9-	0.1	3.3-	0.4	1.4-	
Australia	1.3-	0.8-	0.3-	0.1-	0.2-	0.0	0.6-	0.9	0.9	2.0-	0.5-	0.1	0.1-	
Fleece	1.7-	0.6-	0.3-	0.1-	0.3-	0.2	0.8-	1.2	1.7	2.5-	0.8-	0.8	0.6-	
Skirting	0.7-	1.6-	0.3-	0.0	0.1-	0.2-	0.2	0.4	1.4-	0.3	1.1	0.3-	0.1	
Carding	0.5-	0.9-	0.3-	0.1-	0.7-	0.0	2.2-	1.1-	1.3-	4.2-	2.9-	0.0	0.0	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	1317	10003		981	81.0	2	0.2	62.5	3.0	20.9	21.5	88.3	37.2	60.3	73.7	9.9
NSW	8127	37444		5192	70.2	19	0.6	62.0	4.4	20.6	22.0	81.8	37.6	49.3	70.0	8.9
Victoria	6594	40258		4572	67.0	24	0.7	63.3	2.4	21.5	23.3	83.5	33.5	45.2	70.1	9.3
Tasmania	919	5255		734	77.9	4	1.6	69.5	1.4	20.8	22.3	82.9	34.3	37.9	71.1	8.8
SA	1449	11189		1068	72.7	5	0.5	59.5	3.3	22.4	23.1	86.5	34.9	52.5	73.4	9.3
WA	3015	22458		2135	76.9	5	0.2	61.8	2.0	20.8	22.7	81.4	33.0	50.2	69.1	11.7
Australia	21421	126607		14682	71.8	59	0.5	62.5	3.0	21.1	22.6	83.3	35.1	49.1	70.5	9.3
TYPE:																
Fleece	12978	82611		11259	87.9	14	0.2	66.1	1.9	21.2	21.9	85.7	36.3	48.1	73.4	9.4
Skirting	5446	28948		3078	56.0	45	1.8	54.4	6.0	20.5	23.3	74.9	29.8	54.8	59.3	9.2
Carding	2997	15048		345	13.5	0	0.0	57.7	3.9	21.8	25.5	62.6	32.6	36.3	54.4	0.0
2007/2008:																
Queensland	1425	9515		1029	78.6	5	1.0	62.1	2.3	20.6	21.4	86.2	34.4	65.0	70.7	9.6
NSW	8892	38717		5115	64.0	24	0.8	61.1	2.8	20.3	21.9	82.5	36.0	51.0	69.7	9.6
Victoria	5264	32602		3434	65.5	41	1.1	61.7	1.7	21.7	23.2	84.5	34.7	44.0	72.1	8.6
Tasmania	668	3501		484	68.0	0	0.0	68.6	0.7	20.9	22.8	81.6	33.3	47.5	68.9	0.0
SA	1384	10386		1010	73.7	2	0.3	60.3	2.1	22.3	22.7	87.8	34.7	54.5	73.9	8.9
WA	3183	21293		2256	75.1	2	0.1	59.4	2.1	20.0	23.2	78.4	32.1	47.3	65.8	10.3
Australia	20816	116014		13328	68.7	74	0.7	61.2	2.2	20.8	22.5	83.1	34.5	50.0	70.0	9.2
TYPE:																
Fleece	12289	75588		10211	84.8	26	0.3	64.4	1.3	20.9	21.8	85.4	35.5	49.8	72.6	8.8
Skirting	5293	25500		2721	52.6	48	2.4	53.7	4.4	20.2	23.3	74.8	30.0	53.4	60.4	9.3
Carding	3234	14926		396	14.5	0	0.0	57.2	3.0	21.5	25.4	61.9	30.4	35.0	51.5	0.0
DIFFERENCES:																
Queensland	8.2	4.9-	4.6-	4.9	2.4-	150.0	0.8	0.4-	0.7-	0.3-	0.1-	2.1-	2.8-	4.7	3.0-	0.3-
NSW	9.4	3.4	3.7	1.5-	6.2-	26.3	0.2	0.9-	1.6-	0.3-	0.1-	0.7	1.6-	1.7	0.3-	0.7
Victoria	20.2-	19.0-	18.8-	24.9-	1.5-	70.8	0.4	1.6-	0.7-	0.2	0.1-	1.0	1.2	1.2-	2.0	0.7-
Tasmania	27.3-	33.4-	33.4-	34.1-	9.9-	100.0-	1.6-	0.9-	0.7-	0.1	0.5	1.3-	1.0-	9.6	2.2-	8.8-
SA	4.5-	7.2-	5.7-	5.4-	1.0	60.0-	0.2-	0.8	1.2-	0.1-	0.4-	1.3	0.2-	2.0	0.5	0.4-
WA	5.6	5.2-	5.1-	5.7	1.8-	60.0-	0.1-	2.4-	0.1	0.8-	0.5	3.0-	0.9-	2.9-	3.3-	1.4-
Australia	2.8-	8.4-	8.0-	9.2-	3.1-	25.4	0.2	1.3-	0.8-	0.3-	0.1-	0.2-	0.6-	0.9	0.5-	0.1-
Fleece	5.3-	8.5-	8.0-	9.3-	3.1-	85.7	0.1	1.7-	0.6-	0.3-	0.1-	0.3-	0.8-	1.7	0.8-	0.6-
Skirting	2.8-	11.9-	11.8-	11.6-	3.4-	6.7	0.6	0.7-	1.6-	0.3-	0.0	0.1-	0.2	1.4-	1.1	0.1
Carding	7.9	0.8-	0.9-	14.8	1.0	0.0	0.0	0.5-	0.9-	0.3-	0.1-	0.7-	2.2-	1.3-	2.9-	0.0

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = 7.2%.

It has moved from 34.5% of the clip at the end of JULY last year to 40.2% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	3.3	34.1	114.0	204.7	356.0		0.2	1.9	6.2	11.2	19.4
NSW	129.7	559.1	1007.4	1252.9	2949.1		2.0	8.5	15.3	19.0	44.8
Victoria	176.3	577.6	908.1	1051.2	2713.2		2.5	8.1	12.8	14.8	38.1
Tasmania	14.6	92.1	210.3	226.4	543.4		1.6	10.0	22.7	24.5	58.8
SA	0.3	14.5	31.0	101.4	147.2		0.0	0.7	1.6	5.2	7.5
WA	23.9	108.5	286.2	610.8	1029.4		0.6	2.7	7.2	15.3	25.8
Australia	348.0	1386.0	2556.9	3447.4	7738.3		1.6	6.2	11.4	15.4	34.5
TYPE:											
Fleece	223.9	897.5	1559.9	2093.2	4774.4		1.5	6.1	10.5	14.1	32.2
Skirting	86.9	355.6	705.9	979.2	2127.7		1.7	7.1	14.1	19.5	42.4
Carding	37.2	132.9	291.2	375.0	836.2		1.4	5.1	11.3	14.5	32.4
2007/2008:											
Queensland	5.2	26.4	110.8	270.7	413.1		0.3	1.5	6.3	15.5	23.6
NSW	282.1	837.9	1120.9	1312.9	3553.8		4.1	12.3	16.4	19.2	52.0
Victoria	168.5	409.0	706.0	812.6	2096.2		2.9	7.1	12.2	14.0	36.2
Tasmania	36.1	88.2	135.1	108.4	367.8		5.9	14.3	21.9	17.6	59.7
SA	5.2	17.4	50.5	113.9	186.9		0.3	0.9	2.7	6.2	10.1
WA	98.9	232.2	581.8	766.6	1679.5		2.6	6.1	15.4	20.2	44.3
Australia	596.1	1611.1	2705.1	3385.1	8297.4		2.9	7.8	13.1	16.4	40.2
TYPE:											
Fleece	405.8	1004.9	1677.6	2063.9	5152.2		3.0	7.4	12.3	15.1	37.8
Skirting	134.5	431.6	687.3	938.5	2191.9		3.0	9.7	15.5	21.2	49.5
Carding	55.8	174.6	340.1	382.7	953.2		2.2	6.8	13.3	14.9	37.2
DIFFERENCES:											
Queensland	57.6	22.6-	2.8-	32.2	16.0	4.6-	0.1	0.4-	0.1	4.3	4.2
NSW	117.5	49.9	11.3	4.8	20.5	3.7	2.1	3.8	1.1	0.2	7.2
Victoria	4.4-	29.2-	22.3-	22.7-	22.7-	18.8-	0.4	1.0-	0.6-	0.8-	1.9-
Tasmania	147.3	4.2-	35.8-	52.1-	32.3-	33.4-	4.3	4.3	0.8-	6.9-	0.9
SA	1633.3	20.0	62.9	12.3	27.0	5.7-	0.3	0.2	1.1	1.0	2.6
WA	313.8	114.0	103.3	25.5	63.2	5.1-	2.0	3.4	8.2	4.9	18.5
Australia	71.3	16.2	5.8	1.8-	7.2	8.0-	1.3	1.6	1.7	1.0	5.7
Fleece	81.2	12.0	7.5	1.4-	7.9	427.3	1.5	1.3	1.8	4.6	5.6
Skirting	54.8	21.4	2.6-	4.2-	3.0	71.4	1.3	2.6	1.4	7.1	7.1
Carding	50.0	31.4	16.8	2.1	14.0	0.9-	0.8	1.7	2.0	3.6	4.8

	PRESALE DATA					RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1914	12499	6.53	182.0		23.6	1385	76.4	0	0.0
NSW	14537	63240	4.35	174.4		9.1	9792	72.9	9	0.3
Victoria	10167	63691	6.26	178.0		40.1	7500	75.3	49	0.8
Tasmania	1433	7671	5.35	175.1		46.0	1158	78.0	0	0.0
SA	2976	23762	7.98	179.2		29.1	2429	82.3	16	1.0
WA	8080	58785	7.28	179.1		70.5	6346	83.9	53	0.5
Australia	39107	229648	5.87	177.5		33.4	28610	77.7	127	0.5
TYPE:										
Fleece	24667	158160	6.41	179.7		33.0	22023	91.0	61	0.2
Skirting	10101	51265	5.08	173.1		34.2	6163	62.9	66	1.7
Carding	4339	20223	4.66	171.7		33.9	424	11.0	0	0.0
=====										
2007/2008:										
Queensland	1886	12182	6.46	181.9		17.3	1378	80.0	0	0.0
NSW	14493	62034	4.28	175.2		9.9	10045	75.4	23	0.5
Victoria	10451	64486	6.17	179.2		34.0	7648	74.0	49	0.5
Tasmania	1123	6285	5.60	176.4		46.4	874	78.3	7	1.3
SA	3272	24186	7.39	179.3		25.1	2683	84.3	11	0.7
WA	5721	38091	6.66	177.5		71.5	4296	80.1	6	0.1
Australia	36946	207264	5.61	177.8		29.1	26924	77.2	96	0.4
TYPE:										
Fleece	22952	141213	6.15	180.1		28.2	20754	91.8	32	0.2
Skirting	9722	47009	4.84	173.1		31.1	5773	60.1	63	1.5
Carding	4272	19042	4.46	171.9		29.2	397	11.2	1	0.0
=====										
DIFFERENCES:										
Queensland	1.5-	2.5-	0.07-	0.1-	2.5-	6.3-	0.5-	3.6	0.0	0.0
NSW	0.3-	1.9-	0.07-	0.5	1.4-	0.8	2.6	2.5	155.6	0.2
Victoria	2.8	1.2	0.09-	0.7	1.9	6.1-	2.0	1.3-	0.0	0.3-
Tasmania	21.6-	18.1-	0.25	0.7	17.5-	0.4	24.5-	0.3	0.0	1.3
SA	9.9	1.8	0.59-	0.1	1.8	4.0-	10.5	2.0	31.3-	0.3-
WA	29.2-	35.2-	0.62-	0.9-	35.8-	1.0	32.3-	3.8-	88.7-	0.4-
Australia	5.5-	9.7-	0.26-	0.2	9.6-	4.3-	5.9-	0.5-	24.4-	0.1-
Fleece	7.0-	10.7-	0.26-	0.2	10.5-	4.8-	5.8-	0.8	47.5-	0.0
Skirting	3.8-	8.3-	0.24-	0.0	8.3-	3.1-	6.3-	2.8-	4.5-	0.2-
Carding	1.5-	5.8-	0.20-	0.1	5.7-	4.7-	6.4-	0.2	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						STAPLE	DATA	COLOUR	DATA	
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT					RAPID
2006/2007:											
Queensland	3231	22502	6.96	182.5			16.9	2366	78.5	2	0.1
NSW	22664	100684	4.44	174.9			7.0	14984	71.9	28	0.4
Victoria	16761	103949	6.20	177.6			38.1	12072	72.1	73	0.7
Tasmania	2352	12926	5.50	175.4			45.5	1892	77.9	4	0.6
SA	4425	34951	7.90	177.9			30.6	3497	79.2	21	0.8
WA	11095	81243	7.32	178.7			69.5	8481	82.0	58	0.4
Australia	60528	356255	5.89	177.4			30.8	43292	75.6	186	0.5
TYPE:											
Fleece	37645	240771	6.40	179.6			30.3	33282	90.0	75	0.2
Skirting	15547	80213	5.16	173.3			31.4	9241	60.4	111	1.7
Carding	7336	35271	4.81	171.7			31.8	769	12.1	0	0.0
2007/2008:											
Queensland	3311	21697	6.55	182.7			13.3	2407	79.4	5	0.5
NSW	23385	100751	4.31	175.7			7.8	15160	71.0	47	0.6
Victoria	15715	97088	6.18	178.6			33.8	11082	71.2	90	0.7
Tasmania	1791	9786	5.46	176.3			42.6	1358	74.6	7	0.8
SA	4656	34572	7.43	178.9			26.1	3693	81.1	13	0.6
WA	8904	59384	6.67	177.6			70.3	6552	78.3	8	0.1
Australia	57762	323278	5.60	177.7			27.4	40252	74.1	170	0.5
TYPE:											
Fleece	35241	216801	6.15	180.2			27.1	30965	89.4	58	0.2
Skirting	15015	72509	4.83	173.3			28.5	8494	57.4	111	1.8
Carding	7506	33968	4.53	171.7			26.3	793	12.6	1	0.0
DIFFERENCES:											
Queensland	2.5	3.6-	0.41-	0.1	3.5-	2.6-	3.6-	1.7	0.9	150.0	0.4
NSW	3.2	0.1	0.13-	0.5	0.5	1.9-	0.8	1.2	0.9-	67.9	0.2
Victoria	6.2-	6.6-	0.02-	0.6	6.1-	4.2-	4.3-	8.2-	0.9-	23.3	0.0
Tasmania	23.9-	24.3-	0.04-	0.5	23.9-	16.2-	2.9-	28.2-	3.3-	75.0	0.2
SA	5.2	1.1-	0.47-	0.6	0.6-	0.9-	4.5-	5.6	1.9	38.1-	0.2-
WA	19.7-	26.9-	0.65-	0.6-	27.3-	24.3-	0.8	22.7-	3.7-	86.2-	0.3-
Australia	4.6-	9.3-	0.29-	0.2	9.1-	8.3-	3.4-	7.0-	1.5-	8.6-	0.0
Fleece	6.4-	10.0-	0.25-	0.3	9.7-		3.2-	7.0-	0.6-	22.7-	0.0
Skirting	3.4-	9.6-	0.33-	0.0	9.6-		2.9-	8.1-	3.0-	0.0	0.1
Carding	2.3	3.7-	0.28-	0.0	3.7-		5.5-	3.1	0.5	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of AUGUST as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = 9.4%.

It has moved from 32.6% of the clip at the end of AUGUST last year to 39.2% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.8	3.4	20.6	21.6	87.2	15.7	35.3	35.8	61.5	18.0	72.0	0.0	0.0	
NSW	63.0	4.1	20.5	21.9	82.7	15.7	38.5	32.0	49.2	21.2	71.1	71.2	8.9	
Victoria	63.5	2.6	21.5	22.9	86.2	16.7	34.0	36.9	47.6	14.3	72.3	71.4	9.0	
Tasmania	69.1	1.5	20.0	22.2	82.2	17.0	35.0	32.1	41.1	27.0	69.8	0.0	0.0	
SA	60.8	3.0	22.4	22.5	92.3	16.2	33.2	39.3	55.7	13.9	75.6	72.4	9.2	
WA	62.0	1.9	20.7	22.6	84.2	16.5	32.4	35.4	51.0	10.0	70.3	70.2	9.8	
Australia	62.8	2.9	21.0	22.4	85.4	16.3	34.7	35.3	50.4	15.4	71.7	71.3	9.2	
TYPE:														
Fleece	66.2	1.7	21.2	21.8	87.7	15.2	35.8	34.3	49.5	14.7	74.4	70.5	9.0	
Skirting	54.0	6.1	20.4	23.0	76.0	21.1	30.0	40.2	55.6	17.7	60.7	71.6	9.3	
Carding	56.8	4.1	21.4	25.3	62.0	19.2	27.5	25.1	30.5	33.3	48.0	0.0	0.0	
2007/2008:														
Queensland	62.9	2.3	20.2	21.1	86.4	16.0	34.4	36.9	59.7	30.5	71.4	0.0	0.0	
NSW	63.4	2.4	20.3	21.7	84.9	16.0	35.6	34.7	54.6	22.2	70.7	72.0	9.2	
Victoria	62.3	1.6	21.3	22.7	88.5	15.9	33.2	37.6	45.8	12.8	74.0	70.4	8.9	
Tasmania	68.5	0.8	19.7	22.0	83.2	15.9	34.5	32.8	49.3	21.1	69.6	73.4	8.5	
SA	60.7	1.8	22.1	22.2	93.0	15.4	32.5	40.1	53.0	15.4	76.6	71.5	9.0	
WA	60.0	1.9	19.9	23.1	82.6	16.4	30.2	38.1	43.2	9.4	68.7	67.5	9.6	
Australia	62.2	2.0	20.7	22.3	86.6	16.0	33.4	37.0	49.7	16.6	72.1	71.3	9.0	
TYPE:														
Fleece	65.4	1.1	20.9	21.7	89.1	15.0	34.2	36.3	49.1	15.8	74.6	72.8	8.9	
Skirting	54.4	4.2	20.2	23.1	76.7	20.6	29.4	40.8	53.5	19.2	61.6	70.8	9.1	
Carding	56.7	2.8	21.2	25.4	64.3	18.5	29.4	29.9	39.9	32.1	52.8	65.9	8.5	
DIFFERENCES:														
Queensland	1.1	1.1-	0.4-	0.5-	0.8-	0.3	0.9-	1.1	1.8-	12.5	0.6-	0.0	0.0	
NSW	0.4	1.7-	0.2-	0.2-	2.2	0.3	2.9-	2.7	5.4	1.0	0.4-	0.8	0.3	
Victoria	1.2-	1.0-	0.2-	0.2-	2.3	0.8-	0.8-	0.7	1.8-	1.5-	1.7	1.0-	0.1-	
Tasmania	0.6-	0.7-	0.3-	0.2-	1.0	1.1-	0.5-	0.7	8.2	5.9-	0.2-	73.4	8.5	
SA	0.1-	1.2-	0.3-	0.3-	0.7	0.8-	0.7-	0.8	2.7-	1.5	1.0	0.9-	0.2-	
WA	2.0-	0.0	0.8-	0.5	1.6-	0.1-	2.2-	2.7	7.8-	0.6-	1.6-	2.7-	0.2-	
Australia	0.6-	0.9-	0.3-	0.1-	1.2	0.3-	1.3-	1.7	0.7-	1.2	0.4	0.0	0.2-	
Fleece	0.8-	0.6-	0.3-	0.1-	1.4	0.2-	1.6-	2.0	0.4-	1.1	0.2	2.3	0.1-	
Skirting	0.4	1.9-	0.2-	0.1	0.7	0.5-	0.6-	0.6	2.1-	1.5	0.9	0.8-	0.2-	
Carding	0.1-	1.3-	0.2-	0.1	2.3	0.7-	1.9	4.8	9.4	1.2-	4.8	65.9	8.5	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	62.1	3.3	20.7	21.6	87.7	15.6	36.1	35.1	61.0	19.7	72.8	72.1	9.9	
NSW	62.6	4.2	20.6	21.9	82.3	15.7	38.2	32.0	49.2	23.2	70.7	70.6	8.9	
Victoria	63.4	2.5	21.5	23.1	85.2	16.8	33.8	36.2	46.8	17.1	71.5	71.1	9.1	
Tasmania	69.3	1.5	20.3	22.2	82.5	17.0	34.7	32.4	39.8	32.9	70.3	73.4	8.8	
SA	60.4	3.1	22.4	22.7	90.6	16.3	33.7	38.7	54.8	15.4	75.0	72.3	9.2	
WA	61.9	1.9	20.7	22.6	83.5	16.6	32.5	35.2	50.8	10.9	70.0	70.2	10.0	
Australia	62.7	2.9	21.1	22.5	84.7	16.3	34.8	34.9	49.9	17.8	71.3	71.1	9.2	
TYPE:														
Fleece	66.2	1.8	21.2	21.9	87.0	15.2	36.0	34.0	49.1	17.1	74.1	71.0	9.1	
Skirting	54.2	6.0	20.4	23.1	75.6	21.1	29.9	39.8	55.4	19.1	60.2	71.1	9.3	
Carding	57.2	4.0	21.5	25.4	62.2	19.0	29.9	26.5	33.3	35.7	51.1	0.0	0.0	
2007/2008:														
Queensland	62.5	2.3	20.4	21.3	86.3	16.2	34.4	37.0	62.0	28.3	71.1	71.9	9.6	
NSW	62.5	2.6	20.3	21.8	84.0	16.1	35.8	34.4	53.3	22.5	70.4	71.7	9.4	
Victoria	62.1	1.6	21.5	22.9	87.3	16.1	33.7	36.9	45.3	14.9	73.4	70.3	8.8	
Tasmania	68.5	0.8	20.1	22.3	82.7	16.1	34.1	33.2	48.7	23.4	69.4	73.4	8.5	
SA	60.6	1.9	22.2	22.4	91.6	15.6	33.1	39.4	53.4	17.0	75.8	71.2	9.0	
WA	59.8	2.0	19.9	23.1	81.2	16.6	30.9	37.1	44.6	10.9	67.7	68.3	9.8	
Australia	61.9	2.0	20.8	22.4	85.5	16.1	33.7	36.4	49.8	17.9	71.4	71.1	9.1	
TYPE:														
Fleece	65.1	1.2	20.9	21.7	87.9	15.1	34.7	35.7	49.3	17.1	73.9	72.9	8.9	
Skirting	54.2	4.3	20.2	23.2	76.1	20.7	29.6	40.4	53.5	20.2	61.2	70.5	9.2	
Carding	56.9	2.9	21.3	25.4	63.1	18.7	29.9	28.3	37.4	33.2	52.1	65.9	8.5	
DIFFERENCES:														
Queensland	0.4	1.0-	0.3-	0.3-	1.4-	0.6	1.7-	1.9	1.0	8.6	1.7-	0.2-	0.3-	
NSW	0.1-	1.6-	0.3-	0.1-	1.7	0.4	2.4-	2.4	4.1	0.7-	0.3-	1.1	0.5	
Victoria	1.3-	0.9-	0.0	0.2-	2.1	0.7-	0.1-	0.7	1.5-	2.2-	1.9	0.8-	0.3-	
Tasmania	0.8-	0.7-	0.2-	0.1	0.2	0.9-	0.6-	0.8	8.9	9.5-	0.9-	0.0	0.3-	
SA	0.2	1.2-	0.2-	0.3-	1.0	0.7-	0.6-	0.7	1.4-	1.6	0.8	1.1-	0.2-	
WA	2.1-	0.1	0.8-	0.5	2.3-	0.0	1.6-	1.9	6.2-	0.0	2.3-	1.9-	0.2-	
Australia	0.8-	0.9-	0.3-	0.1-	0.8	0.2-	1.1-	1.5	0.1-	0.1	0.1	0.0	0.1-	
Fleece	1.1-	0.6-	0.3-	0.2-	0.9	0.1-	1.3-	1.7	0.2	0.0	0.2-	1.9	0.2-	
Skirting	0.0	1.7-	0.2-	0.1	0.5	0.4-	0.3-	0.6	1.9-	1.1	1.0	0.6-	0.1-	
Carding	0.3-	1.1-	0.2-	0.0	0.9	0.3-	0.0	1.8	4.1	2.5-	1.0	65.9	8.5	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	3231	22502		2366	78.5	2	0.1	62.1	3.3	20.7	21.6	87.7	36.1	61.0	72.8	9.9
NSW	22664	100684		14984	71.9	28	0.4	62.6	4.2	20.6	21.9	82.3	38.2	49.2	70.7	8.9
Victoria	16761	103949		12072	72.1	73	0.7	63.4	2.5	21.5	23.1	85.2	33.8	46.8	71.5	9.1
Tasmania	2352	12926		1892	77.9	4	0.6	69.3	1.5	20.3	22.2	82.5	34.7	39.8	70.3	8.8
SA	4425	34951		3497	79.2	21	0.8	60.4	3.1	22.4	22.7	90.6	33.7	54.8	75.0	9.2
WA	11095	81243		8481	82.0	58	0.4	61.9	1.9	20.7	22.6	83.5	32.5	50.8	70.0	10.0
Australia	60528	356255		43292	75.6	186	0.5	62.7	2.9	21.1	22.5	84.7	34.8	49.9	71.3	9.2
TYPE:																
Fleece	37645	240771		33282	90.0	75	0.2	66.2	1.8	21.2	21.9	87.0	36.0	49.1	74.1	9.1
Skirting	15547	80213		9241	60.4	111	1.7	54.2	6.0	20.4	23.1	75.6	29.9	55.4	60.2	9.3
Carding	7336	35271		769	12.1	0	0.0	57.2	4.0	21.5	25.4	62.2	29.9	33.3	51.1	0.0
2007/2008:																
Queensland	3311	21697		2407	79.4	5	0.5	62.5	2.3	20.4	21.3	86.3	34.4	62.0	71.1	9.6
NSW	23385	100751		15160	71.0	47	0.6	62.5	2.6	20.3	21.8	84.0	35.8	53.3	70.4	9.4
Victoria	15715	97088		11082	71.2	90	0.7	62.1	1.6	21.5	22.9	87.3	33.7	45.3	73.4	8.8
Tasmania	1791	9786		1358	74.6	7	0.8	68.5	0.8	20.1	22.3	82.7	34.1	48.7	69.4	8.5
SA	4656	34572		3693	81.1	13	0.6	60.6	1.9	22.2	22.4	91.6	33.1	53.4	75.8	9.0
WA	8904	59384		6552	78.3	8	0.1	59.8	2.0	19.9	23.1	81.2	30.9	44.6	67.7	9.8
Australia	57762	323278		40252	74.1	170	0.5	61.9	2.0	20.8	22.4	85.5	33.7	49.8	71.4	9.1
TYPE:																
Fleece	35241	216801		30965	89.4	58	0.2	65.1	1.2	20.9	21.7	87.9	34.7	49.3	73.9	8.9
Skirting	15015	72509		8494	57.4	111	1.8	54.2	4.3	20.2	23.2	76.1	29.6	53.5	61.2	9.2
Carding	7506	33968		793	12.6	1	0.0	56.9	2.9	21.3	25.4	63.1	29.9	37.4	52.1	8.5
DIFFERENCES:																
Queensland	2.5	3.6-	3.5-	1.7	0.9	150.0	0.4	0.4	1.0-	0.3-	0.3-	1.4-	1.7-	1.0	1.7-	0.3-
NSW	3.2	0.1	0.5	1.2	0.9-	67.9	0.2	0.1-	1.6-	0.3-	0.1-	1.7	2.4-	4.1	0.3-	0.5
Victoria	6.2-	6.6-	6.1-	8.2-	0.9-	23.3	0.0	1.3-	0.9-	0.0	0.2-	2.1	0.1-	1.5-	1.9	0.3-
Tasmania	23.9-	24.3-	23.9-	28.2-	3.3-	75.0	0.2	0.8-	0.7-	0.2-	0.1	0.2	0.6-	8.9	0.9-	0.3-
SA	5.2	1.1-	0.6-	5.6	1.9	38.1-	0.2-	0.2	1.2-	0.2-	0.3-	1.0	0.6-	1.4-	0.8	0.2-
WA	19.7-	26.9-	27.3-	22.7-	3.7-	86.2-	0.3-	2.1-	0.1	0.8-	0.5	2.3-	1.6-	6.2-	2.3-	0.2-
Australia	4.6-	9.3-	9.1-	7.0-	1.5-	8.6-	0.0	0.8-	0.9-	0.3-	0.1-	0.8	1.1-	0.1-	0.1	0.1-
Fleece	6.4-	10.0-	9.7-	7.0-	0.6-	22.7-	0.0	1.1-	0.6-	0.3-	0.2-	0.9	1.3-	0.2	0.2-	0.2-
Skirting	3.4-	9.6-	9.6-	8.1-	3.0-	0.0	0.1	0.0	1.7-	0.2-	0.1	0.5	0.3-	1.9-	1.0	0.1-
Carding	2.3	3.7-	3.7-	3.1	0.5	0.0	0.0	0.3-	1.1-	0.2-	0.0	0.9	0.0	4.1	1.0	8.5

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = 9.4%.

It has moved from 32.6% of the clip at the end of AUGUST last year to 39.2% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					0.0-19.5	ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-16.5			16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5	
2006/2007:												
Queensland	17.9	101.9	259.5	523.1	902.5			0.4	2.5	6.3	12.7	22.0
NSW	502.3	1686.4	2612.5	3088.0	7889.1			2.9	9.6	14.8	17.5	44.8
Victoria	479.5	1214.3	1972.3	2475.0	6141.2			2.6	6.6	10.7	13.4	33.3
Tasmania	44.6	239.0	547.6	637.1	1468.3			2.0	10.5	24.1	28.1	64.7
SA	2.8	24.0	68.1	260.5	355.3			0.0	0.4	1.1	4.2	5.7
WA	81.4	420.5	1040.0	2276.8	3818.7			0.6	2.9	7.2	15.7	26.3
Australia	1128.5	3686.1	6500.0	9260.5	20575.2			1.8	5.8	10.3	14.7	32.6
TYPE:												
Fleece	754.9	2432.8	4084.5	5582.1	12854.3			1.7	5.6	9.4	12.9	29.7
Skirting	271.7	948.9	1754.0	2748.8	5723.4			2.0	6.8	12.6	19.8	41.2
Carding	101.9	304.4	661.5	929.6	1997.5			1.7	5.0	10.9	15.3	33.0
2007/2008:												
Queensland	28.4	130.5	277.7	669.8	1106.4			0.7	3.3	7.0	16.9	27.9
NSW	830.2	2130.8	2832.8	3197.7	8991.5			4.7	12.0	16.0	18.1	50.8
Victoria	568.5	1057.4	1916.9	2411.2	5954.0			3.3	6.1	11.1	13.9	34.3
Tasmania	95.3	293.3	479.8	313.7	1182.1			5.5	17.0	27.8	18.2	68.5
SA	10.0	41.8	160.9	323.0	535.7			0.2	0.7	2.6	5.2	8.7
WA	184.8	632.0	1648.1	2275.1	4739.9			1.8	6.0	15.6	21.6	44.9
Australia	1717.1	4285.8	7316.1	9190.6	22509.6			3.0	7.5	12.7	16.0	39.2
TYPE:												
Fleece	1209.8	2775.7	4634.8	5652.2	14272.5			3.1	7.1	11.9	14.5	36.5
Skirting	370.2	1121.6	1917.8	2651.9	6061.5			2.9	8.9	15.3	21.1	48.2
Carding	137.1	388.5	763.6	886.4	2175.7			2.4	6.7	13.1	15.2	37.3
DIFFERENCES:												
Queensland	58.7	28.1	7.0	28.0	22.6	3.5-		0.3	0.8	0.7	4.2	5.9
NSW	65.3	26.4	8.4	3.6	14.0	0.5		1.8	2.4	1.2	0.6	6.0
Victoria	18.6	12.9-	2.8-	2.6-	3.0-	6.1-		0.7	0.5-	0.4	0.5	1.0
Tasmania	113.7	22.7	12.4-	50.8-	19.5-	23.9-		3.5	6.5	3.7	9.9-	3.8
SA	257.1	74.2	136.3	24.0	50.8	0.6-		0.2	0.3	1.5	1.0	3.0
WA	127.0	50.3	58.5	0.1-	24.1	27.3-		1.2	3.1	8.4	5.9	18.6
Australia	52.2	16.3	12.6	0.8-	9.4	9.1-		1.2	1.7	2.4	1.3	6.6
Fleece	60.3	14.1	13.5	1.3	11.0	544.9		1.4	1.5	2.5	5.1	6.8
Skirting	36.3	18.2	9.3	3.5-	5.9	107.5		0.9	2.1	2.7	8.5	7.0
Carding	34.5	27.6	15.4	4.6-	8.9	3.7-		0.7	1.7	2.2	4.3-	4.3

	PRESALE DATA					RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1792	11390	6.36	181.5		21.1	1319	76.1	0	0.0
NSW	17159	71529	4.17	172.3		9.1	11870	73.1	18	0.3
Victoria	13386	83720	6.25	177.4		43.4	9585	71.8	116	1.6
Tasmania	1198	6446	5.38	175.4		42.7	988	82.9	0	0.0
SA	4091	34308	8.39	179.1		26.4	3236	81.0	7	0.4
WA	8524	59293	6.96	178.5		67.6	6670	84.3	43	0.4
Australia	46150	266686	5.78	176.6		32.7	33668	76.6	184	0.7
TYPE:										
Fleece	29621	184740	6.24	178.7		32.2	26036	89.0	96	0.3
Skirting	11592	58438	5.04	172.5		33.5	7205	64.2	88	2.3
Carding	4937	23508	4.76	171.1		33.7	427	9.7	0	0.0
2007/2008:										
Queensland	1446	9242	6.39	181.3		18.0	1021	73.4	0	0.0
NSW	15664	64378	4.11	174.4		9.1	10399	71.1	34	0.8
Victoria	12591	76403	6.07	178.0		29.8	9103	73.1	57	0.7
Tasmania	1079	5525	5.12	176.6		35.8	889	82.7	2	0.6
SA	3646	29172	8.00	180.4		26.5	2950	83.5	6	0.3
WA	7850	50844	6.48	178.1		66.8	6017	82.6	14	0.1
Australia	42276	235564	5.57	177.4		28.5	30379	76.1	113	0.5
TYPE:										
Fleece	26838	164074	6.11	179.3		28.1	23540	88.9	40	0.1
Skirting	10759	51365	4.77	173.5		29.4	6472	61.4	73	1.9
Carding	4679	20125	4.30	172.5		28.1	367	9.5	0	0.0
DIFFERENCES:										
Queensland	19.3-	18.9-	0.03	0.1-	18.9-	3.1-	22.6-	2.7-	0.0	0.0
NSW	8.7-	10.0-	0.06-	1.2	8.9-	0.0	12.4-	2.0-	88.9	0.5
Victoria	5.9-	8.7-	0.18-	0.3	8.4-	13.6-	5.0-	1.3	50.9-	0.9-
Tasmania	9.9-	14.3-	0.26-	0.7	13.7-	6.9-	10.0-	0.2-	0.0	0.6
SA	10.9-	15.0-	0.39-	0.7	14.3-	0.1	8.8-	2.5	14.3-	0.1-
WA	7.9-	14.2-	0.48-	0.2-	14.4-	0.8-	9.8-	1.7-	67.4-	0.3-
Australia	8.4-	11.7-	0.21-	0.5	11.3-	4.2-	9.8-	0.5-	38.6-	0.2-
Fleece	9.4-	11.2-	0.13-	0.3	10.9-	4.1-	9.6-	0.1-	58.3-	0.2-
Skirting	7.2-	12.1-	0.27-	0.6	11.6-	4.1-	10.2-	2.8-	17.0-	0.4-
Carding	5.2-	14.4-	0.46-	0.8	13.7-	5.6-	14.1-	0.2-	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						STAPLE DATA	COLOUR DATA			
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT			RAPID	LOTS	AR%
2006/2007:											
Queensland	5023	33892	6.75	182.2			18.4	3685	77.7	2	0.0
NSW	39823	172213	4.32	173.8			7.9	26854	72.4	46	0.4
Victoria	30147	187669	6.23	177.5			40.4	21657	72.0	189	1.1
Tasmania	3550	19372	5.46	175.4			44.6	2880	79.6	4	0.4
SA	8516	69259	8.13	178.5			28.6	6733	80.1	28	0.6
WA	19619	140536	7.16	178.6			68.7	15151	83.0	101	0.4
Australia	106678	622941	5.84	177.0			31.6	76960	76.0	370	0.6
TYPE:											
Fleece	67266	425511	6.33	179.2			31.2	59318	89.5	171	0.3
Skirting	27139	138651	5.11	172.9			32.3	16446	62.0	199	2.0
Carding	12273	58779	4.79	171.5			32.6	1196	11.1	0	0.0
2007/2008:											
Queensland	4757	30939	6.50	182.3			14.8	3428	77.6	5	0.3
NSW	39049	165129	4.23	175.2			8.3	25559	71.1	81	0.7
Victoria	28306	173491	6.13	178.3			32.0	20185	72.0	147	0.7
Tasmania	2870	15311	5.33	176.4			40.0	2247	77.5	9	0.8
SA	8302	63744	7.68	179.6			26.3	6643	82.2	19	0.4
WA	16754	110228	6.58	177.8			68.7	12569	80.3	22	0.1
Australia	100038	558842	5.59	177.6			27.8	70631	75.0	283	0.5
TYPE:											
Fleece	62079	380875	6.14	179.8			27.6	54505	89.2	98	0.2
Skirting	25774	123874	4.81	173.4			28.9	14966	59.1	184	1.8
Carding	12185	54093	4.44	172.0			27.0	1160	11.5	1	0.0
DIFFERENCES:											
Queensland	5.3-	8.7-	0.25-	0.1	8.6-	9.0-	3.6-	7.0-	0.1-	150.0	0.3
NSW	1.9-	4.1-	0.09-	0.8	3.4-	4.5-	0.4	4.8-	1.3-	76.1	0.3
Victoria	6.1-	7.6-	0.10-	0.5	7.1-	6.0-	8.4-	6.8-	0.0	22.2-	0.4-
Tasmania	19.2-	21.0-	0.13-	0.6	20.5-	17.5-	4.6-	22.0-	2.1-	125.0	0.4
SA	2.5-	8.0-	0.45-	0.6	7.4-	9.2-	2.3-	1.3-	2.1	32.1-	0.2-
WA	14.6-	21.6-	0.58-	0.4-	21.9-	20.4-	0.0	17.0-	2.7-	78.2-	0.3-
Australia	6.2-	10.3-	0.25-	0.3	10.0-	9.7-	3.8-	8.2-	1.0-	23.5-	0.1-
Fleece	7.7-	10.5-	0.19-	0.3	10.2-		3.6-	8.1-	0.3-	42.7-	0.1-
Skirting	5.0-	10.7-	0.30-	0.3	10.4-		3.4-	9.0-	2.9-	7.5-	0.2-
Carding	0.7-	8.0-	0.35-	0.3	7.7-		5.6-	3.0-	0.4	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of SEPTEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = 4.4%.

It has moved from 33.2% of the clip at the end of SEPTEMBER last year to 38.5% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	62.4	3.3	20.5	21.5	86.3	16.2	34.9	35.0	56.1	23.4	71.6	0.0	0.0	
NSW	64.9	3.6	20.2	21.8	82.1	16.0	37.9	32.2	48.4	16.9	70.4	70.8	9.8	
Victoria	64.3	2.5	21.6	22.7	87.3	16.5	33.7	37.1	50.6	12.2	72.3	72.5	9.1	
Tasmania	70.3	1.2	19.7	22.0	82.5	16.9	36.6	31.7	44.3	24.0	70.0	0.0	0.0	
SA	62.3	2.7	22.5	22.3	93.6	16.1	33.4	39.3	61.1	14.7	75.9	72.6	9.0	
WA	62.9	1.8	20.4	22.6	84.5	16.5	32.0	35.5	48.4	9.2	70.3	69.9	9.3	
Australia	63.9	2.7	21.0	22.3	86.0	16.3	34.4	35.6	51.0	13.8	71.7	72.0	9.2	
TYPE:														
Fleece	67.4	1.6	21.2	21.8	88.5	15.2	35.6	34.7	50.2	12.9	74.6	72.8	9.0	
Skirting	55.0	5.9	20.3	22.9	76.3	21.1	29.6	40.3	56.1	16.6	60.6	71.6	9.3	
Carding	57.5	3.8	21.0	25.2	60.1	19.2	25.0	23.1	25.6	34.0	44.0	0.0	0.0	
2007/2008:														
Queensland	62.6	2.2	20.2	21.3	84.7	16.2	35.5	34.9	50.3	35.9	72.3	0.0	0.0	
NSW	65.1	1.9	20.5	21.8	86.2	15.9	34.7	35.5	56.3	22.0	71.1	72.2	9.6	
Victoria	63.9	1.4	21.7	22.6	90.3	15.8	30.8	40.0	49.4	11.5	73.6	71.5	8.8	
Tasmania	69.9	0.7	18.9	22.0	82.0	16.3	34.7	32.1	45.8	18.7	69.0	71.5	8.3	
SA	62.6	1.5	22.2	21.9	95.6	15.4	32.1	40.4	56.2	16.1	77.7	70.5	8.4	
WA	61.1	1.6	19.7	23.0	84.0	16.5	29.0	38.6	46.1	9.1	68.2	68.0	9.5	
Australia	63.5	1.6	20.9	22.3	88.1	16.0	31.8	38.2	51.2	15.3	72.1	71.6	9.1	
TYPE:														
Fleece	66.8	0.9	21.0	21.7	90.5	15.0	32.6	37.5	50.9	14.7	74.5	72.5	8.8	
Skirting	55.2	3.7	20.2	23.1	78.1	20.5	28.2	42.5	54.1	17.5	62.4	71.3	9.2	
Carding	57.0	2.4	20.9	25.3	61.6	19.0	25.6	25.1	30.2	32.1	45.6	0.0	0.0	
DIFFERENCES:														
Queensland	0.2	1.1-	0.3-	0.2-	1.6-	0.0	0.6	0.1-	5.8-	12.5	0.7	0.0	0.0	
NSW	0.2	1.7-	0.3	0.0	4.1	0.1-	3.2-	3.3	7.9	5.1	0.7	1.4	0.2-	
Victoria	0.4-	1.1-	0.1	0.1-	3.0	0.7-	2.9-	2.9	1.2-	0.7-	1.3	1.0-	0.3-	
Tasmania	0.4-	0.5-	0.8-	0.0	0.5-	0.6-	1.9-	0.4	1.5	5.3-	1.0-	71.5	8.3	
SA	0.3	1.2-	0.3-	0.4-	2.0	0.7-	1.3-	1.1	4.9-	1.4	1.8	2.1-	0.6-	
WA	1.8-	0.2-	0.7-	0.4	0.5-	0.0	3.0-	3.1	2.3-	0.1-	2.1-	1.9-	0.2	
Australia	0.4-	1.1-	0.1-	0.0	2.1	0.3-	2.6-	2.6	0.2	1.5	0.4	0.4-	0.1-	
Fleece	0.6-	0.7-	0.2-	0.1-	2.0	0.2-	3.0-	2.8	0.7	1.8	0.1-	0.3-	0.2-	
Skirting	0.2	2.2-	0.1-	0.2	1.8	0.6-	1.4-	2.2	2.0-	0.9	1.8	0.3-	0.1-	
Carding	0.5-	1.4-	0.1-	0.1	1.5	0.2-	0.6	2.0	4.6	1.9-	1.6	0.0	0.0	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	62.2	3.3	20.6	21.6	87.2	15.8	35.7	35.1	59.4	20.9	72.4	72.1	9.9	
NSW	63.5	4.0	20.4	21.9	82.3	15.8	38.0	32.1	48.9	20.6	70.6	70.6	9.2	
Victoria	63.8	2.5	21.6	22.9	86.2	16.7	33.7	36.6	48.4	14.9	71.9	71.9	9.1	
Tasmania	69.6	1.4	20.1	22.1	82.5	17.0	35.4	32.1	41.3	29.8	70.2	73.4	8.8	
SA	61.3	2.9	22.5	22.5	92.1	16.2	33.5	39.0	57.9	15.1	75.4	72.4	9.1	
WA	62.3	1.9	20.6	22.6	83.9	16.5	32.3	35.3	49.8	10.2	70.1	70.0	9.7	
Australia	63.2	2.8	21.0	22.4	85.2	16.3	34.6	35.2	50.4	16.0	71.5	71.5	9.2	
TYPE:														
Fleece	66.7	1.7	21.2	21.8	87.7	15.2	35.8	34.3	49.6	15.3	74.3	72.0	9.0	
Skirting	54.5	6.0	20.4	23.0	75.9	21.1	29.8	40.0	55.7	18.0	60.4	71.4	9.3	
Carding	57.3	3.9	21.3	25.3	61.5	19.1	28.2	25.3	30.6	35.1	48.6	0.0	0.0	
2007/2008:														
Queensland	62.6	2.3	20.3	21.3	85.9	16.2	34.7	36.5	58.7	30.4	71.4	71.9	9.6	
NSW	63.5	2.3	20.4	21.8	84.9	16.0	35.3	34.8	54.5	22.3	70.6	71.9	9.5	
Victoria	62.9	1.5	21.5	22.8	88.6	15.9	32.4	38.3	47.1	13.4	73.5	70.8	8.8	
Tasmania	69.0	0.8	19.7	22.2	82.4	16.2	34.3	32.8	47.6	21.6	69.2	72.9	8.5	
SA	61.5	1.7	22.2	22.2	93.5	15.5	32.6	39.9	54.7	16.6	76.7	71.0	8.8	
WA	60.4	1.8	19.8	23.1	82.5	16.6	30.0	37.8	45.3	10.1	67.9	68.1	9.6	
Australia	62.6	1.9	20.8	22.4	86.6	16.1	32.9	37.2	50.4	16.8	71.7	71.3	9.1	
TYPE:														
Fleece	65.8	1.1	20.9	21.7	89.0	15.1	33.8	36.5	50.0	16.0	74.1	72.8	8.9	
Skirting	54.6	4.0	20.2	23.2	76.9	20.6	29.0	41.3	53.7	19.0	61.7	70.9	9.2	
Carding	57.0	2.7	21.2	25.4	62.6	18.8	28.6	27.3	35.2	32.9	50.1	65.9	8.5	
DIFFERENCES:														
Queensland	0.4	1.0-	0.3-	0.3-	1.3-	0.4	1.0-	1.4	0.7-	9.5	1.0-	0.2-	0.3-	
NSW	0.0	1.7-	0.0	0.1-	2.6	0.2	2.7-	2.7	5.6	1.7	0.0	1.3	0.3	
Victoria	0.9-	1.0-	0.1-	0.1-	2.4	0.8-	1.3-	1.7	1.3-	1.5-	1.6	1.1-	0.3-	
Tasmania	0.6-	0.6-	0.4-	0.1	0.1-	0.8-	1.1-	0.7	6.3	8.2-	1.0-	0.5-	0.3-	
SA	0.2	1.2-	0.3-	0.3-	1.4	0.7-	0.9-	0.9	3.2-	1.5	1.3	1.4-	0.3-	
WA	1.9-	0.1-	0.8-	0.5	1.4-	0.1	2.3-	2.5	4.5-	0.1-	2.2-	1.9-	0.1-	
Australia	0.6-	0.9-	0.2-	0.0	1.4	0.2-	1.7-	2.0	0.0	0.8	0.2	0.2-	0.1-	
Fleece	0.9-	0.6-	0.3-	0.1-	1.3	0.1-	2.0-	2.2	0.4	0.7	0.2-	0.8	0.1-	
Skirting	0.1	2.0-	0.2-	0.2	1.0	0.5-	0.8-	1.3	2.0-	1.0	1.3	0.5-	0.1-	
Carding	0.3-	1.2-	0.1-	0.1	1.1	0.3-	0.4	2.0	4.6	2.2-	1.5	65.9	8.5	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS											
	LOTS	BALES	WEIGHT			LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT
2006/2007:																	
Queensland	5023	33892		3685	77.7	2	0.0	62.2	3.3	20.6	21.6	87.2	35.7	59.4	72.4	9.9	
NSW	39823	172213		26854	72.4	46	0.4	63.5	4.0	20.4	21.9	82.3	38.0	48.9	70.6	9.2	
Victoria	30147	187669		21657	72.0	189	1.1	63.8	2.5	21.6	22.9	86.2	33.7	48.4	71.9	9.1	
Tasmania	3550	19372		2880	79.6	4	0.4	69.6	1.4	20.1	22.1	82.5	35.4	41.3	70.2	8.8	
SA	8516	69259		6733	80.1	28	0.6	61.3	2.9	22.5	22.5	92.1	33.5	57.9	75.4	9.1	
WA	19619	140536		15151	83.0	101	0.4	62.3	1.9	20.6	22.6	83.9	32.3	49.8	70.1	9.7	
Australia	106678	622941		76960	76.0	370	0.6	63.2	2.8	21.0	22.4	85.2	34.6	50.4	71.5	9.2	
TYPE:																	
Fleece	67266	425511		59318	89.5	171	0.3	66.7	1.7	21.2	21.8	87.7	35.8	49.6	74.3	9.0	
Skirting	27139	138651		16446	62.0	199	2.0	54.5	6.0	20.4	23.0	75.9	29.8	55.7	60.4	9.3	
Carding	12273	58779		1196	11.1	0	0.0	57.3	3.9	21.3	25.3	61.5	28.2	30.6	48.6	0.0	
2007/2008:																	
Queensland	4757	30939		3428	77.6	5	0.3	62.6	2.3	20.3	21.3	85.9	34.7	58.7	71.4	9.6	
NSW	39049	165129		25559	71.1	81	0.7	63.5	2.3	20.4	21.8	84.9	35.3	54.5	70.6	9.5	
Victoria	28306	173491		20185	72.0	147	0.7	62.9	1.5	21.5	22.8	88.6	32.4	47.1	73.5	8.8	
Tasmania	2870	15311		2247	77.5	9	0.8	69.0	0.8	19.7	22.2	82.4	34.3	47.6	69.2	8.5	
SA	8302	63744		6643	82.2	19	0.4	61.5	1.7	22.2	22.2	93.5	32.6	54.7	76.7	8.8	
WA	16754	110228		12569	80.3	22	0.1	60.4	1.8	19.8	23.1	82.5	30.0	45.3	67.9	9.6	
Australia	100038	558842		70631	75.0	283	0.5	62.6	1.9	20.8	22.4	86.6	32.9	50.4	71.7	9.1	
TYPE:																	
Fleece	62079	380875		54505	89.2	98	0.2	65.8	1.1	20.9	21.7	89.0	33.8	50.0	74.1	8.9	
Skirting	25774	123874		14966	59.1	184	1.8	54.6	4.0	20.2	23.2	76.9	29.0	53.7	61.7	9.2	
Carding	12185	54093		1160	11.5	1	0.0	57.0	2.7	21.2	25.4	62.6	28.6	35.2	50.1	8.5	
DIFFERENCES:																	
Queensland	5.3-	8.7-	8.6-	7.0-	0.1-	150.0	0.3	0.4	1.0-	0.3-	0.3-	1.3-	1.0-	0.7-	1.0-	0.3-	
NSW	1.9-	4.1-	3.4-	4.8-	1.3-	76.1	0.3	0.0	1.7-	0.0	0.1-	2.6	2.7-	5.6	0.0	0.3	
Victoria	6.1-	7.6-	7.1-	6.8-	0.0	22.2-	0.4-	0.9-	1.0-	0.1-	0.1-	2.4	1.3-	1.3-	1.6	0.3-	
Tasmania	19.2-	21.0-	20.5-	22.0-	2.1-	125.0	0.4	0.6-	0.6-	0.4-	0.1	0.1-	1.1-	6.3	1.0-	0.3-	
SA	2.5-	8.0-	7.4-	1.3-	2.1	32.1-	0.2-	0.2	1.2-	0.3-	0.3-	1.4	0.9-	3.2-	1.3	0.3-	
WA	14.6-	21.6-	21.9-	17.0-	2.7-	78.2-	0.3-	1.9-	0.1-	0.8-	0.5	1.4-	2.3-	4.5-	2.2-	0.1-	
Australia	6.2-	10.3-	10.0-	8.2-	1.0-	23.5-	0.1-	0.6-	0.9-	0.2-	0.0	1.4	1.7-	0.0	0.2	0.1-	
Fleece	7.7-	10.5-	10.2-	8.1-	0.3-	42.7-	0.1-	0.9-	0.6-	0.3-	0.1-	1.3	2.0-	0.4	0.2-	0.1-	
Skirting	5.0-	10.7-	10.4-	9.0-	2.9-	7.5-	0.2-	0.1	2.0-	0.2-	0.2	1.0	0.8-	2.0-	1.3	0.1-	
Carding	0.7-	8.0-	7.7-	3.0-	0.4	0.0	0.0	0.3-	1.2-	0.1-	0.1	1.1	0.4	4.6	1.5	8.5	

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = 4.4%.

It has moved from 33.2% of the clip at the end of SEPTEMBER last year to 38.5% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					0.0-19.5	ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-16.5			16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5	
2006/2007:												
Queensland	35.9	176.7	418.3	847.2	1478.1			0.6	2.9	6.8	13.7	23.9
NSW	1208.5	3360.2	4716.2	5127.8	14412.7			4.0	11.2	15.8	17.1	48.1
Victoria	785.4	1987.0	3508.5	4347.2	10628.1			2.4	6.0	10.5	13.0	31.9
Tasmania	109.7	382.1	851.1	918.6	2261.5			3.2	11.2	25.0	27.0	66.6
SA	3.1	53.1	125.1	433.0	614.2			0.0	0.4	1.0	3.5	5.0
WA	164.4	847.6	2116.9	4051.9	7180.8			0.7	3.4	8.4	16.1	28.6
Australia	2306.9	6806.6	11736.1	15725.7	36575.4			2.1	6.2	10.6	14.3	33.2
TYPE:												
Fleece	1575.8	4485.0	7369.2	9435.7	22865.6			2.1	5.9	9.7	12.4	30.0
Skirting	550.3	1754.5	3133.3	4727.2	10165.4			2.3	7.3	13.1	19.7	42.4
Carding	180.9	567.1	1233.5	1562.9	3544.4			1.8	5.6	12.2	15.5	35.2
2007/2008:												
Queensland	43.1	214.1	431.4	953.0	1641.7			0.8	3.8	7.6	16.9	29.1
NSW	1462.7	3482.1	4560.6	5077.8	14583.1			5.1	12.0	15.8	17.6	50.4
Victoria	914.1	1779.1	3181.4	4070.8	9945.4			3.0	5.8	10.3	13.2	32.1
Tasmania	227.8	525.0	735.4	451.7	1939.9			8.4	19.4	27.2	16.7	71.8
SA	12.9	53.1	223.9	563.7	853.5			0.1	0.5	2.0	4.9	7.5
WA	321.1	1189.8	3061.8	4636.2	9208.9			1.6	6.1	15.6	23.7	47.0
Australia	2981.9	7243.2	12194.4	15753.2	38172.6			3.0	7.3	12.3	15.9	38.5
TYPE:												
Fleece	2100.1	4741.4	7817.9	9727.6	24387.0			3.1	6.9	11.4	14.2	35.6
Skirting	660.6	1889.7	3202.1	4527.9	10280.3			3.1	8.8	14.9	21.1	47.9
Carding	221.1	612.1	1174.4	1497.7	3505.3			2.4	6.6	12.6	16.1	37.7
DIFFERENCES:												
Queensland	20.1	21.2	3.1	12.5	11.1	8.6-	0.2	0.9	0.8	3.2	5.2	
NSW	21.0	3.6	3.3-	1.0-	1.2	3.4-	1.1	0.8	0.0	0.5	2.3	
Victoria	16.4	10.5-	9.3-	6.4-	6.4-	7.1-	0.6	0.2-	0.2-	0.2	0.2	
Tasmania	107.7	37.4	13.6-	50.8-	14.2-	20.5-	5.2	8.2	2.2	10.3-	5.2	
SA	316.1	0.0	79.0	30.2	39.0	7.4-	0.1	0.1	1.0	1.4	2.5	
WA	95.3	40.4	44.6	14.4	28.2	21.9-	0.9	2.7	7.2	7.6	18.4	
Australia	29.3	6.4	3.9	0.2	4.4	10.0-	0.9	1.1	1.7	1.6	5.3	
Fleece	33.3	5.7	6.1	3.1	6.7	579.4	1.0	1.0	1.7	4.5	5.6	
Skirting	20.0	7.7	2.2	4.2-	1.1	113.2	0.8	1.5	1.8	8.0	5.5	
Carding	22.2	7.9	4.8-	4.2-	1.1-	7.7-	0.6	1.0	0.4	3.9	2.5	

KEY TEST DATA SUMMARY FOR THE MONTH OF OCTOBER, 2007/2008

	PRESALE DATA					RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1471	8926	6.07	180.0		15.5	1096	74.7	0	0.0
NSW	19751	76787	3.89	169.9		8.9	13236	69.7	26	0.5
Victoria	14396	89422	6.21	175.5		40.2	9498	66.6	131	1.8
Tasmania	1149	5969	5.19	175.6		39.7	995	85.0	0	0.0
SA	4407	36690	8.33	178.0		27.4	3249	76.1	6	0.2
WA	9815	64805	6.60	177.2		67.3	6942	78.9	30	0.2
Australia	50989	282599	5.54	174.8		31.5	35016	72.2	193	0.8
TYPE:										
Fleece	31357	186793	5.96	176.7		30.0	26978	86.4	58	0.2
Skirting	12480	62670	5.02	171.3		32.7	7440	62.4	135	3.1
Carding	7152	33136	4.63	171.0		35.8	598	10.1	0	0.0
=====										
2007/2008:										
Queensland	1577	8786	5.57	177.8		16.7	1185	76.8	0	0.0
NSW	21164	80682	3.81	171.1		10.7	14142	70.4	38	0.5
Victoria	15162	90662	5.98	177.2		31.7	10272	69.2	138	2.0
Tasmania	1061	4892	4.61	174.5		42.9	873	79.6	0	0.0
SA	4680	36085	7.71	179.2		30.0	3559	78.6	6	0.2
WA	9933	61414	6.18	177.6		69.8	6825	77.4	26	0.2
Australia	53577	282521	5.27	175.8		30.1	36856	72.9	208	0.8
TYPE:										
Fleece	32487	186473	5.74	177.4		28.8	28194	87.7	49	0.1
Skirting	13621	63939	4.69	172.7		31.7	7998	61.1	159	3.3
Carding	7469	32109	4.30	172.5		32.9	664	10.8	0	0.0
=====										
DIFFERENCES:										
Queensland	7.2	1.6-	0.50-	1.2-	2.8-	1.2	8.1	2.1	0.0	0.0
NSW	7.2	5.1	0.08-	0.7	5.8	1.8	6.8	0.7	46.2	0.0
Victoria	5.3	1.4	0.23-	1.0	2.4	8.5-	8.1	2.6	5.3	0.2
Tasmania	7.7-	18.0-	0.58-	0.6-	18.6-	3.2	12.3-	5.4-	0.0	0.0
SA	6.2	1.6-	0.62-	0.7	1.0-	2.6	9.5	2.5	0.0	0.0
WA	1.2	5.2-	0.42-	0.2	5.0-	2.5	1.7-	1.5-	13.3-	0.0
Australia	5.1	0.0-	0.27-	0.6	0.5	1.4-	5.3	0.7	7.8	0.0
Fleece	3.6	0.2-	0.22-	0.4	0.2	1.2-	4.5	1.3	15.5-	0.1-
Skirting	9.1	2.0	0.33-	0.8	2.8	1.0-	7.5	1.3-	17.8	0.2
Carding	4.4	3.1-	0.33-	0.9	2.2-	2.9-	11.0	0.7	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						STAPLE	DATA	COLOUR	DATA	
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT					RAPID
2006/2007:											
Queensland	6494	42818	6.59	181.7			17.7	4781	77.0	2	0.0
NSW	59574	249000	4.18	172.6			8.2	40090	71.6	72	0.4
Victoria	44543	277091	6.22	176.9			40.4	31155	70.2	320	1.3
Tasmania	4699	25341	5.39	175.5			43.4	3875	80.9	4	0.3
SA	12923	105949	8.20	178.3			28.2	9982	78.7	34	0.5
WA	29434	205341	6.98	178.2			68.2	22093	81.7	131	0.4
Australia	157667	905540	5.74	176.3			31.6	111976	74.8	563	0.7
TYPE:											
Fleece	98623	612304	6.21	178.4			30.8	86296	88.6	229	0.2
Skirting	39619	201321	5.08	172.4			32.4	23886	62.1	334	2.3
Carding	19425	91915	4.73	171.3			33.8	1794	10.8	0	0.0
2007/2008:											
Queensland	6334	39725	6.27	181.3			15.3	4613	77.4	5	0.2
NSW	60213	245811	4.08	173.8			9.1	39701	70.8	119	0.6
Victoria	43468	264153	6.08	177.9			31.9	30457	71.0	285	1.1
Tasmania	3931	20203	5.14	175.9			40.8	3120	78.0	9	0.6
SA	12982	99829	7.69	179.5			27.6	10202	80.9	25	0.3
WA	26687	171642	6.43	177.8			69.1	19394	79.3	48	0.1
Australia	153615	841363	5.48	177.0			28.6	107487	74.3	491	0.6
TYPE:											
Fleece	94566	567348	6.00	179.0			28.0	82699	88.7	147	0.2
Skirting	39395	187813	4.77	173.2			29.9	22964	59.8	343	2.3
Carding	19654	86202	4.39	172.2			29.2	1824	11.2	1	0.0
DIFFERENCES:											
Queensland	2.5-	7.2-	0.32-	0.2-	7.4-	8.5-	2.4-	3.5-	0.4	150.0	0.2
NSW	1.1	1.3-	0.10-	0.7	0.6-	0.4-	0.9	1.0-	0.8-	65.3	0.2
Victoria	2.4-	4.7-	0.14-	0.6	4.1-	2.1-	8.5-	2.2-	0.8	10.9-	0.2-
Tasmania	16.3-	20.3-	0.25-	0.2	20.1-	18.3-	2.6-	19.5-	2.9-	125.0	0.3
SA	0.5	5.8-	0.51-	0.7	5.2-	6.2-	0.6-	2.2	2.2	26.5-	0.2-
WA	9.3-	16.4-	0.55-	0.2-	16.6-	15.6-	0.9	12.2-	2.4-	63.4-	0.3-
Australia	2.6-	7.1-	0.26-	0.4	6.7-	6.0-	3.0-	4.0-	0.5-	12.8-	0.1-
Fleece	4.1-	7.3-	0.21-	0.3	7.0-		2.8-	4.2-	0.1	35.8-	0.0
Skirting	0.6-	6.7-	0.31-	0.5	6.3-		2.5-	3.9-	2.3-	2.7	0.0
Carding	1.2	6.2-	0.34-	0.5	5.7-		4.6-	1.7	0.4	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.  
The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of OCTOBER as a % of the 12 months total, over the last 3 years.  
Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.  
Change in SUPERFINE production (ktonnes) = 5.1%.  
It has moved from 34.3% of the clip at the end of OCTOBER last year to 38.6% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	63.3	3.1	20.5	21.6	86.0	15.8	35.5	34.8	51.0	24.4	72.6	0.0	0.0	
NSW	65.4	3.3	20.4	22.1	81.9	16.2	36.5	33.4	46.3	12.9	69.9	72.3	9.8	
Victoria	65.8	2.0	22.0	23.0	87.9	16.6	31.9	38.0	55.5	12.3	71.0	72.6	9.3	
Tasmania	69.8	1.3	18.9	21.8	82.6	17.1	36.9	31.1	48.8	17.2	69.2	0.0	0.0	
SA	64.0	2.3	22.8	22.4	94.5	15.9	32.6	39.0	62.5	18.4	75.9	71.3	9.2	
WA	63.2	1.7	20.1	22.7	83.8	16.7	31.1	35.5	48.7	12.8	68.7	69.2	9.0	
Australia	64.9	2.3	21.1	22.5	86.1	16.4	33.2	36.0	52.1	14.0	70.8	72.3	9.4	
TYPE:														
Fleece	68.5	1.3	21.4	21.9	88.7	15.3	34.4	35.3	51.8	12.9	73.8	71.7	9.2	
Skirting	56.4	5.0	20.4	23.1	77.2	20.9	29.1	40.7	56.5	16.7	61.1	72.3	9.4	
Carding	59.6	3.1	20.8	24.9	57.9	18.2	21.9	18.3	17.4	33.8	38.7	0.0	0.0	
2007/2008:														
Queensland	64.0	2.3	20.2	21.5	85.1	16.0	35.2	34.4	46.2	27.7	72.8	0.0	0.0	
NSW	65.9	1.8	20.4	21.7	85.6	15.9	34.2	34.9	56.5	23.4	70.4	72.7	9.2	
Victoria	64.9	1.1	21.9	22.8	90.5	15.9	29.6	39.9	58.0	13.8	71.7	71.6	9.1	
Tasmania	69.6	0.6	19.0	22.4	80.9	17.2	34.3	33.9	44.2	20.1	67.7	0.0	0.0	
SA	62.8	1.5	22.2	22.2	95.1	15.7	30.7	39.9	58.4	20.3	76.1	69.6	8.1	
WA	62.3	1.4	19.7	22.9	84.4	16.7	28.3	38.1	53.0	10.9	66.8	70.1	9.1	
Australia	64.4	1.4	20.9	22.4	88.0	16.1	30.9	37.9	55.8	17.2	70.8	71.7	9.1	
TYPE:														
Fleece	67.9	0.8	21.1	21.7	90.8	15.0	31.8	37.2	56.3	16.4	73.3	73.0	8.7	
Skirting	56.5	3.1	20.3	23.1	78.9	20.4	27.9	42.0	57.2	18.6	62.5	71.5	9.1	
Carding	59.1	1.9	21.0	24.9	58.4	18.2	22.4	22.1	20.5	36.0	42.0	0.0	0.0	
DIFFERENCES:														
Queensland	0.7	0.8-	0.3-	0.1-	0.9-	0.2	0.3-	0.4-	4.8-	3.3	0.2	0.0	0.0	
NSW	0.5	1.5-	0.0	0.4-	3.7	0.3-	2.3-	1.5	10.2	10.5	0.5	0.4	0.6-	
Victoria	0.9-	0.9-	0.1-	0.2-	2.6	0.7-	2.3-	1.9	2.5	1.5	0.7	1.0-	0.2-	
Tasmania	0.2-	0.7-	0.1	0.6	1.7-	0.1	2.6-	2.8	4.6-	2.9	1.5-	0.0	0.0	
SA	1.2-	0.8-	0.6-	0.2-	0.6	0.2-	1.9-	0.9	4.1-	1.9	0.2	1.7-	1.1-	
WA	0.9-	0.3-	0.4-	0.2	0.6	0.0	2.8-	2.6	4.3	1.9-	1.9-	0.9	0.1	
Australia	0.5-	0.9-	0.2-	0.1-	1.9	0.3-	2.3-	1.9	3.7	3.2	0.0	0.6-	0.3-	
Fleece	0.6-	0.5-	0.3-	0.2-	2.1	0.3-	2.6-	1.9	4.5	3.5	0.5-	1.3	0.5-	
Skirting	0.1	1.9-	0.1-	0.0	1.7	0.5-	1.2-	1.3	0.7	1.9	1.4	0.8-	0.3-	
Carding	0.5-	1.2-	0.2	0.0	0.5	0.0	0.5	3.8	3.1	2.2	3.3	0.0	0.0	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	62.4	3.2	20.6	21.6	87.0	15.8	35.7	35.0	57.7	21.6	72.5	72.1	9.9	
NSW	64.1	3.8	20.4	21.9	82.2	15.9	37.6	32.5	48.1	18.3	70.4	71.3	9.4	
Victoria	64.5	2.4	21.7	22.9	86.7	16.6	33.2	37.0	50.6	14.1	71.6	72.2	9.2	
Tasmania	69.7	1.4	19.8	22.1	82.5	17.0	35.7	31.9	43.2	26.7	70.0	73.4	8.8	
SA	62.3	2.7	22.6	22.5	92.9	16.1	33.2	39.0	59.5	16.2	75.6	72.3	9.1	
WA	62.6	1.8	20.4	22.7	83.9	16.6	31.9	35.4	49.4	11.0	69.7	69.9	9.6	
Australia	63.7	2.7	21.1	22.5	85.5	16.3	34.2	35.4	50.9	15.4	71.3	71.8	9.3	
TYPE:														
Fleece	67.3	1.6	21.2	21.9	88.0	15.3	35.4	34.6	50.2	14.6	74.1	71.9	9.1	
Skirting	55.1	5.7	20.4	23.1	76.3	21.1	29.6	40.2	56.0	17.6	60.6	71.8	9.3	
Carding	58.1	3.6	21.1	25.2	60.3	18.8	26.1	22.9	26.2	34.7	45.2	0.0	0.0	
2007/2008:														
Queensland	62.9	2.3	20.3	21.3	85.7	16.2	34.8	36.0	56.0	29.8	71.7	71.9	9.6	
NSW	64.3	2.1	20.4	21.8	85.1	16.0	35.0	34.8	55.1	22.7	70.6	72.1	9.4	
Victoria	63.6	1.4	21.7	22.8	89.3	15.9	31.5	38.8	50.7	13.5	72.9	71.3	9.0	
Tasmania	69.2	0.7	19.5	22.2	82.0	16.4	34.3	33.1	46.8	21.2	68.9	72.9	8.5	
SA	62.0	1.6	22.2	22.2	94.0	15.6	31.9	39.9	56.0	17.9	76.5	70.7	8.7	
WA	61.0	1.7	19.8	23.0	83.2	16.6	29.4	37.9	48.0	10.3	67.5	69.1	9.3	
Australia	63.2	1.7	20.9	22.4	87.1	16.1	32.3	37.4	52.2	16.9	71.4	71.5	9.1	
TYPE:														
Fleece	66.5	1.0	21.0	21.7	89.6	15.1	33.2	36.7	52.0	16.2	73.9	72.8	8.8	
Skirting	55.3	3.7	20.3	23.1	77.6	20.5	28.6	41.5	54.9	18.9	62.0	71.2	9.1	
Carding	57.8	2.4	21.1	25.2	61.1	18.6	26.4	25.4	29.9	34.0	47.2	65.9	8.5	
DIFFERENCES:														
Queensland	0.5	0.9-	0.3-	0.3-	1.3-	0.4	0.9-	1.0	1.7-	8.2	0.8-	0.2-	0.3-	
NSW	0.2	1.7-	0.0	0.1-	2.9	0.1	2.6-	2.3	7.0	4.4	0.2	0.8	0.0	
Victoria	0.9-	1.0-	0.0	0.1-	2.6	0.7-	1.7-	1.8	0.1	0.6-	1.3	0.9-	0.2-	
Tasmania	0.5-	0.7-	0.3-	0.1	0.5-	0.6-	1.4-	1.2	3.6	5.5-	1.1-	0.5-	0.3-	
SA	0.3-	1.1-	0.4-	0.3-	1.1	0.5-	1.3-	0.9	3.5-	1.7	0.9	1.6-	0.4-	
WA	1.6-	0.1-	0.6-	0.3	0.7-	0.0	2.5-	2.5	1.4-	0.7-	2.2-	0.8-	0.3-	
Australia	0.5-	1.0-	0.2-	0.1-	1.6	0.2-	1.9-	2.0	1.3	1.5	0.1	0.3-	0.2-	
Fleece	0.8-	0.6-	0.2-	0.2-	1.6	0.2-	2.2-	2.1	1.8	1.6	0.2-	0.9	0.3-	
Skirting	0.2	2.0-	0.1-	0.0	1.3	0.6-	1.0-	1.3	1.1-	1.3	1.4	0.6-	0.2-	
Carding	0.3-	1.2-	0.0	0.0	0.8	0.2-	0.3	2.5	3.7	0.7-	2.0	65.9	8.5	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE LOTS	DATA AR%	COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT			LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	6494	42818		4781	77.0	2	0.0	62.4	3.2	20.6	21.6	87.0	35.7	57.7	72.5	9.9
NSW	59574	249000		40090	71.6	72	0.4	64.1	3.8	20.4	21.9	82.2	37.6	48.1	70.4	9.4
Victoria	44543	277091		31155	70.2	320	1.3	64.5	2.4	21.7	22.9	86.7	33.2	50.6	71.6	9.2
Tasmania	4699	25341		3875	80.9	4	0.3	69.7	1.4	19.8	22.1	82.5	35.7	43.2	70.0	8.8
SA	12923	105949		9982	78.7	34	0.5	62.3	2.7	22.6	22.5	92.9	33.2	59.5	75.6	9.1
WA	29434	205341		22093	81.7	131	0.4	62.6	1.8	20.4	22.7	83.9	31.9	49.4	69.7	9.6
Australia	157667	905540		111976	74.8	563	0.7	63.7	2.7	21.1	22.5	85.5	34.2	50.9	71.3	9.3
TYPE:																
Fleece	98623	612304		86296	88.6	229	0.2	67.3	1.6	21.2	21.9	88.0	35.4	50.2	74.1	9.1
Skirting	39619	201321		23886	62.1	334	2.3	55.1	5.7	20.4	23.1	76.3	29.6	56.0	60.6	9.3
Carding	19425	91915		1794	10.8	0	0.0	58.1	3.6	21.1	25.2	60.3	26.1	26.2	45.2	0.0
2007/2008:																
Queensland	6334	39725		4613	77.4	5	0.2	62.9	2.3	20.3	21.3	85.7	34.8	56.0	71.7	9.6
NSW	60213	245811		39701	70.8	119	0.6	64.3	2.1	20.4	21.8	85.1	35.0	55.1	70.6	9.4
Victoria	43468	264153		30457	71.0	285	1.1	63.6	1.4	21.7	22.8	89.3	31.5	50.7	72.9	9.0
Tasmania	3931	20203		3120	78.0	9	0.6	69.2	0.7	19.5	22.2	82.0	34.3	46.8	68.9	8.5
SA	12982	99829		10202	80.9	25	0.3	62.0	1.6	22.2	22.2	94.0	31.9	56.0	76.5	8.7
WA	26687	171642		19394	79.3	48	0.1	61.0	1.7	19.8	23.0	83.2	29.4	48.0	67.5	9.3
Australia	153615	841363		107487	74.3	491	0.6	63.2	1.7	20.9	22.4	87.1	32.3	52.2	71.4	9.1
TYPE:																
Fleece	94566	567348		82699	88.7	147	0.2	66.5	1.0	21.0	21.7	89.6	33.2	52.0	73.9	8.8
Skirting	39395	187813		22964	59.8	343	2.3	55.3	3.7	20.3	23.1	77.6	28.6	54.9	62.0	9.1
Carding	19654	86202		1824	11.2	1	0.0	57.8	2.4	21.1	25.2	61.1	26.4	29.9	47.2	8.5
DIFFERENCES:																
Queensland	2.5-	7.2-	7.4-	3.5-	0.4	150.0	0.2	0.5	0.9-	0.3-	0.3-	1.3-	0.9-	1.7-	0.8-	0.3-
NSW	1.1	1.3-	0.6-	1.0-	0.8-	65.3	0.2	0.2	1.7-	0.0	0.1-	2.9	2.6-	7.0	0.2	0.0
Victoria	2.4-	4.7-	4.1-	2.2-	0.8	10.9-	0.2-	0.9-	1.0-	0.0	0.1-	2.6	1.7-	0.1	1.3	0.2-
Tasmania	16.3-	20.3-	20.1-	19.5-	2.9-	125.0	0.3	0.5-	0.7-	0.3-	0.1	0.5-	1.4-	3.6	1.1-	0.3-
SA	0.5	5.8-	5.2-	2.2	2.2	26.5-	0.2-	0.3-	1.1-	0.4-	0.3-	1.1	1.3-	3.5-	0.9	0.4-
WA	9.3-	16.4-	16.6-	12.2-	2.4-	63.4-	0.3-	1.6-	0.1-	0.6-	0.3	0.7-	2.5-	1.4-	2.2-	0.3-
Australia	2.6-	7.1-	6.7-	4.0-	0.5-	12.8-	0.1-	0.5-	1.0-	0.2-	0.1-	1.6	1.9-	1.3	0.1	0.2-
Fleece	4.1-	7.3-	7.0-	4.2-	0.1	35.8-	0.0	0.8-	0.6-	0.2-	0.2-	1.6	2.2-	1.8	0.2-	0.3-
Skirting	0.6-	6.7-	6.3-	3.9-	2.3-	2.7	0.0	0.2	2.0-	0.1-	0.0	1.3	1.0-	1.1-	1.4	0.2-
Carding	1.2	6.2-	5.7-	1.7	0.4	0.0	0.0	0.3-	1.2-	0.0	0.0	0.8	0.3	3.7	2.0	8.5

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).  
Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.  
Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.  
Change in SUPERFINE production (ktonnes) = 5.1%.  
It has moved from 34.3% of the clip at the end of OCTOBER last year to 38.6% this year.  
Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	61.4	277.0	563.5	1018.7	1920.6		0.8	3.6	7.2	13.1	24.7
NSW	2368.4	5120.6	6802.5	7024.1	21315.7		5.5	11.9	15.8	16.3	49.6
Victoria	1025.3	2800.3	5203.8	6635.8	15665.1		2.1	5.7	10.6	13.5	32.0
Tasmania	188.6	610.1	1204.3	1110.5	3113.5		4.2	13.7	27.1	25.0	70.0
SA	7.6	67.7	178.7	632.2	886.1		0.0	0.4	0.9	3.3	4.7
WA	284.1	1413.1	3610.5	6507.9	11815.5		0.8	3.9	9.9	17.8	32.3
Australia	3935.3	10288.8	17563.3	22929.1	54716.5		2.5	6.4	11.0	14.4	34.3
TYPE:											
Fleece	2659.2	6601.2	10692.7	13655.5	33608.6		2.4	6.0	9.8	12.5	30.8
Skirting	973.6	2677.9	4719.4	6694.6	15065.4		2.8	7.7	13.6	19.3	43.4
Carding	302.5	1009.8	2151.2	2579.0	6042.5		1.9	6.4	13.7	16.4	38.4
2007/2008:											
Queensland	96.8	334.6	562.0	1165.6	2159.1		1.3	4.6	7.8	16.2	30.0
NSW	2598.2	5292.0	6817.2	7229.4	21936.8		6.1	12.4	16.0	16.9	51.3
Victoria	1201.5	2541.2	4722.5	6286.0	14751.2		2.6	5.4	10.0	13.4	31.4
Tasmania	398.3	752.7	902.9	550.9	2604.8		11.2	21.2	25.4	15.5	73.3
SA	27.6	73.4	303.8	852.0	1256.8		0.2	0.4	1.7	4.8	7.0
WA	429.0	1733.1	4831.8	7810.4	14804.3		1.4	5.7	15.8	25.6	48.5
Australia	4751.5	10726.9	18140.1	23894.4	57512.9		3.2	7.2	12.2	16.0	38.6
TYPE:											
Fleece	3337.3	7043.8	11415.8	14484.0	36280.9		3.3	6.9	11.2	14.3	35.7
Skirting	1101.1	2826.9	4831.6	6767.0	15526.6		3.4	8.7	14.9	20.8	47.7
Carding	313.0	856.3	1892.7	2643.3	5705.3		2.1	5.8	12.7	17.8	38.4
DIFFERENCES:											
Queensland	57.7	20.8	0.3-	14.4	12.4	7.4-	0.5	1.0	0.6	3.1	5.3
NSW	9.7	3.3	0.2	2.9	2.9	0.6-	0.6	0.5	0.2	0.6	1.7
Victoria	17.2	9.3-	9.2-	5.3-	5.8-	4.1-	0.5	0.3-	0.6-	0.1-	0.6-
Tasmania	111.2	23.4	25.0-	50.4-	16.3-	20.1-	7.0	7.5	1.7-	9.5-	3.3
SA	263.2	8.4	70.0	34.8	41.8	5.2-	0.2	0.0	0.8	1.5	2.3
WA	51.0	22.6	33.8	20.0	25.3	16.6-	0.6	1.8	5.9	7.8	16.2
Australia	20.7	4.3	3.3	4.2	5.1	6.7-	0.7	0.8	1.2	1.6	4.3
Fleece											
Fleece	25.5	6.7	6.8	6.1	8.0	544.9	0.9	0.9	1.4	4.5	4.9
Skirting	13.1	5.6	2.4	1.1	3.1	106.5	0.6	1.0	1.3	7.2	4.3
Carding	3.5	15.2-	12.0-	2.5	5.6-	5.7-	0.2	0.6-	1.0-	4.1	0.0

	PRESALE DATA					RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1544	9605	6.22	178.9		23.5	1113	72.6	3	0.2
NSW	19614	76294	3.89	170.2		9.6	13030	69.1	47	0.9
Victoria	15291	93959	6.14	175.7		45.0	9871	63.9	112	1.4
Tasmania	1635	8050	4.92	173.6		38.7	1343	80.1	3	0.5
SA	4984	40074	8.04	177.4		24.4	3482	71.5	10	0.3
WA	10721	68701	6.41	176.6		69.3	7041	73.7	25	0.2
Australia	53789	296683	5.52	174.8		34.2	35880	69.3	200	0.8
TYPE:										
Fleece	31827	189379	5.95	176.5		33.0	27505	85.8	75	0.3
Skirting	12675	63393	5.00	171.8		34.0	7466	59.8	124	2.8
Carding	9287	43911	4.73	171.4		38.7	909	11.7	1	0.0
=====										
2007/2008:										
Queensland	1709	11265	6.59	182.1		22.4	1186	72.2	0	0.0
NSW	17615	67168	3.81	172.0		11.9	11821	70.1	42	0.7
Victoria	13833	82272	5.95	176.8		32.7	8519	61.9	102	1.5
Tasmania	1725	7662	4.44	172.4		38.3	1363	77.3	1	0.2
SA	4328	32441	7.50	177.8		22.9	3017	72.1	11	0.2
WA	9716	58590	6.03	174.7		68.5	6420	73.2	23	0.2
Australia	48926	259398	5.30	175.3		31.3	32326	68.8	179	0.7
TYPE:										
Fleece	28387	164253	5.79	177.1		29.6	24546	85.3	46	0.2
Skirting	12198	58255	4.78	172.4		33.4	6954	58.3	130	2.7
Carding	8341	36890	4.42	172.2		34.1	826	11.5	3	0.0
=====										
DIFFERENCES:										
Queensland	10.7	17.3	0.37	1.8	19.4	1.1-	6.6	0.4-	100.0-	0.2-
NSW	10.2-	12.0-	0.08-	1.1	11.0-	2.3	9.3-	1.0	10.6-	0.2-
Victoria	9.5-	12.4-	0.19-	0.6	11.9-	12.3-	13.7-	2.0-	8.9-	0.1
Tasmania	5.5	4.8-	0.48-	0.7-	5.5-	0.4-	1.5	2.8-	66.7-	0.3-
SA	13.2-	19.0-	0.54-	0.2	18.9-	1.5-	13.4-	0.6	10.0	0.1-
WA	9.4-	14.7-	0.38-	1.1-	15.6-	0.8-	8.8-	0.5-	8.0-	0.0
Australia	9.0-	12.6-	0.22-	0.3	12.3-	2.9-	9.9-	0.5-	10.5-	0.1-
Fleece	10.8-	13.3-	0.16-	0.3	13.0-	3.4-	10.8-	0.5-	38.7-	0.1-
Skirting	3.8-	8.1-	0.22-	0.3	7.8-	0.6-	6.9-	1.5-	4.8	0.1-
Carding	10.2-	16.0-	0.31-	0.5	15.6-	4.6-	9.1-	0.2-	200.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	8038	52423	6.52	181.2			18.8	5894	76.2	5	0.1	
NSW	79188	325294	4.11	172.1			8.6	53120	71.0	119	0.5	
Victoria	59834	371050	6.20	176.6			41.5	41026	68.6	432	1.4	
Tasmania	6334	33391	5.27	175.0			42.2	5218	80.7	7	0.4	
SA	17907	146023	8.15	178.1			27.1	13464	76.8	44	0.4	
WA	40155	274042	6.82	177.8			68.5	29134	79.7	156	0.3	
Australia	211456	1202223	5.69	176.0			32.2	147856	73.4	763	0.7	
TYPE:												
Fleece	130450	801683	6.15	178.0			31.3	113801	87.9	304	0.2	
Skirting	52294	264714	5.06	172.3			32.8	31352	61.6	458	2.4	
Carding	28712	135826	4.73	171.3			35.3	2703	11.0	1	0.0	
2007/2008:												
Queensland	8043	50990	6.34	181.5			16.8	5799	76.3	5	0.2	
NSW	77828	312979	4.02	173.4			9.8	51522	70.7	161	0.6	
Victoria	57301	346425	6.05	177.7			32.1	38976	68.9	387	1.2	
Tasmania	5656	27865	4.93	175.0			40.0	4483	77.8	10	0.5	
SA	17310	132270	7.64	179.1			26.4	13219	78.7	36	0.3	
WA	36403	230232	6.32	177.0			68.9	25814	77.7	71	0.2	
Australia	202541	1100761	5.43	176.6			29.3	139813	73.0	670	0.7	
TYPE:												
Fleece	122953	731601	5.95	178.6			28.3	107245	87.9	193	0.2	
Skirting	51593	246068	4.77	173.0			30.7	29918	59.4	473	2.4	
Carding	27995	123092	4.40	172.2			30.7	2650	11.3	4	0.0	
DIFFERENCES:												
Queensland	0.1	2.7-	0.18-	0.2	2.6-	1.3-	2.0-	1.6-	0.1	0.0	0.1	
NSW	1.7-	3.8-	0.09-	0.8	3.0-	1.9-	1.2	3.0-	0.3-	35.3	0.1	
Victoria	4.2-	6.6-	0.15-	0.6	6.0-	3.8-	9.4-	5.0-	0.3	10.4-	0.2-	
Tasmania	10.7-	16.5-	0.34-	0.0	16.6-	16.6-	2.2-	14.1-	2.9-	42.9	0.1	
SA	3.3-	9.4-	0.51-	0.6	8.9-	7.4-	0.7-	1.8-	1.9	18.2-	0.1-	
WA	9.3-	16.0-	0.50-	0.4-	16.4-	15.4-	0.4	11.4-	2.0-	54.5-	0.1-	
Australia	4.2-	8.4-	0.26-	0.3	8.1-	6.7-	2.9-	5.4-	0.4-	12.2-	0.0	
Fleece	5.7-	8.7-	0.20-	0.3	8.4-		3.0-	5.8-	0.0	36.5-	0.0	
Skirting	1.3-	7.0-	0.29-	0.4	6.7-		2.1-	4.6-	2.2-	3.3	0.0	
Carding	2.5-	9.4-	0.33-	0.5	8.9-		4.6-	2.0-	0.3	300.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of NOVEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = 1.0%.

It has moved from 35.0% of the clip at the end of NOVEMBER last year to 38.4% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	60.6	3.5	20.5	21.9	83.2	16.3	34.0	37.7	51.6	23.6	70.4	75.0	9.6	
NSW	64.8	3.0	20.2	22.2	81.3	16.1	35.0	34.2	46.5	12.9	68.8	71.0	9.5	
Victoria	66.3	1.7	22.4	23.0	87.5	16.4	32.2	37.2	59.7	17.3	70.7	72.7	9.5	
Tasmania	70.2	1.1	19.5	22.1	83.0	17.1	36.0	32.0	44.7	13.2	69.7	74.8	8.6	
SA	64.0	2.0	23.0	22.4	93.0	15.7	33.3	38.5	59.4	25.4	76.4	72.0	9.0	
WA	63.2	1.7	20.1	22.9	83.3	16.7	29.8	36.3	50.8	15.7	67.3	69.4	9.2	
Australia	64.8	2.1	21.3	22.6	85.4	16.3	32.6	36.3	53.4	17.1	70.1	72.1	9.5	
TYPE:														
Fleece	68.5	1.2	21.5	21.9	88.2	15.3	33.7	35.9	53.6	16.1	73.0	72.5	9.1	
Skirting	56.5	4.4	20.7	23.2	76.9	20.9	28.8	40.3	57.2	17.9	61.0	71.9	9.6	
Carding	60.3	2.6	21.3	24.8	57.6	17.6	25.5	20.3	18.4	40.7	43.7	63.8	11.2	
2007/2008:														
Queensland	60.8	2.8	20.8	21.4	87.5	16.0	35.5	34.5	49.2	31.1	74.2	0.0	0.0	
NSW	64.6	1.7	20.7	22.0	85.2	15.9	33.7	34.6	51.8	29.5	70.8	71.8	9.8	
Victoria	65.6	1.0	22.3	23.0	89.7	15.9	28.7	39.4	60.0	20.4	70.7	71.1	9.4	
Tasmania	69.1	0.6	19.0	22.6	81.6	17.0	32.6	34.0	45.0	16.5	67.1	72.7	8.2	
SA	62.6	1.5	22.4	22.5	93.2	15.8	30.2	39.6	56.9	25.4	75.2	71.8	9.1	
WA	63.3	1.4	20.0	23.1	83.5	16.6	27.4	37.1	57.0	18.1	65.2	72.0	9.6	
Australia	64.3	1.4	21.2	22.6	87.1	16.1	30.3	37.2	55.8	23.2	70.0	71.4	9.5	
TYPE:														
Fleece	67.9	0.8	21.4	21.9	90.1	15.0	31.3	36.7	56.7	22.9	72.8	72.0	9.6	
Skirting	56.6	2.8	20.6	23.3	78.2	20.5	27.1	41.7	57.1	22.2	61.6	71.3	9.5	
Carding	59.9	1.8	21.5	24.9	58.0	17.9	23.1	20.8	12.7	44.5	43.7	66.7	10.3	
DIFFERENCES:														
Queensland	0.2	0.7-	0.3	0.5-	4.3	0.3-	1.5	3.2-	2.4-	7.5	3.8	75.0-	9.6-	
NSW	0.2-	1.3-	0.5	0.2-	3.9	0.2-	1.3-	0.4	5.3	16.6	2.0	0.8	0.3	
Victoria	0.7-	0.7-	0.1-	0.0	2.2	0.5-	3.5-	2.2	0.3	3.1	0.0	1.6-	0.1-	
Tasmania	1.1-	0.5-	0.5-	0.5	1.4-	0.1-	3.4-	2.0	0.3	3.3	2.6-	2.1-	0.4-	
SA	1.4-	0.5-	0.6-	0.1	0.2	0.1	3.1-	1.1	2.5-	0.0	1.2-	0.2-	0.1	
WA	0.1	0.3-	0.1-	0.2	0.2	0.1-	2.4-	0.8	6.2	2.4	2.1-	2.6	0.4	
Australia	0.5-	0.7-	0.1-	0.0	1.7	0.2-	2.3-	0.9	2.4	6.1	0.1-	0.7-	0.0	
Fleece	0.6-	0.4-	0.1-	0.0	1.9	0.3-	2.4-	0.8	3.1	6.8	0.2-	0.5-	0.5	
Skirting	0.1	1.6-	0.1-	0.1	1.3	0.4-	1.7-	1.4	0.1-	4.3	0.6	0.6-	0.1-	
Carding	0.4-	0.8-	0.2	0.1	0.4	0.3	2.4-	0.5	5.7-	3.8	0.0	2.9	0.9-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2006/2007:													
Queensland	62.1	3.3	20.6	21.6	86.4	15.9	35.4	35.5	56.6	22.0	72.1	73.7	9.7
NSW	64.3	3.6	20.4	22.0	82.0	16.0	37.0	32.9	47.7	17.1	70.0	71.2	9.5
Victoria	64.9	2.2	21.9	22.9	86.9	16.6	33.0	37.1	52.7	14.9	71.4	72.3	9.3
Tasmania	69.8	1.3	19.7	22.1	82.6	17.0	35.8	31.9	43.5	23.5	69.9	73.9	8.7
SA	62.7	2.5	22.7	22.4	92.9	16.0	33.3	38.9	59.4	18.5	75.8	72.2	9.1
WA	62.7	1.8	20.4	22.7	83.8	16.6	31.5	35.6	49.8	12.0	69.2	69.8	9.5
Australia	64.0	2.5	21.1	22.5	85.5	16.3	33.8	35.6	51.5	15.8	71.0	71.9	9.3
TYPE:													
Fleece	67.6	1.5	21.3	21.9	88.0	15.3	35.0	34.9	51.0	15.0	73.9	72.1	9.1
Skirting	55.5	5.4	20.5	23.1	76.5	21.0	29.4	40.3	56.3	17.6	60.7	71.8	9.4
Carding	58.8	3.3	21.2	25.1	59.3	18.4	25.9	22.0	23.5	36.7	44.7	63.8	11.2
2007/2008:													
Queensland	62.4	2.4	20.4	21.3	86.1	16.1	35.0	35.7	54.6	30.1	72.2	71.9	9.6
NSW	64.4	2.1	20.4	21.8	85.1	16.0	34.7	34.8	54.4	24.1	70.6	72.1	9.5
Victoria	64.0	1.3	21.8	22.8	89.3	15.9	30.9	38.9	52.7	15.0	72.4	71.2	9.1
Tasmania	69.1	0.7	19.4	22.3	81.9	16.6	33.9	33.3	46.3	20.0	68.4	72.9	8.5
SA	62.2	1.6	22.2	22.3	93.8	15.6	31.6	39.8	56.2	19.6	76.2	70.9	8.7
WA	61.6	1.6	19.8	23.0	83.2	16.6	28.9	37.7	50.1	12.2	67.0	70.2	9.4
Australia	63.4	1.6	20.9	22.4	87.1	16.1	31.8	37.4	53.0	18.3	71.1	71.4	9.2
TYPE:													
Fleece	66.8	0.9	21.1	21.8	89.7	15.0	32.8	36.7	53.0	17.6	73.7	72.6	9.0
Skirting	55.6	3.5	20.3	23.2	77.8	20.5	28.3	41.6	55.4	19.7	61.9	71.2	9.2
Carding	58.4	2.2	21.2	25.1	60.2	18.4	25.4	24.0	24.7	37.1	46.1	66.5	9.8
DIFFERENCES:													
Queensland	0.3	0.9-	0.2-	0.3-	0.3-	0.2	0.4-	0.2	2.0-	8.1	0.1	1.8-	0.1-
NSW	0.1	1.5-	0.0	0.2-	3.1	0.0	2.3-	1.9	6.7	7.0	0.6	0.9	0.0
Victoria	0.9-	0.9-	0.1-	0.1-	2.4	0.7-	2.1-	1.8	0.0	0.1	1.0	1.1-	0.2-
Tasmania	0.7-	0.6-	0.3-	0.2	0.7-	0.4-	1.9-	1.4	2.8	3.5-	1.5-	1.0-	0.2-
SA	0.5-	0.9-	0.5-	0.1-	0.9	0.4-	1.7-	0.9	3.2-	1.1	0.4	1.3-	0.4-
WA	1.1-	0.2-	0.6-	0.3	0.6-	0.0	2.6-	2.1	0.3	0.2	2.2-	0.4	0.1-
Australia	0.6-	0.9-	0.2-	0.1-	1.6	0.2-	2.0-	1.8	1.5	2.5	0.1	0.5-	0.1-
Fleece	0.8-	0.6-	0.2-	0.1-	1.7	0.3-	2.2-	1.8	2.0	2.6	0.2-	0.5	0.1-
Skirting	0.1	1.9-	0.2-	0.1	1.3	0.5-	1.1-	1.3	0.9-	2.1	1.2	0.6-	0.2-
Carding	0.4-	1.1-	0.0	0.0	0.9	0.0	0.5-	2.0	1.2	0.4	1.4	2.7	1.4-

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	8038	52423		5894	76.2	5	0.1	62.1	3.3	20.6	21.6	86.4	35.4	56.6	72.1	9.7
NSW	79188	325294		53120	71.0	119	0.5	64.3	3.6	20.4	22.0	82.0	37.0	47.7	70.0	9.5
Victoria	59834	371050		41026	68.6	432	1.4	64.9	2.2	21.9	22.9	86.9	33.0	52.7	71.4	9.3
Tasmania	6334	33391		5218	80.7	7	0.4	69.8	1.3	19.7	22.1	82.6	35.8	43.5	69.9	8.7
SA	17907	146023		13464	76.8	44	0.4	62.7	2.5	22.7	22.4	92.9	33.3	59.4	75.8	9.1
WA	40155	274042		29134	79.7	156	0.3	62.7	1.8	20.4	22.7	83.8	31.5	49.8	69.2	9.5
Australia	211456	1202223		147856	73.4	763	0.7	64.0	2.5	21.1	22.5	85.5	33.8	51.5	71.0	9.3
TYPE:																
Fleece	130450	801683		113801	87.9	304	0.2	67.6	1.5	21.3	21.9	88.0	35.0	51.0	73.9	9.1
Skirting	52294	264714		31352	61.6	458	2.4	55.5	5.4	20.5	23.1	76.5	29.4	56.3	60.7	9.4
Carding	28712	135826		2703	11.0	1	0.0	58.8	3.3	21.2	25.1	59.3	25.9	23.5	44.7	11.2
2007/2008:																
Queensland	8043	50990		5799	76.3	5	0.2	62.4	2.4	20.4	21.3	86.1	35.0	54.6	72.2	9.6
NSW	77828	312979		51522	70.7	161	0.6	64.4	2.1	20.4	21.8	85.1	34.7	54.4	70.6	9.5
Victoria	57301	346425		38976	68.9	387	1.2	64.0	1.3	21.8	22.8	89.3	30.9	52.7	72.4	9.1
Tasmania	5656	27865		4483	77.8	10	0.5	69.1	0.7	19.4	22.3	81.9	33.9	46.3	68.4	8.5
SA	17310	132270		13219	78.7	36	0.3	62.2	1.6	22.2	22.3	93.8	31.6	56.2	76.2	8.7
WA	36403	230232		25814	77.7	71	0.2	61.6	1.6	19.8	23.0	83.2	28.9	50.1	67.0	9.4
Australia	202541	1100761		139813	73.0	670	0.7	63.4	1.6	20.9	22.4	87.1	31.8	53.0	71.1	9.2
TYPE:																
Fleece	122953	731601		107245	87.9	193	0.2	66.8	0.9	21.1	21.8	89.7	32.8	53.0	73.7	9.0
Skirting	51593	246068		29918	59.4	473	2.4	55.6	3.5	20.3	23.2	77.8	28.3	55.4	61.9	9.2
Carding	27995	123092		2650	11.3	4	0.0	58.4	2.2	21.2	25.1	60.2	25.4	24.7	46.1	9.8
DIFFERENCES:																
Queensland	0.1	2.7-	2.6-	1.6-	0.1	0.0	0.1	0.3	0.9-	0.2-	0.3-	0.3-	0.4-	2.0-	0.1	0.1-
NSW	1.7-	3.8-	3.0-	3.0-	0.3-	35.3	0.1	0.1	1.5-	0.0	0.2-	3.1	2.3-	6.7	0.6	0.0
Victoria	4.2-	6.6-	6.0-	5.0-	0.3	10.4-	0.2-	0.9-	0.9-	0.1-	0.1-	2.4	2.1-	0.0	1.0	0.2-
Tasmania	10.7-	16.5-	16.6-	14.1-	2.9-	42.9	0.1	0.7-	0.6-	0.3-	0.2	0.7-	1.9-	2.8	1.5-	0.2-
SA	3.3-	9.4-	8.9-	1.8-	1.9	18.2-	0.1-	0.5-	0.9-	0.5-	0.1-	0.9	1.7-	3.2-	0.4	0.4-
WA	9.3-	16.0-	16.4-	11.4-	2.0-	54.5-	0.1-	1.1-	0.2-	0.6-	0.3	0.6-	2.6-	0.3	2.2-	0.1-
Australia	4.2-	8.4-	8.1-	5.4-	0.4-	12.2-	0.0	0.6-	0.9-	0.2-	0.1-	1.6	2.0-	1.5	0.1	0.1-
Fleece	5.7-	8.7-	8.4-	5.8-	0.0	36.5-	0.0	0.8-	0.6-	0.2-	0.1-	1.7	2.2-	2.0	0.2-	0.1-
Skirting	1.3-	7.0-	6.7-	4.6-	2.2-	3.3	0.0	0.1	1.9-	0.2-	0.1	1.3	1.1-	0.9-	1.2	0.2-
Carding	2.5-	9.4-	8.9-	2.0-	0.3	300.0	0.0	0.4-	1.1-	0.0	0.0	0.9	0.5-	1.2	1.4	1.4-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = 1.0%.

It has moved from 35.0% of the clip at the end of NOVEMBER last year to 38.4% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					0.0-19.5	ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-16.5			16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5	
2006/2007:												
Queensland	80.5	331.7	703.7	1342.0	2457.9			0.8	3.5	7.4	14.1	25.9
NSW	3361.0	6924.6	9074.7	9144.3	28504.5			6.0	12.4	16.2	16.3	50.9
Victoria	1211.8	3555.5	6924.5	9044.4	20736.2			1.8	5.4	10.6	13.8	31.7
Tasmania	305.0	899.7	1559.7	1382.0	4146.3			5.2	15.4	26.7	23.6	70.9
SA	8.5	70.6	247.7	926.1	1252.8			0.0	0.3	1.0	3.6	4.8
WA	414.1	2038.0	5345.8	9049.1	16847.0			0.9	4.2	11.0	18.6	34.6
Australia	5380.9	13820.1	23856.1	30887.8	73944.9			2.5	6.5	11.3	14.6	35.0
TYPE:												
Fleece	3634.1	8764.0	14121.0	18319.6	44838.7			2.5	6.1	9.9	12.8	31.4
Skirting	1339.7	3606.0	6397.3	8702.2	20045.1			2.9	7.9	14.0	19.1	44.0
Carding	407.1	1450.0	3337.8	3866.1	9061.0			1.7	6.2	14.3	16.6	38.9
2007/2008:												
Queensland	127.8	391.5	637.8	1395.4	2552.5			1.4	4.2	6.9	15.1	27.6
NSW	3364.0	6692.1	8459.4	9204.3	27719.7			6.2	12.3	15.6	17.0	51.1
Victoria	1435.0	3252.2	6278.4	8327.5	19293.2			2.3	5.3	10.2	13.5	31.3
Tasmania	630.4	1101.6	1222.5	696.4	3650.9			12.9	22.6	25.1	14.3	74.9
SA	28.1	85.5	396.4	1200.6	1710.6			0.1	0.4	1.7	5.1	7.2
WA	506.0	2182.3	6373.5	10684.7	19746.5			1.2	5.4	15.6	26.2	48.5
Australia	6091.4	13705.3	23367.9	31508.8	74673.4			3.1	7.1	12.0	16.2	38.4
TYPE:												
Fleece	4258.9	8951.2	14553.2	18712.3	46475.7			3.3	6.9	11.1	14.3	35.6
Skirting	1449.0	3681.3	6248.6	8896.5	20275.4			3.4	8.6	14.7	20.9	47.6
Carding	383.5	1072.8	2566.1	3900.0	7922.4			1.8	5.1	12.1	18.4	37.4
DIFFERENCES:												
Queensland	58.8	18.0	9.4-	4.0	3.8	2.6-		0.6	0.7	0.5-	1.0	1.7
NSW	0.1	3.4-	6.8-	0.7	2.8-	3.0-		0.2	0.1-	0.6-	0.7	0.2
Victoria	18.4	8.5-	9.3-	7.9-	7.0-	6.0-		0.5	0.1-	0.4-	0.3-	0.4-
Tasmania	106.7	22.4	21.6-	49.6-	11.9-	16.6-		7.7	7.2	1.6-	9.3-	4.0
SA	230.6	21.1	60.0	29.6	36.5	8.9-		0.1	0.1	0.7	1.5	2.4
WA	22.2	7.1	19.2	18.1	17.2	16.4-		0.3	1.2	4.6	7.6	13.9
Australia	13.2	0.8-	2.0-	2.0	1.0	8.1-		0.6	0.6	0.7	1.6	3.4
Fleece												
Fleece	17.2	2.1	3.1	2.1	3.7	461.3		0.8	0.8	1.2	4.4	4.2
Skirting	8.2	2.1	2.3-	2.2	1.1	82.9		0.5	0.7	0.7	6.9	3.6
Carding	5.8-	26.0-	23.1-	0.9	12.6-	8.9-		0.1	1.1-	2.2-	4.1	1.5-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	654	4329	6.62	180.0		24.2	408	62.9	0	0.0
NSW	9656	38863	4.02	170.5		8.6	5806	64.0	6	0.2
Victoria	11669	74060	6.35	175.1		33.7	6963	59.7	107	1.6
Tasmania	1080	5561	5.15	172.4		19.3	886	76.8	1	0.2
SA	2649	22521	8.50	174.6		29.8	1647	63.7	9	0.5
WA	5418	35976	6.64	174.8		63.5	3618	72.2	15	0.3
Australia	31126	181310	5.83	174.0		30.1	19328	64.2	138	0.8
TYPE:										
Fleece	17795	111677	6.28	176.2		27.8	14543	81.1	32	0.2
Skirting	7466	39888	5.34	171.0		33.3	4209	56.5	105	3.2
Carding	5865	29745	5.07	169.8		32.8	576	10.8	1	0.0
2007/2008:										
Queensland	515	3273	6.36	178.5		21.0	309	59.5	0	0.0
NSW	9302	38243	4.11	175.0		10.3	5491	64.7	17	0.7
Victoria	9142	54804	5.99	177.1		27.4	5245	56.7	90	2.1
Tasmania	671	3304	4.92	175.1		31.7	564	81.3	0	0.0
SA	2260	18154	8.03	177.4		27.9	1465	69.6	10	0.7
WA	4728	30962	6.55	174.4		67.4	3077	71.3	15	0.4
Australia	26618	148740	5.59	176.0		28.6	16151	64.0	132	1.1
TYPE:										
Fleece	15181	92194	6.07	177.8		27.3	12199	80.1	15	0.1
Skirting	6437	33244	5.16	173.7		29.7	3441	56.0	117	4.6
Carding	5000	23302	4.66	172.2		31.0	511	11.8	0	0.0
DIFFERENCES:										
Queensland	21.3-	24.4-	0.26-	0.8-	25.0-	3.2-	24.3-	3.4-	0.0	0.0
NSW	3.7-	1.6-	0.09	2.6	1.0	1.7	5.4-	0.7	183.3	0.5
Victoria	21.7-	26.0-	0.36-	1.1	25.2-	6.3-	24.7-	3.0-	15.9-	0.5
Tasmania	37.9-	40.6-	0.23-	1.6	39.6-	12.4	36.3-	4.5	100.0-	0.2-
SA	14.7-	19.4-	0.47-	1.6	18.1-	1.9-	11.1-	5.9	11.1	0.2
WA	12.7-	13.9-	0.09-	0.2-	14.1-	3.9	15.0-	0.9-	0.0	0.1
Australia	14.5-	18.0-	0.24-	1.1	17.0-	1.5-	16.4-	0.2-	4.3-	0.3
Fleece	14.7-	17.4-	0.21-	0.9	16.7-	0.5-	16.1-	1.0-	53.1-	0.1-
Skirting	13.8-	16.7-	0.18-	1.6	15.4-	3.6-	18.2-	0.5-	11.4	1.4
Carding	14.7-	21.7-	0.41-	1.4	20.6-	1.8-	11.3-	1.0	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	8692	56752	6.53	181.1			19.2	6302	75.2	5	0.1	
NSW	88844	364157	4.10	171.9			8.6	58926	70.2	125	0.5	
Victoria	71503	445110	6.23	176.3			40.3	47989	67.1	539	1.4	
Tasmania	7414	38952	5.25	174.6			38.8	6104	80.1	8	0.3	
SA	20556	168544	8.20	177.6			27.5	15111	75.0	53	0.4	
WA	45573	310018	6.80	177.4			67.9	32752	78.8	171	0.3	
Australia	242582	1383533	5.70	175.7			32.0	167184	72.2	901	0.7	
TYPE:												
Fleece	148245	913360	6.16	177.8			30.9	128344	87.1	336	0.2	
Skirting	59760	304602	5.10	172.1			32.9	35561	60.9	563	2.5	
Carding	34577	165571	4.79	171.1			34.9	3279	11.0	2	0.0	
2007/2008:												
Queensland	8558	54263	6.34	181.3			17.0	6108	75.3	5	0.2	
NSW	87130	351222	4.03	173.6			9.8	57013	70.0	178	0.6	
Victoria	66443	401229	6.04	177.6			31.4	44221	67.2	477	1.3	
Tasmania	6327	31169	4.93	175.0			39.1	5047	78.2	10	0.4	
SA	19570	150424	7.69	178.9			26.6	14684	77.6	46	0.4	
WA	41131	261194	6.35	176.7			68.8	28891	77.0	86	0.2	
Australia	229159	1249501	5.45	176.5			29.2	155964	71.9	802	0.7	
TYPE:												
Fleece	138134	823795	5.96	178.5			28.2	119444	87.1	208	0.2	
Skirting	58030	279312	4.81	173.0			30.6	33359	59.0	590	2.7	
Carding	32995	146394	4.44	172.2			30.7	3161	11.4	4	0.0	
DIFFERENCES:												
Queensland	1.5-	4.4-	0.19-	0.1	4.3-	4.9-	2.2-	3.1-	0.1	0.0	0.1	
NSW	1.9-	3.6-	0.07-	1.0	2.6-	1.8-	1.2	3.2-	0.2-	42.4	0.1	
Victoria	7.1-	9.9-	0.19-	0.7	9.2-	7.6-	8.9-	7.9-	0.1	11.5-	0.1-	
Tasmania	14.7-	20.0-	0.32-	0.2	19.8-	18.5-	0.3	17.3-	1.9-	25.0	0.1	
SA	4.8-	10.8-	0.51-	0.7	10.1-	9.1-	0.9-	2.8-	2.6	13.2-	0.0	
WA	9.7-	15.7-	0.45-	0.4-	16.1-	15.5-	0.9	11.8-	1.8-	49.7-	0.1-	
Australia	5.5-	9.7-	0.25-	0.5	9.3-	8.2-	2.8-	6.7-	0.3-	11.0-	0.0	
Fleece	6.8-	9.8-	0.20-	0.4	9.4-		2.7-	6.9-	0.0	38.1-	0.0	
Skirting	2.9-	8.3-	0.29-	0.5	7.8-		2.3-	6.2-	1.9-	4.8	0.2	
Carding	4.6-	11.6-	0.35-	0.6	11.0-		4.2-	3.6-	0.4	100.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of DECEMBER as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -1.2%.

It has moved from 34.9% of the clip at the end of DECEMBER last year to 38.1% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	59.7	3.3	21.1	22.7	84.7	15.9	33.1	38.0	50.3	31.1	70.7	0.0	0.0	
NSW	64.1	2.9	20.6	22.4	81.9	16.2	33.6	35.1	52.4	14.7	67.8	70.6	9.0	
Victoria	66.4	1.5	22.6	23.1	86.9	16.3	32.1	37.0	56.4	25.3	71.0	72.7	9.6	
Tasmania	70.5	1.0	20.0	22.1	82.5	17.2	35.4	33.1	44.8	10.7	69.8	74.9	8.4	
SA	63.5	2.0	23.1	23.0	89.8	16.4	32.8	39.1	53.1	31.3	75.0	72.6	10.1	
WA	62.6	1.8	20.3	23.0	83.0	16.9	28.9	36.9	55.0	20.0	66.2	70.0	9.0	
Australia	64.8	2.0	21.7	22.9	85.1	16.5	31.9	36.7	54.3	22.3	69.7	72.4	9.6	
TYPE:														
Fleece	68.5	1.1	21.8	22.1	87.9	15.4	33.0	36.2	54.9	21.7	72.5	73.6	9.0	
Skirting	56.9	4.0	21.0	23.5	77.1	20.8	28.0	41.2	56.9	21.2	61.1	72.2	9.7	
Carding	60.8	2.5	21.8	25.1	59.4	17.6	28.2	22.0	18.1	47.0	49.2	75.2	7.7	
2007/2008:														
Queensland	60.1	3.4	20.7	22.8	82.7	16.5	33.2	37.5	49.9	18.0	69.4	0.0	0.0	
NSW	63.6	1.7	21.2	22.1	86.3	16.0	32.7	35.5	48.8	34.4	71.8	72.1	9.1	
Victoria	66.6	0.9	22.9	23.3	88.7	16.3	28.3	39.7	57.0	26.5	70.4	70.9	9.5	
Tasmania	69.1	0.6	19.8	22.6	84.4	17.2	29.6	36.7	45.8	12.0	67.7	0.0	0.0	
SA	62.7	1.6	22.7	22.9	92.9	16.2	29.7	40.8	54.3	32.1	75.3	71.4	10.0	
WA	63.1	1.6	20.3	23.3	83.0	16.7	27.0	37.1	53.9	28.1	65.1	71.2	10.1	
Australia	64.5	1.4	21.8	22.9	87.1	16.3	29.4	38.0	53.3	29.1	70.1	71.1	9.5	
TYPE:														
Fleece	68.1	0.8	21.9	22.2	90.1	15.2	30.3	37.5	54.4	29.0	72.9	71.2	10.1	
Skirting	56.7	2.9	21.1	23.6	78.9	20.7	26.1	42.3	54.7	26.0	61.9	71.1	9.5	
Carding	61.3	1.8	22.2	25.0	59.8	18.0	27.1	22.6	14.2	51.4	50.0	0.0	0.0	
DIFFERENCES:														
Queensland	0.4	0.1	0.4-	0.1	2.0-	0.6	0.1	0.5-	0.4-	13.1-	1.3-	0.0	0.0	
NSW	0.5-	1.2-	0.6	0.3-	4.4	0.2-	0.9-	0.4	3.6-	19.7	4.0	1.5	0.1	
Victoria	0.2	0.6-	0.3	0.2	1.8	0.0	3.8-	2.7	0.6	1.2	0.6-	1.8-	0.1-	
Tasmania	1.4-	0.4-	0.2-	0.5	1.9	0.0	5.8-	3.6	1.0	1.3	2.1-	74.9-	8.4-	
SA	0.8-	0.4-	0.4-	0.1-	3.1	0.2-	3.1-	1.7	1.2	0.8	0.3	1.2-	0.1-	
WA	0.5	0.2-	0.0	0.3	0.0	0.2-	1.9-	0.2	1.1-	8.1	1.1-	1.2	1.1	
Australia	0.3-	0.6-	0.1	0.0	2.0	0.2-	2.5-	1.3	1.0-	6.8	0.4	1.3-	0.1-	
Fleece	0.4-	0.3-	0.1	0.1	2.2	0.2-	2.7-	1.3	0.5-	7.3	0.4	2.4-	1.1	
Skirting	0.2-	1.1-	0.1	0.1	1.8	0.1-	1.9-	1.1	2.2-	4.8	0.8	1.1-	0.2-	
Carding	0.5	0.7-	0.4	0.1-	0.4	0.4	1.1-	0.6	3.9-	4.4	0.8	75.2-	7.7-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.9	3.3	20.6	21.7	86.2	15.9	35.3	35.7	56.2	22.5	72.0	73.7	9.7	
NSW	64.3	3.5	20.4	22.0	81.9	16.0	36.7	33.1	48.2	16.9	69.8	71.2	9.4	
Victoria	65.2	2.1	22.0	23.0	86.9	16.5	32.8	37.1	53.3	16.4	71.3	72.4	9.3	
Tasmania	69.9	1.3	19.8	22.1	82.6	17.0	35.7	32.1	43.7	21.8	69.9	73.9	8.7	
SA	62.8	2.4	22.7	22.5	92.6	16.0	33.2	38.9	58.7	20.0	75.7	72.3	9.3	
WA	62.7	1.8	20.4	22.8	83.7	16.7	31.2	35.8	50.3	12.9	68.8	69.8	9.4	
Australia	64.1	2.5	21.2	22.5	85.4	16.4	33.6	35.8	51.8	16.5	70.9	72.0	9.4	
TYPE:														
Fleece	67.7	1.5	21.4	21.9	88.0	15.3	34.8	35.0	51.4	15.7	73.7	72.3	9.1	
Skirting	55.6	5.2	20.5	23.1	76.5	21.0	29.2	40.4	56.3	18.1	60.8	71.9	9.4	
Carding	59.2	3.2	21.3	25.1	59.4	18.3	26.3	22.0	22.6	38.5	45.5	66.6	10.3	
2007/2008:														
Queensland	62.3	2.4	20.4	21.4	85.9	16.2	34.9	35.8	54.4	29.5	72.1	71.9	9.6	
NSW	64.3	2.0	20.5	21.8	85.2	16.0	34.5	34.9	53.9	25.1	70.8	72.1	9.4	
Victoria	64.4	1.2	22.0	22.9	89.3	16.0	30.6	39.0	53.2	16.3	72.2	71.2	9.2	
Tasmania	69.1	0.7	19.4	22.3	82.2	16.6	33.4	33.7	46.3	19.1	68.3	72.9	8.5	
SA	62.2	1.6	22.3	22.3	93.7	15.7	31.4	39.9	56.0	20.9	76.1	71.0	9.0	
WA	61.8	1.6	19.9	23.1	83.2	16.6	28.7	37.7	50.5	13.9	66.8	70.5	9.6	
Australia	63.6	1.6	21.0	22.5	87.1	16.1	31.6	37.4	53.0	19.4	71.0	71.4	9.3	
TYPE:														
Fleece	67.0	0.9	21.2	21.8	89.7	15.1	32.5	36.8	53.2	18.8	73.6	72.5	9.1	
Skirting	55.7	3.4	20.4	23.2	77.9	20.6	28.0	41.7	55.4	20.4	61.9	71.2	9.3	
Carding	58.9	2.1	21.4	25.1	60.1	18.3	25.7	23.8	23.0	39.5	46.8	66.5	9.8	
DIFFERENCES:														
Queensland	0.4	0.9-	0.2-	0.3-	0.3-	0.3	0.4-	0.1	1.8-	7.0	0.1	1.8-	0.1-	
NSW	0.0	1.5-	0.1	0.2-	3.3	0.0	2.2-	1.8	5.7	8.2	1.0	0.9	0.0	
Victoria	0.8-	0.9-	0.0	0.1-	2.4	0.5-	2.2-	1.9	0.1-	0.1-	0.9	1.2-	0.1-	
Tasmania	0.8-	0.6-	0.4-	0.2	0.4-	0.4-	2.3-	1.6	2.6	2.7-	1.6-	1.0-	0.2-	
SA	0.6-	0.8-	0.4-	0.2-	1.1	0.3-	1.8-	1.0	2.7-	0.9	0.4	1.3-	0.3-	
WA	0.9-	0.2-	0.5-	0.3	0.5-	0.1-	2.5-	1.9	0.2	1.0	2.0-	0.7	0.2	
Australia	0.5-	0.9-	0.2-	0.0	1.7	0.3-	2.0-	1.6	1.2	2.9	0.1	0.6-	0.1-	
Fleece	0.7-	0.6-	0.2-	0.1-	1.7	0.2-	2.3-	1.8	1.8	3.1	0.1-	0.2	0.0	
Skirting	0.1	1.8-	0.1-	0.1	1.4	0.4-	1.2-	1.3	0.9-	2.3	1.1	0.7-	0.1-	
Carding	0.3-	1.1-	0.1	0.0	0.7	0.0	0.6-	1.8	0.4	1.0	1.3	0.1-	0.5-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE	DATA	COLOUR	DATA	TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	8692	56752		6302	75.2	5	0.1	61.9	3.3	20.6	21.7	86.2	35.3	56.2	72.0	9.7
NSW	88844	364157		58926	70.2	125	0.5	64.3	3.5	20.4	22.0	81.9	36.7	48.2	69.8	9.4
Victoria	71503	445110		47989	67.1	539	1.4	65.2	2.1	22.0	23.0	86.9	32.8	53.3	71.3	9.3
Tasmania	7414	38952		6104	80.1	8	0.3	69.9	1.3	19.8	22.1	82.6	35.7	43.7	69.9	8.7
SA	20556	168544		15111	75.0	53	0.4	62.8	2.4	22.7	22.5	92.6	33.2	58.7	75.7	9.3
WA	45573	310018		32752	78.8	171	0.3	62.7	1.8	20.4	22.8	83.7	31.2	50.3	68.8	9.4
Australia	242582	1383533		167184	72.2	901	0.7	64.1	2.5	21.2	22.5	85.4	33.6	51.8	70.9	9.4
TYPE:																
Fleece	148245	913360		128344	87.1	336	0.2	67.7	1.5	21.4	21.9	88.0	34.8	51.4	73.7	9.1
Skirting	59760	304602		35561	60.9	563	2.5	55.6	5.2	20.5	23.1	76.5	29.2	56.3	60.8	9.4
Carding	34577	165571		3279	11.0	2	0.0	59.2	3.2	21.3	25.1	59.4	26.3	22.6	45.5	10.3
2007/2008:																
Queensland	8558	54263		6108	75.3	5	0.2	62.3	2.4	20.4	21.4	85.9	34.9	54.4	72.1	9.6
NSW	87130	351222		57013	70.0	178	0.6	64.3	2.0	20.5	21.8	85.2	34.5	53.9	70.8	9.4
Victoria	66443	401229		44221	67.2	477	1.3	64.4	1.2	22.0	22.9	89.3	30.6	53.2	72.2	9.2
Tasmania	6327	31169		5047	78.2	10	0.4	69.1	0.7	19.4	22.3	82.2	33.4	46.3	68.3	8.5
SA	19570	150424		14684	77.6	46	0.4	62.2	1.6	22.3	22.3	93.7	31.4	56.0	76.1	9.0
WA	41131	261194		28891	77.0	86	0.2	61.8	1.6	19.9	23.1	83.2	28.7	50.5	66.8	9.6
Australia	229159	1249501		155964	71.9	802	0.7	63.6	1.6	21.0	22.5	87.1	31.6	53.0	71.0	9.3
TYPE:																
Fleece	138134	823795		119444	87.1	208	0.2	67.0	0.9	21.2	21.8	89.7	32.5	53.2	73.6	9.1
Skirting	58030	279312		33359	59.0	590	2.7	55.7	3.4	20.4	23.2	77.9	28.0	55.4	61.9	9.3
Carding	32995	146394		3161	11.4	4	0.0	58.9	2.1	21.4	25.1	60.1	25.7	23.0	46.8	9.8
DIFFERENCES:																
Queensland	1.5-	4.4-	4.3-	3.1-	0.1	0.0	0.1	0.4	0.9-	0.2-	0.3-	0.3-	0.4-	1.8-	0.1	0.1-
NSW	1.9-	3.6-	2.6-	3.2-	0.2-	42.4	0.1	0.0	1.5-	0.1	0.2-	3.3	2.2-	5.7	1.0	0.0
Victoria	7.1-	9.9-	9.2-	7.9-	0.1	11.5-	0.1-	0.8-	0.9-	0.0	0.1-	2.4	2.2-	0.1-	0.9	0.1-
Tasmania	14.7-	20.0-	19.8-	17.3-	1.9-	25.0	0.1	0.8-	0.6-	0.4-	0.2	0.4-	2.3-	2.6	1.6-	0.2-
SA	4.8-	10.8-	10.1-	2.8-	2.6	13.2-	0.0	0.6-	0.8-	0.4-	0.2-	1.1	1.8-	2.7-	0.4	0.3-
WA	9.7-	15.7-	16.1-	11.8-	1.8-	49.7-	0.1-	0.9-	0.2-	0.5-	0.3	0.5-	2.5-	0.2	2.0-	0.2
Australia	5.5-	9.7-	9.3-	6.7-	0.3-	11.0-	0.0	0.5-	0.9-	0.2-	0.0	1.7	2.0-	1.2	0.1	0.1-
Fleece	6.8-	9.8-	9.4-	6.9-	0.0	38.1-	0.0	0.7-	0.6-	0.2-	0.1-	1.7	2.3-	1.8	0.1-	0.0
Skirting	2.9-	8.3-	7.8-	6.2-	1.9-	4.8	0.2	0.1	1.8-	0.1-	0.1	1.4	1.2-	0.9-	1.1	0.1-
Carding	4.6-	11.6-	11.0-	3.6-	0.4	100.0	0.0	0.3-	1.1-	0.1	0.0	0.7	0.6-	0.4	1.3	0.5-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -1.2%.

It has moved from 34.9% of the clip at the end of DECEMBER last year to 38.1% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					0.0-19.5	ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-16.5			16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5	
2006/2007:												
Queensland	81.1	350.4	746.4	1457.9	2635.8			0.8	3.4	7.3	14.2	25.6
NSW	3636.5	7647.1	10291.1	10350.1	31924.9			5.8	12.2	16.4	16.5	51.0
Victoria	1312.7	4049.6	8324.5	11052.7	24739.6			1.7	5.2	10.6	14.1	31.5
Tasmania	379.3	1088.7	1840.5	1523.2	4831.7			5.6	16.0	27.1	22.4	71.0
SA	13.6	76.0	344.1	1126.6	1560.3			0.0	0.3	1.1	3.8	5.2
WA	489.2	2286.2	6094.1	10393.5	19262.9			0.9	4.2	11.1	18.9	35.0
Australia	5912.4	15498.0	27640.8	35904.0	84955.2			2.4	6.4	11.4	14.8	34.9
TYPE:												
Fleece	4015.0	9816.1	16257.2	21238.7	51327.0			2.5	6.0	10.0	13.1	31.6
Skirting	1465.3	4034.1	7381.5	9950.6	22831.4			2.8	7.7	14.1	19.0	43.6
Carding	432.2	1647.8	4002.1	4714.8	10796.8			1.5	5.8	14.1	16.6	38.1
2007/2008:												
Queensland	135.5	406.7	690.9	1518.1	2751.2			1.4	4.1	7.0	15.4	28.0
NSW	3567.9	7291.2	9467.0	10428.5	30754.6			5.9	12.0	15.5	17.1	50.4
Victoria	1577.1	3713.5	7295.3	9730.2	22316.2			2.2	5.2	10.2	13.7	31.3
Tasmania	708.4	1208.5	1377.5	791.2	4085.6			13.0	22.2	25.3	14.5	74.9
SA	29.4	91.0	510.7	1385.0	2016.0			0.1	0.3	1.9	5.1	7.5
WA	527.7	2315.8	6973.7	12209.3	22026.4			1.1	5.0	15.1	26.5	47.7
Australia	6545.9	15026.8	26315.2	36062.2	83950.1			3.0	6.8	11.9	16.3	38.1
TYPE:												
Fleece	4577.3	9805.6	16321.6	21229.0	51933.6			3.1	6.7	11.1	14.4	35.3
Skirting	1553.5	4042.9	7053.4	10159.2	22809.0			3.2	8.4	14.6	21.0	47.2
Carding	415.2	1178.3	2940.1	4674.0	9207.5			1.6	4.7	11.7	18.5	36.5
DIFFERENCES:												
Queensland	67.1	16.1	7.4-	4.1	4.4	4.3-		0.6	0.7	0.3-	1.2	2.4
NSW	1.9-	4.7-	8.0-	0.8	3.7-	2.6-		0.1	0.2-	0.9-	0.6	0.6-
Victoria	20.1	8.3-	12.4-	12.0-	9.8-	9.2-		0.5	0.0	0.4-	0.4-	0.2-
Tasmania	86.8	11.0	25.2-	48.1-	15.4-	19.8-		7.4	6.2	1.8-	7.9-	3.9
SA	116.2	19.7	48.4	22.9	29.2	10.1-		0.1	0.0	0.8	1.3	2.3
WA	7.9	1.3	14.4	17.5	14.3	16.1-		0.2	0.8	4.0	7.6	12.7
Australia	10.7	3.0-	4.8-	0.4	1.2-	9.3-		0.6	0.4	0.5	1.5	3.2
Fleece												
Fleece	14.0	0.1-	0.4	0.0-	1.2	419.1		0.6	0.7	1.1	4.4	3.7
Skirting	6.0	0.2	4.4-	2.1	0.1-	70.7		0.4	0.7	0.5	6.9	3.6
Carding	3.9-	28.5-	26.5-	0.9-	14.7-	11.0-		0.1	1.1-	2.4-	4.4	1.6-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1363	8905	6.53	182.4		17.7	967	73.4	0	0.0
NSW	12053	50535	4.19	172.9		5.9	7186	64.4	15	0.4
Victoria	11246	72062	6.41	176.7		28.0	6818	61.0	105	1.9
Tasmania	2333	11092	4.75	171.2		39.6	1779	73.3	0	0.0
SA	2030	16071	7.92	176.8		33.7	1307	67.3	7	0.5
WA	7837	53402	6.81	176.1		69.5	5424	74.9	16	0.2
Australia	36862	212067	5.75	175.6		30.3	23481	67.0	143	0.8
TYPE:										
Fleece	21283	133207	6.26	178.1		29.1	17734	83.0	39	0.2
Skirting	8790	45545	5.18	172.1		31.1	5014	59.1	104	3.2
Carding	6789	33315	4.91	170.4		32.8	733	13.5	0	0.0
2007/2008:										
Queensland	1016	6605	6.50	181.6		14.4	651	69.4	0	0.0
NSW	11633	49981	4.30	175.7		10.0	6977	65.9	21	0.5
Victoria	11553	70450	6.10	176.9		27.8	6841	59.9	58	1.1
Tasmania	1379	6472	4.69	172.1		22.3	994	66.9	0	0.0
SA	2264	16775	7.41	176.3		27.3	1522	69.9	9	0.5
WA	7648	50795	6.64	177.1		67.2	5237	75.1	26	0.3
Australia	35493	201078	5.67	176.6		29.8	22222	66.6	114	0.6
TYPE:										
Fleece	20255	126519	6.25	178.7		28.8	16598	82.1	26	0.1
Skirting	8622	43340	5.03	174.0		31.1	4826	59.0	87	2.5
Carding	6616	31219	4.72	171.6		31.4	798	14.3	1	0.0
DIFFERENCES:										
Queensland	25.5-	25.8-	0.03-	0.4-	26.1-	3.3-	32.7-	4.0-	0.0	0.0
NSW	3.5-	1.1-	0.11	1.6	0.5	4.1	2.9-	1.5	40.0	0.1
Victoria	2.7	2.2-	0.31-	0.1	2.1-	0.2-	0.3	1.1-	44.8-	0.8-
Tasmania	40.9-	41.7-	0.06-	0.5	41.3-	17.3-	44.1-	6.4-	0.0	0.0
SA	11.5	4.4	0.51-	0.3-	4.1	6.4-	16.4	2.6	28.6	0.0
WA	2.4-	4.9-	0.17-	0.6	4.3-	2.3-	3.4-	0.2	62.5	0.1
Australia	3.7-	5.2-	0.08-	0.6	4.6-	0.5-	5.4-	0.4-	20.3-	0.2-
Fleece	4.8-	5.0-	0.01-	0.3	4.7-	0.3-	6.4-	0.9-	33.3-	0.1-
Skirting	1.9-	4.8-	0.15-	1.1	3.8-	0.0	3.7-	0.1-	16.3-	0.7-
Carding	2.5-	6.3-	0.19-	0.7	5.6-	1.4-	8.9	0.8	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						STAPLE	DATA	COLOUR	DATA	
	LOTS	BALES	B/L	BALE WT	WT	PROJ WT					RAPID
2006/2007:											
Queensland	10055	65657	6.53	181.3			19.0	7269	75.0	5	0.1
NSW	100897	414692	4.11	172.0			8.3	66112	69.5	140	0.5
Victoria	82749	517172	6.25	176.4			38.6	54807	66.3	644	1.5
Tasmania	9747	50044	5.13	173.9			39.0	7883	78.6	8	0.3
SA	22586	184615	8.17	177.5			28.0	16418	74.3	60	0.4
WA	53410	363420	6.80	177.2			68.1	38176	78.2	187	0.3
Australia	279444	1595600	5.71	175.7			31.7	190665	71.5	1044	0.7
TYPE:											
Fleece	169528	1046567	6.17	177.8			30.7	146078	86.6	375	0.2
Skirting	68550	350147	5.11	172.1			32.7	40575	60.7	667	2.6
Carding	41366	198886	4.81	170.9			34.6	4012	11.4	2	0.0
2007/2008:											
Queensland	9574	60868	6.36	181.3			16.7	6759	74.6	5	0.2
NSW	98763	401203	4.06	173.9			9.9	63990	69.5	199	0.6
Victoria	77996	471679	6.05	177.5			30.9	51062	66.1	535	1.3
Tasmania	7706	37641	4.88	174.5			36.1	6041	76.2	10	0.3
SA	21834	167199	7.66	178.6			26.7	16206	76.8	55	0.4
WA	48779	311989	6.40	176.7			68.5	34128	76.7	112	0.2
Australia	264652	1450579	5.48	176.5			29.3	178186	71.2	916	0.7
TYPE:											
Fleece	158389	950314	6.00	178.5			28.3	136042	86.4	234	0.2
Skirting	66652	322652	4.84	173.2			30.7	38185	59.0	677	2.7
Carding	39611	177613	4.48	172.1			30.8	3959	11.9	5	0.0
DIFFERENCES:											
Queensland	4.8-	7.3-	0.17-	0.0	7.3-	6.2-	2.3-	7.0-	0.4-	0.0	0.1
NSW	2.1-	3.3-	0.05-	1.1	2.2-	0.7-	1.6	3.2-	0.0	42.1	0.1
Victoria	5.7-	8.8-	0.20-	0.6	8.2-	5.8-	7.7-	6.8-	0.2-	16.9-	0.2-
Tasmania	20.9-	24.8-	0.25-	0.3	24.5-	21.9-	2.9-	23.4-	2.4-	25.0	0.0
SA	3.3-	9.4-	0.51-	0.6	8.9-	7.0-	1.3-	1.3-	2.5	8.3-	0.0
WA	8.7-	14.2-	0.40-	0.3-	14.4-	12.8-	0.4	10.6-	1.5-	40.1-	0.1-
Australia	5.3-	9.1-	0.23-	0.5	8.6-	6.7-	2.4-	6.5-	0.3-	12.3-	0.0
Fleece	6.6-	9.2-	0.17-	0.4	8.8-		2.4-	6.9-	0.2-	37.6-	0.0
Skirting	2.8-	7.9-	0.27-	0.6	7.3-		2.0-	5.9-	1.7-	1.5	0.1
Carding	4.2-	10.7-	0.33-	0.7	10.1-		3.8-	1.3-	0.5	150.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JANUARY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -3.3%.

It has moved from 35.4% of the clip at the end of JANUARY last year to 37.4% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	60.1	3.2	20.5	21.9	84.1	16.1	35.0	34.9	46.5	27.5	71.6	0.0	0.0	
NSW	63.4	2.7	20.7	22.4	81.4	15.9	33.2	35.7	56.0	16.2	67.4	71.6	9.1	
Victoria	66.4	1.3	22.7	23.1	86.3	16.3	32.4	36.7	53.4	29.9	71.3	71.5	9.7	
Tasmania	69.8	0.9	20.2	22.5	81.6	17.3	34.7	34.5	48.4	11.8	68.2	0.0	0.0	
SA	62.9	2.1	23.2	22.8	89.9	16.1	33.7	38.7	50.4	33.2	76.0	71.6	9.3	
WA	62.5	2.0	20.2	22.7	81.7	16.3	29.0	37.4	56.1	22.2	65.5	68.9	9.1	
Australia	64.4	1.9	21.4	22.7	83.8	16.3	32.0	36.6	53.9	23.8	69.0	71.4	9.6	
TYPE:														
Fleece	67.6	1.2	21.5	22.0	86.6	15.2	33.0	36.1	54.7	23.4	71.7	72.2	8.9	
Skirting	56.9	3.9	20.9	23.3	76.3	20.7	28.2	41.2	56.3	21.6	60.8	71.2	9.7	
Carding	61.4	2.4	21.9	25.0	58.9	17.4	28.8	21.7	18.7	46.5	48.9	0.0	0.0	
2007/2008:														
Queensland	59.7	3.1	20.4	21.7	84.1	16.0	34.8	35.2	55.5	18.9	70.2	0.0	0.0	
NSW	63.0	1.9	21.2	22.0	86.6	16.0	32.4	35.9	46.9	37.6	71.9	70.5	9.8	
Victoria	66.8	1.0	23.1	23.3	88.6	15.9	28.1	38.8	53.3	33.3	71.2	69.5	10.3	
Tasmania	68.8	0.8	20.8	23.0	83.4	16.5	30.0	36.8	52.6	17.6	66.9	0.0	0.0	
SA	63.1	1.8	22.8	23.0	90.8	15.8	30.4	40.5	49.8	35.5	75.2	70.9	9.1	
WA	62.2	2.0	20.2	22.8	83.1	16.3	27.1	37.5	50.7	36.3	66.5	71.5	9.9	
Australia	64.2	1.6	21.7	22.8	86.4	16.1	29.4	37.7	50.7	34.4	70.2	70.1	10.1	
TYPE:														
Fleece	67.5	1.0	21.8	22.1	89.4	14.9	30.2	37.1	51.2	35.0	73.0	71.4	9.9	
Skirting	56.1	3.4	20.9	23.4	78.3	20.6	25.9	42.9	54.9	28.8	61.6	69.8	10.1	
Carding	61.7	1.9	22.3	24.9	60.4	17.4	28.9	22.6	15.2	52.5	52.4	73.9	9.2	
DIFFERENCES:														
Queensland	0.4-	0.1-	0.1-	0.2-	0.0	0.1-	0.2-	0.3	9.0	8.6-	1.4-	0.0	0.0	
NSW	0.4-	0.8-	0.5	0.4-	5.2	0.1	0.8-	0.2	9.1-	21.4	4.5	1.1-	0.7	
Victoria	0.4	0.3-	0.4	0.2	2.3	0.4-	4.3-	2.1	0.1-	3.4	0.1-	2.0-	0.6	
Tasmania	1.0-	0.1-	0.6	0.5	1.8	0.8-	4.7-	2.3	4.2	5.8	1.3-	0.0	0.0	
SA	0.2	0.3-	0.4-	0.2	0.9	0.3-	3.3-	1.8	0.6-	2.3	0.8-	0.7-	0.2-	
WA	0.3-	0.0	0.0	0.1	1.4	0.0	1.9-	0.1	5.4-	14.1	1.0	2.6	0.8	
Australia	0.2-	0.3-	0.3	0.1	2.6	0.2-	2.6-	1.1	3.2-	10.6	1.2	1.3-	0.5	
Fleece	0.1-	0.2-	0.3	0.1	2.8	0.3-	2.8-	1.0	3.5-	11.6	1.3	0.8-	1.0	
Skirting	0.8-	0.5-	0.0	0.1	2.0	0.1-	2.3-	1.7	1.4-	7.2	0.8	1.4-	0.4	
Carding	0.3	0.5-	0.4	0.1-	1.5	0.0	0.1	0.9	3.5-	6.0	3.5	73.9	9.2	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.7	3.3	20.6	21.7	86.0	15.9	35.2	35.6	54.9	23.2	72.0	73.7	9.7	
NSW	64.2	3.4	20.4	22.1	81.9	16.0	36.3	33.4	49.1	16.8	69.5	71.2	9.4	
Victoria	65.3	2.0	22.1	23.0	86.8	16.5	32.8	37.0	53.3	18.1	71.3	72.3	9.4	
Tasmania	69.9	1.2	19.9	22.2	82.4	17.1	35.5	32.6	44.7	19.7	69.5	73.9	8.7	
SA	62.8	2.4	22.8	22.5	92.4	16.0	33.2	38.9	58.1	21.0	75.7	72.2	9.3	
WA	62.7	1.8	20.3	22.7	83.4	16.6	30.9	36.0	51.1	14.2	68.4	69.7	9.4	
Australia	64.1	2.4	21.2	22.6	85.2	16.3	33.4	35.9	52.1	17.4	70.6	71.9	9.4	
TYPE:														
Fleece	67.7	1.4	21.4	21.9	87.8	15.3	34.6	35.2	51.8	16.7	73.5	72.2	9.1	
Skirting	55.8	5.0	20.6	23.2	76.5	21.0	29.1	40.5	56.3	18.5	60.8	71.8	9.5	
Carding	59.6	3.0	21.4	25.0	59.3	18.1	26.8	22.0	21.8	40.1	46.2	66.6	10.3	
2007/2008:														
Queensland	62.0	2.5	20.4	21.5	85.7	16.1	34.9	35.7	54.5	28.5	71.9	71.9	9.6	
NSW	64.1	2.0	20.6	21.8	85.4	16.0	34.2	35.0	53.0	26.6	70.9	71.9	9.5	
Victoria	64.7	1.2	22.1	23.0	89.2	15.9	30.2	39.0	53.2	18.6	72.1	71.0	9.3	
Tasmania	69.1	0.7	19.6	22.5	82.4	16.6	32.9	34.2	47.2	18.9	68.1	72.9	8.5	
SA	62.3	1.6	22.3	22.4	93.5	15.7	31.3	40.0	55.4	22.2	76.0	71.0	9.0	
WA	61.9	1.7	19.9	23.0	83.2	16.6	28.5	37.6	50.6	17.5	66.7	70.8	9.7	
Australia	63.7	1.6	21.1	22.5	87.0	16.1	31.3	37.5	52.7	21.4	70.9	71.2	9.4	
TYPE:														
Fleece	67.0	0.9	21.3	21.8	89.7	15.0	32.2	36.8	52.9	20.8	73.5	72.4	9.2	
Skirting	55.8	3.4	20.5	23.3	77.9	20.6	27.7	41.8	55.3	21.5	61.9	71.0	9.4	
Carding	59.4	2.1	21.5	25.0	60.2	18.1	26.3	23.5	21.4	42.2	48.0	67.9	9.7	
DIFFERENCES:														
Queensland	0.3	0.8-	0.2-	0.2-	0.3-	0.2	0.3-	0.1	0.4-	5.3	0.1-	1.8-	0.1-	
NSW	0.1-	1.4-	0.2	0.3-	3.5	0.0	2.1-	1.6	3.9	9.8	1.4	0.7	0.1	
Victoria	0.6-	0.8-	0.0	0.0	2.4	0.6-	2.6-	2.0	0.1-	0.5	0.8	1.3-	0.1-	
Tasmania	0.8-	0.5-	0.3-	0.3	0.0	0.5-	2.6-	1.6	2.5	0.8-	1.4-	1.0-	0.2-	
SA	0.5-	0.8-	0.5-	0.1-	1.1	0.3-	1.9-	1.1	2.7-	1.2	0.3	1.2-	0.3-	
WA	0.8-	0.1-	0.4-	0.3	0.2-	0.0	2.4-	1.6	0.5-	3.3	1.7-	1.1	0.3	
Australia	0.4-	0.8-	0.1-	0.1-	1.8	0.2-	2.1-	1.6	0.6	4.0	0.3	0.7-	0.0	
Fleece	0.7-	0.5-	0.1-	0.1-	1.9	0.3-	2.4-	1.6	1.1	4.1	0.0	0.2	0.1	
Skirting	0.0	1.6-	0.1-	0.1	1.4	0.4-	1.4-	1.3	1.0-	3.0	1.1	0.8-	0.1-	
Carding	0.2-	0.9-	0.1	0.0	0.9	0.0	0.5-	1.5	0.4-	2.1	1.8	1.3	0.6-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	10055	65657		7269	75.0	5	0.1	61.7	3.3	20.6	21.7	86.0	35.2	54.9	72.0	9.7
NSW	100897	414692		66112	69.5	140	0.5	64.2	3.4	20.4	22.1	81.9	36.3	49.1	69.5	9.4
Victoria	82749	517172		54807	66.3	644	1.5	65.3	2.0	22.1	23.0	86.8	32.8	53.3	71.3	9.4
Tasmania	9747	50044		7883	78.6	8	0.3	69.9	1.2	19.9	22.2	82.4	35.5	44.7	69.5	8.7
SA	22586	184615		16418	74.3	60	0.4	62.8	2.4	22.8	22.5	92.4	33.2	58.1	75.7	9.3
WA	53410	363420		38176	78.2	187	0.3	62.7	1.8	20.3	22.7	83.4	30.9	51.1	68.4	9.4
Australia	279444	1595600		190665	71.5	1044	0.7	64.1	2.4	21.2	22.6	85.2	33.4	52.1	70.6	9.4
TYPE:																
Fleece	169528	1046567		146078	86.6	375	0.2	67.7	1.4	21.4	21.9	87.8	34.6	51.8	73.5	9.1
Skirting	68550	350147		40575	60.7	667	2.6	55.8	5.0	20.6	23.2	76.5	29.1	56.3	60.8	9.5
Carding	41366	198886		4012	11.4	2	0.0	59.6	3.0	21.4	25.0	59.3	26.8	21.8	46.2	10.3
2007/2008:																
Queensland	9574	60868		6759	74.6	5	0.2	62.0	2.5	20.4	21.5	85.7	34.9	54.5	71.9	9.6
NSW	98763	401203		63990	69.5	199	0.6	64.1	2.0	20.6	21.8	85.4	34.2	53.0	70.9	9.5
Victoria	77996	471679		51062	66.1	535	1.3	64.7	1.2	22.1	23.0	89.2	30.2	53.2	72.1	9.3
Tasmania	7706	37641		6041	76.2	10	0.3	69.1	0.7	19.6	22.5	82.4	32.9	47.2	68.1	8.5
SA	21834	167199		16206	76.8	55	0.4	62.3	1.6	22.3	22.4	93.5	31.3	55.4	76.0	9.0
WA	48779	311989		34128	76.7	112	0.2	61.9	1.7	19.9	23.0	83.2	28.5	50.6	66.7	9.7
Australia	264652	1450579		178186	71.2	916	0.7	63.7	1.6	21.1	22.5	87.0	31.3	52.7	70.9	9.4
TYPE:																
Fleece	158389	950314		136042	86.4	234	0.2	67.0	0.9	21.3	21.8	89.7	32.2	52.9	73.5	9.2
Skirting	66652	322652		38185	59.0	677	2.7	55.8	3.4	20.5	23.3	77.9	27.7	55.3	61.9	9.4
Carding	39611	177613		3959	11.9	5	0.0	59.4	2.1	21.5	25.0	60.2	26.3	21.4	48.0	9.7
DIFFERENCES:																
Queensland	4.8-	7.3-	7.3-	7.0-	0.4-	0.0	0.1	0.3	0.8-	0.2-	0.2-	0.3-	0.3-	0.4-	0.1-	0.1-
NSW	2.1-	3.3-	2.2-	3.2-	0.0	42.1	0.1	0.1-	1.4-	0.2	0.3-	3.5	2.1-	3.9	1.4	0.1
Victoria	5.7-	8.8-	8.2-	6.8-	0.2-	16.9-	0.2-	0.6-	0.8-	0.0	0.0	2.4	2.6-	0.1-	0.8	0.1-
Tasmania	20.9-	24.8-	24.5-	23.4-	2.4-	25.0	0.0	0.8-	0.5-	0.3-	0.3	0.0	2.6-	2.5	1.4-	0.2-
SA	3.3-	9.4-	8.9-	1.3-	2.5	8.3-	0.0	0.5-	0.8-	0.5-	0.1-	1.1	1.9-	2.7-	0.3	0.3-
WA	8.7-	14.2-	14.4-	10.6-	1.5-	40.1-	0.1-	0.8-	0.1-	0.4-	0.3	0.2-	2.4-	0.5-	1.7-	0.3
Australia	5.3-	9.1-	8.6-	6.5-	0.3-	12.3-	0.0	0.4-	0.8-	0.1-	0.1-	1.8	2.1-	0.6	0.3	0.0
Fleece	6.6-	9.2-	8.8-	6.9-	0.2-	37.6-	0.0	0.7-	0.5-	0.1-	0.1-	1.9	2.4-	1.1	0.0	0.1
Skirting	2.8-	7.9-	7.3-	5.9-	1.7-	1.5	0.1	0.0	1.6-	0.1-	0.1	1.4	1.4-	1.0-	1.1	0.1-
Carding	4.2-	10.7-	10.1-	1.3-	0.5	150.0	0.0	0.2-	0.9-	0.1	0.0	0.9	0.5-	0.4-	1.8	0.6-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -3.3%.

It has moved from 35.4% of the clip at the end of JANUARY last year to 37.4% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	84.8	389.9	875.6	1747.5	3097.8		0.7	3.3	7.4	14.7	26.0
NSW	3944.1	8560.9	11782.7	11993.5	36281.2		5.5	12.0	16.5	16.8	50.9
Victoria	1402.8	4538.3	9754.6	12971.7	28667.4		1.5	5.0	10.7	14.2	31.4
Tasmania	479.2	1425.4	2335.6	1870.5	6110.8		5.5	16.4	26.8	21.5	70.2
SA	13.6	84.9	382.0	1260.7	1741.2		0.0	0.3	1.2	3.8	5.3
WA	584.7	2692.5	7327.9	12608.6	23213.7		0.9	4.2	11.4	19.6	36.0
Australia	6509.3	17692.0	32458.4	42452.5	99112.2		2.3	6.3	11.6	15.1	35.4
TYPE:											
Fleece	4443.4	11202.6	18942.2	25240.2	59828.4		2.4	6.0	10.2	13.6	32.2
Skirting	1601.1	4601.8	8678.7	11540.6	26422.3		2.7	7.6	14.4	19.2	43.8
Carding	464.7	1887.6	4837.5	5671.6	12861.5		1.4	5.6	14.2	16.7	37.8
2007/2008:											
Queensland	138.8	433.3	801.2	1730.2	3103.5		1.3	3.9	7.3	15.7	28.1
NSW	3738.6	7869.1	10733.2	12022.5	34363.4		5.4	11.3	15.4	17.2	49.3
Victoria	1687.7	4167.9	8503.7	11515.6	25874.9		2.0	5.0	10.2	13.8	30.9
Tasmania	814.2	1415.8	1616.1	928.5	4774.6		12.4	21.6	24.6	14.1	72.7
SA	29.7	104.6	589.8	1560.2	2284.3		0.1	0.4	2.0	5.2	7.6
WA	567.6	2553.5	7842.1	14526.5	25489.7		1.0	4.6	14.2	26.3	46.2
Australia	6976.4	16544.3	30086.2	42283.5	95890.4		2.7	6.5	11.7	16.5	37.4
TYPE:											
Fleece	4883.3	10764.0	18484.9	24586.2	58718.3		2.9	6.3	10.9	14.5	34.6
Skirting	1654.0	4481.0	8128.2	11957.7	26220.9		3.0	8.0	14.5	21.4	46.9
Carding	439.2	1299.4	3473.1	5739.6	10951.2		1.4	4.3	11.4	18.8	35.8
DIFFERENCES:											
Queensland	63.7	11.1	8.5-	1.0-	0.2	7.3-	0.6	0.6	0.1-	1.0	2.1
NSW	5.2-	8.1-	8.9-	0.2	5.3-	2.2-	0.1-	0.7-	1.1-	0.4	1.6-
Victoria	20.3	8.2-	12.8-	11.2-	9.7-	8.2-	0.5	0.0	0.5-	0.4-	0.5-
Tasmania	69.9	0.7-	30.8-	50.4-	21.9-	24.5-	6.9	5.2	2.2-	7.4-	2.5
SA	118.4	23.2	54.4	23.8	31.2	8.9-	0.1	0.1	0.8	1.4	2.3
WA	2.9-	5.2-	7.0	15.2	9.8	14.4-	0.1	0.4	2.8	6.7	10.2
Australia	7.2	6.5-	7.3-	0.4-	3.3-	8.6-	0.4	0.2	0.1	1.4	2.0
Fleece											
Fleece	9.9	3.9-	2.4-	2.6-	1.9-	398.9	0.5	0.3	0.7	4.3	2.4
Skirting	3.3	2.6-	6.3-	3.6	0.8-	64.3	0.3	0.4	0.1	7.0	3.1
Carding	5.5-	31.2-	28.2-	1.2	14.9-	10.1-	0.0	1.3-	2.8-	4.6	2.0-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	969	6184	6.38	179.1		30.8	650	70.6	0	0.0
NSW	10919	49932	4.57	174.9		8.5	6344	63.9	8	0.2
Victoria	11412	71687	6.28	176.2		34.6	6967	61.8	125	2.5
Tasmania	290	2158	7.44	175.4		94.1	138	38.9	0	0.0
SA	3010	23602	7.84	177.7		32.9	2156	74.3	3	0.2
WA	10025	69254	6.91	176.8		75.6	7222	79.6	28	0.3
Australia	36625	222817	6.08	176.3		38.3	23477	69.2	164	0.9
TYPE:										
Fleece	20920	141467	6.76	179.3		38.1	17700	86.0	62	0.4
Skirting	8634	46406	5.37	172.2		40.3	4893	58.6	102	3.4
Carding	7071	34944	4.94	170.0		36.3	884	15.1	0	0.0
=====										
2007/2008:										
Queensland	1029	6468	6.29	180.4		19.9	632	59.9	0	0.0
NSW	10974	50148	4.57	176.6		11.7	6030	60.8	14	0.4
Victoria	11362	69299	6.10	176.0		31.8	6389	56.3	56	1.2
Tasmania	936	4587	4.90	171.3		59.0	633	57.7	0	0.0
SA	2826	20544	7.27	177.8		28.8	1917	71.6	4	0.4
WA	9791	66744	6.82	178.1		68.7	7231	81.6	45	0.5
Australia	36918	217790	5.90	177.0		35.7	22832	66.7	119	0.6
TYPE:										
Fleece	20688	135630	6.56	179.7		34.7	16872	82.8	46	0.2
Skirting	9113	48442	5.32	173.3		40.3	4973	56.5	73	2.2
Carding	7117	33718	4.74	171.4		32.8	987	16.5	0	0.0
=====										
DIFFERENCES:										
Queensland	6.2	4.6	0.09-	0.7	5.4	10.9-	2.8-	10.7-	0.0	0.0
NSW	0.5	0.4	0.00	1.0	1.4	3.2	4.9-	3.1-	75.0	0.2
Victoria	0.4-	3.3-	0.18-	0.1-	3.4-	2.8-	8.3-	5.5-	55.2-	1.3-
Tasmania	222.8	112.6	2.54-	2.3-	107.5	35.1-	358.7	18.8	0.0	0.0
SA	6.1-	13.0-	0.57-	0.1	12.9-	4.1-	11.1-	2.7-	33.3	0.2
WA	2.3-	3.6-	0.09-	0.7	2.9-	6.9-	0.1	2.0	60.7	0.2
Australia	0.8	2.3-	0.18-	0.4	1.9-	2.6-	2.7-	2.5-	27.4-	0.3-
Fleece	1.1-	4.1-	0.20-	0.2	3.9-	3.4-	4.7-	3.2-	25.8-	0.2-
Skirting	5.5	4.4	0.05-	0.6	5.0	0.0	1.6	2.1-	28.4-	1.2-
Carding	0.7	3.5-	0.20-	0.8	2.7-	3.5-	11.7	1.4	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	11024	71841	6.52	181.1			20.1	7919	74.6	5	0.1	
NSW	111816	464624	4.16	172.3			8.3	72456	68.9	148	0.4	
Victoria	94161	588859	6.25	176.4			38.1	61774	65.8	769	1.6	
Tasmania	10037	52202	5.20	173.9			40.6	8021	77.0	8	0.3	
SA	25596	208217	8.13	177.6			28.6	18574	74.3	63	0.4	
WA	63435	432674	6.82	177.1			69.3	45398	78.4	215	0.3	
Australia	316069	1818417	5.75	175.8			32.5	214142	71.2	1208	0.8	
TYPE:												
Fleece	190448	1188034	6.24	178.0			31.5	163778	86.5	437	0.3	
Skirting	77184	396553	5.14	172.1			33.5	45468	60.4	769	2.7	
Carding	48437	233830	4.83	170.8			34.8	4896	12.0	2	0.0	
2007/2008:												
Queensland	10603	67336	6.35	181.3			17.1	7391	73.2	5	0.1	
NSW	109737	451351	4.11	174.2			10.0	70020	68.6	213	0.6	
Victoria	89358	540978	6.05	177.3			31.0	57451	64.9	591	1.3	
Tasmania	8642	42228	4.89	174.1			38.6	6674	74.2	10	0.3	
SA	24660	187743	7.61	178.5			26.9	18123	76.3	59	0.4	
WA	58570	378733	6.47	177.0			68.5	41359	77.5	157	0.3	
Australia	301570	1668369	5.53	176.6			30.1	201018	70.6	1035	0.7	
TYPE:												
Fleece	179077	1085944	6.06	178.7			29.0	152914	85.9	280	0.2	
Skirting	75765	371094	4.90	173.2			31.8	43158	58.7	750	2.6	
Carding	46728	211331	4.52	172.0			31.1	4946	12.6	5	0.0	
DIFFERENCES:												
Queensland	3.8-	6.3-	0.17-	0.1	6.2-	5.2-	3.0-	6.7-	1.4-	0.0	0.0	
NSW	1.9-	2.9-	0.05-	1.1	1.8-	0.6-	1.7	3.4-	0.3-	43.9	0.2	
Victoria	5.1-	8.1-	0.20-	0.5	7.6-	5.3-	7.1-	7.0-	0.9-	23.1-	0.3-	
Tasmania	13.9-	19.1-	0.31-	0.1	19.0-	18.6-	2.0-	16.8-	2.8-	25.0	0.0	
SA	3.7-	9.8-	0.52-	0.5	9.4-	7.0-	1.7-	2.4-	2.0	6.3-	0.0	
WA	7.7-	12.5-	0.35-	0.1-	12.6-	10.5-	0.8-	8.9-	0.9-	27.0-	0.0	
Australia	4.6-	8.3-	0.22-	0.5	7.8-	6.0-	2.4-	6.1-	0.6-	14.3-	0.1-	
Fleece	6.0-	8.6-	0.18-	0.4	8.2-		2.5-	6.6-	0.6-	35.9-	0.1-	
Skirting	1.8-	6.4-	0.24-	0.6	5.8-		1.7-	5.1-	1.7-	2.5-	0.1-	
Carding	3.5-	9.6-	0.31-	0.7	9.0-		3.7-	1.0	0.6	150.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of FEBRUARY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -4.3%.

It has moved from 35.0% of the clip at the end of FEBRUARY last year to 36.3% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	59.0	3.3	20.7	22.1	82.8	16.9	34.7	35.6	52.0	17.7	69.6	0.0	0.0	
NSW	60.7	3.0	20.9	22.3	81.5	15.9	32.8	36.2	58.5	22.1	67.1	71.4	10.0	
Victoria	64.7	1.5	22.7	23.0	85.5	16.2	32.5	36.1	49.9	32.1	71.5	71.1	8.9	
Tasmania	69.9	0.7	24.8	24.5	77.0	18.7	34.7	35.8	45.1	27.0	68.0	0.0	0.0	
SA	61.4	2.2	22.6	22.5	88.9	15.9	34.3	37.2	49.3	30.9	76.0	67.3	9.3	
WA	61.8	2.0	20.3	22.2	82.3	16.1	30.2	37.2	57.6	22.9	66.7	69.1	9.0	
Australia	62.4	2.1	21.5	22.6	83.8	16.1	32.0	36.6	54.4	26.2	69.3	70.9	9.0	
TYPE:														
Fleece	65.2	1.3	21.6	21.8	86.6	15.1	33.1	36.3	54.9	26.2	72.2	72.9	8.7	
Skirting	55.1	4.4	20.9	23.2	75.6	20.6	27.6	41.2	58.2	23.1	60.1	70.2	9.0	
Carding	60.7	2.6	21.7	24.8	59.7	17.7	29.4	21.8	21.9	41.8	48.9	0.0	0.0	
2007/2008:														
Queensland	58.8	3.4	20.5	22.1	86.2	16.6	32.9	38.1	56.6	15.0	70.4	0.0	0.0	
NSW	61.4	2.4	21.5	22.0	86.2	16.0	33.4	36.2	49.1	34.7	72.0	70.9	10.4	
Victoria	65.2	1.4	23.2	23.4	86.3	16.0	29.0	38.7	46.1	40.1	71.5	69.6	10.1	
Tasmania	68.3	0.9	21.5	24.1	80.6	17.7	29.7	39.6	46.7	23.3	66.1	0.0	0.0	
SA	60.9	1.8	22.5	22.6	91.7	15.4	30.8	39.0	46.1	35.8	76.3	70.3	9.3	
WA	60.5	2.3	20.2	22.5	82.6	16.2	26.9	38.9	47.0	37.4	66.6	70.7	9.5	
Australia	62.4	2.0	21.7	22.7	85.3	16.1	29.5	38.3	47.4	36.5	70.2	70.1	10.0	
TYPE:														
Fleece	65.3	1.2	21.8	22.0	88.5	14.9	30.3	37.7	47.2	37.7	73.1	70.7	9.6	
Skirting	54.8	4.0	21.0	23.4	77.0	20.6	25.6	43.3	53.4	29.0	60.7	69.9	10.1	
Carding	61.1	2.3	22.4	24.8	60.4	17.7	30.8	24.3	20.6	49.1	54.2	0.0	0.0	
DIFFERENCES:														
Queensland	0.2-	0.1	0.2-	0.0	3.4	0.3-	1.8-	2.5	4.6	2.7-	0.8	0.0	0.0	
NSW	0.7	0.6-	0.6	0.3-	4.7	0.1	0.6	0.0	9.4-	12.6	4.9	0.5-	0.4	
Victoria	0.5	0.1-	0.5	0.4	0.8	0.2-	3.5-	2.6	3.8-	8.0	0.0	1.5-	1.2	
Tasmania	1.6-	0.2	3.3-	0.4-	3.6	1.0-	5.0-	3.8	1.6	3.7-	1.9-	0.0	0.0	
SA	0.5-	0.4-	0.1-	0.1	2.8	0.5-	3.5-	1.8	3.2-	4.9	0.3	3.0	0.0	
WA	1.3-	0.3	0.1-	0.3	0.3	0.1	3.3-	1.7	10.6-	14.5	0.1-	1.6	0.5	
Australia	0.0	0.1-	0.2	0.1	1.5	0.0	2.5-	1.7	7.0-	10.3	0.9	0.8-	1.0	
Fleece	0.1	0.1-	0.2	0.2	1.9	0.2-	2.8-	1.4	7.7-	11.5	0.9	2.2-	0.9	
Skirting	0.3-	0.4-	0.1	0.2	1.4	0.0	2.0-	2.1	4.8-	5.9	0.6	0.3-	1.1	
Carding	0.4	0.3-	0.7	0.0	0.7	0.0	1.4	2.5	1.3-	7.3	5.3	0.0	0.0	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.4	3.3	20.6	21.8	85.7	16.0	35.2	35.6	54.7	22.8	71.8	73.7	9.7	
NSW	63.8	3.4	20.5	22.1	81.9	16.0	35.9	33.7	50.0	17.3	69.3	71.2	9.4	
Victoria	65.3	1.9	22.2	23.0	86.7	16.5	32.7	36.9	52.9	19.8	71.4	72.0	9.3	
Tasmania	69.9	1.2	20.1	22.3	82.3	17.1	35.5	32.6	44.7	19.9	69.5	73.9	8.7	
SA	62.7	2.4	22.8	22.5	92.0	16.0	33.4	38.7	57.1	22.1	75.8	71.9	9.3	
WA	62.6	1.9	20.3	22.7	83.2	16.5	30.8	36.2	52.2	15.6	68.1	69.6	9.4	
Australia	63.9	2.4	21.2	22.6	85.1	16.3	33.3	36.0	52.3	18.5	70.5	71.7	9.3	
TYPE:														
Fleece	67.4	1.4	21.4	21.9	87.7	15.2	34.4	35.3	52.2	17.8	73.3	72.4	9.0	
Skirting	55.7	5.0	20.6	23.2	76.4	20.9	28.9	40.6	56.5	19.0	60.7	71.5	9.4	
Carding	59.7	3.0	21.4	25.0	59.3	18.0	27.3	21.9	21.8	40.4	46.7	66.6	10.3	
2007/2008:														
Queensland	61.7	2.6	20.4	21.5	85.8	16.2	34.7	35.9	54.6	27.4	71.8	71.9	9.6	
NSW	63.8	2.1	20.7	21.9	85.5	16.0	34.2	35.1	52.6	27.5	71.0	71.8	9.5	
Victoria	64.8	1.2	22.3	23.0	88.9	15.9	30.1	39.0	52.4	21.0	72.0	70.8	9.4	
Tasmania	69.0	0.7	19.8	22.6	82.2	16.7	32.6	34.6	47.2	19.2	67.9	72.9	8.5	
SA	62.2	1.6	22.3	22.4	93.3	15.7	31.2	39.9	54.5	23.6	76.1	70.9	9.1	
WA	61.6	1.8	20.0	22.9	83.1	16.5	28.2	37.9	49.9	21.2	66.7	70.7	9.6	
Australia	63.5	1.7	21.2	22.6	86.8	16.1	31.1	37.6	52.1	23.3	70.8	71.1	9.4	
TYPE:														
Fleece	66.8	1.0	21.3	21.9	89.5	15.0	32.0	36.9	52.2	22.9	73.5	72.1	9.3	
Skirting	55.6	3.5	20.6	23.3	77.8	20.6	27.5	42.0	55.1	22.5	61.7	70.9	9.5	
Carding	59.6	2.1	21.7	25.0	60.2	18.0	27.3	23.7	21.2	43.7	49.3	67.9	9.7	
DIFFERENCES:														
Queensland	0.3	0.7-	0.2-	0.3-	0.1	0.2	0.5-	0.3	0.1-	4.6	0.0	1.8-	0.1-	
NSW	0.0	1.3-	0.2	0.2-	3.6	0.0	1.7-	1.4	2.6	10.2	1.7	0.6	0.1	
Victoria	0.5-	0.7-	0.1	0.0	2.2	0.6-	2.6-	2.1	0.5-	1.2	0.6	1.2-	0.1	
Tasmania	0.9-	0.5-	0.3-	0.3	0.1-	0.4-	2.9-	2.0	2.5	0.7-	1.6-	1.0-	0.2-	
SA	0.5-	0.8-	0.5-	0.1-	1.3	0.3-	2.2-	1.2	2.6-	1.5	0.3	1.0-	0.2-	
WA	1.0-	0.1-	0.3-	0.2	0.1-	0.0	2.6-	1.7	2.3-	5.6	1.4-	1.1	0.2	
Australia	0.4-	0.7-	0.0	0.0	1.7	0.2-	2.2-	1.6	0.2-	4.8	0.3	0.6-	0.1	
Fleece	0.6-	0.4-	0.1-	0.0	1.8	0.2-	2.4-	1.6	0.0	5.1	0.2	0.3-	0.3	
Skirting	0.1-	1.5-	0.0	0.1	1.4	0.3-	1.4-	1.4	1.4-	3.5	1.0	0.6-	0.1	
Carding	0.1-	0.9-	0.3	0.0	0.9	0.0	0.0	1.8	0.6-	3.3	2.6	1.3	0.6-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	11024	71841		7919	74.6	5	0.1	61.4	3.3	20.6	21.8	85.7	35.2	54.7	71.8	9.7
NSW	111816	464624		72456	68.9	148	0.4	63.8	3.4	20.5	22.1	81.9	35.9	50.0	69.3	9.4
Victoria	94161	588859		61774	65.8	769	1.6	65.3	1.9	22.2	23.0	86.7	32.7	52.9	71.4	9.3
Tasmania	10037	52202		8021	77.0	8	0.3	69.9	1.2	20.1	22.3	82.3	35.5	44.7	69.5	8.7
SA	25596	208217		18574	74.3	63	0.4	62.7	2.4	22.8	22.5	92.0	33.4	57.1	75.8	9.3
WA	63435	432674		45398	78.4	215	0.3	62.6	1.9	20.3	22.7	83.2	30.8	52.2	68.1	9.4
Australia	316069	1818417		214142	71.2	1208	0.8	63.9	2.4	21.2	22.6	85.1	33.3	52.3	70.5	9.3
TYPE:																
Fleece	190448	1188034		163778	86.5	437	0.3	67.4	1.4	21.4	21.9	87.7	34.4	52.2	73.3	9.0
Skirting	77184	396553		45468	60.4	769	2.7	55.7	5.0	20.6	23.2	76.4	28.9	56.5	60.7	9.4
Carding	48437	233830		4896	12.0	2	0.0	59.7	3.0	21.4	25.0	59.3	27.3	21.8	46.7	10.3
2007/2008:																
Queensland	10603	67336		7391	73.2	5	0.1	61.7	2.6	20.4	21.5	85.8	34.7	54.6	71.8	9.6
NSW	109737	451351		70020	68.6	213	0.6	63.8	2.1	20.7	21.9	85.5	34.2	52.6	71.0	9.5
Victoria	89358	540978		57451	64.9	591	1.3	64.8	1.2	22.3	23.0	88.9	30.1	52.4	72.0	9.4
Tasmania	8642	42228		6674	74.2	10	0.3	69.0	0.7	19.8	22.6	82.2	32.6	47.2	67.9	8.5
SA	24660	187743		18123	76.3	59	0.4	62.2	1.6	22.3	22.4	93.3	31.2	54.5	76.1	9.1
WA	58570	378733		41359	77.5	157	0.3	61.6	1.8	20.0	22.9	83.1	28.2	49.9	66.7	9.6
Australia	301570	1668369		201018	70.6	1035	0.7	63.5	1.7	21.2	22.6	86.8	31.1	52.1	70.8	9.4
TYPE:																
Fleece	179077	1085944		152914	85.9	280	0.2	66.8	1.0	21.3	21.9	89.5	32.0	52.2	73.5	9.3
Skirting	75765	371094		43158	58.7	750	2.6	55.6	3.5	20.6	23.3	77.8	27.5	55.1	61.7	9.5
Carding	46728	211331		4946	12.6	5	0.0	59.6	2.1	21.7	25.0	60.2	27.3	21.2	49.3	9.7
DIFFERENCES:																
Queensland	3.8-	6.3-	6.2-	6.7-	1.4-	0.0	0.0	0.3	0.7-	0.2-	0.3-	0.1	0.5-	0.1-	0.0	0.1-
NSW	1.9-	2.9-	1.8-	3.4-	0.3-	43.9	0.2	0.0	1.3-	0.2	0.2-	3.6	1.7-	2.6	1.7	0.1
Victoria	5.1-	8.1-	7.6-	7.0-	0.9-	23.1-	0.3-	0.5-	0.7-	0.1	0.0	2.2	2.6-	0.5-	0.6	0.1
Tasmania	13.9-	19.1-	19.0-	16.8-	2.8-	25.0	0.0	0.9-	0.5-	0.3-	0.3	0.1-	2.9-	2.5	1.6-	0.2-
SA	3.7-	9.8-	9.4-	2.4-	2.0	6.3-	0.0	0.5-	0.8-	0.5-	0.1-	1.3	2.2-	2.6-	0.3	0.2-
WA	7.7-	12.5-	12.6-	8.9-	0.9-	27.0-	0.0	1.0-	0.1-	0.3-	0.2	0.1-	2.6-	2.3-	1.4-	0.2
Australia	4.6-	8.3-	7.8-	6.1-	0.6-	14.3-	0.1-	0.4-	0.7-	0.0	0.0	1.7	2.2-	0.2-	0.3	0.1
Fleece	6.0-	8.6-	8.2-	6.6-	0.6-	35.9-	0.1-	0.6-	0.4-	0.1-	0.0	1.8	2.4-	0.0	0.2	0.3
Skirting	1.8-	6.4-	5.8-	5.1-	1.7-	2.5-	0.1-	0.1-	1.5-	0.0	0.1	1.4	1.4-	1.4-	1.0	0.1
Carding	3.5-	9.6-	9.0-	1.0	0.6	150.0	0.0	0.1-	0.9-	0.3	0.0	0.9	0.0	0.6-	2.6	0.6-

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -4.3%.

It has moved from 35.0% of the clip at the end of FEBRUARY last year to 36.3% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					0.0-19.5	ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-16.5			16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5	
2006/2007:												
Queensland	88.3	408.5	968.6	1972.4	3437.7			0.7	3.1	7.4	15.2	26.4
NSW	4143.8	9180.9	13122.2	13657.9	40104.8			5.2	11.5	16.4	17.1	50.1
Victoria	1509.5	5051.3	11108.1	14802.6	32471.4			1.5	4.9	10.7	14.3	31.3
Tasmania	482.6	1438.4	2372.5	1913.4	6206.8			5.3	15.8	26.1	21.1	68.4
SA	20.2	106.7	457.0	1449.0	2033.0			0.1	0.3	1.2	3.9	5.5
WA	620.3	3072.4	8819.7	15106.9	27619.3			0.8	4.0	11.5	19.7	36.0
Australia	6864.7	19258.3	36848.0	48902.1	111873.0			2.1	6.0	11.5	15.3	35.0
TYPE:												
Fleece	4677.7	12075.5	21316.8	29026.4	67096.4			2.2	5.7	10.1	13.7	31.7
Skirting	1664.1	4972.1	9789.5	13227.1	29652.8			2.4	7.3	14.3	19.4	43.4
Carding	523.0	2210.7	5741.7	6648.5	15123.8			1.3	5.5	14.4	16.6	37.9
2007/2008:												
Queensland	143.0	468.4	886.0	1923.9	3421.4			1.2	3.8	7.3	15.8	28.0
NSW	3849.8	8257.6	11510.6	13593.7	37211.7			4.9	10.5	14.6	17.3	47.3
Victoria	1770.5	4535.1	9437.3	13092.8	28835.7			1.8	4.7	9.8	13.7	30.1
Tasmania	879.1	1532.4	1769.5	1032.8	5213.7			12.0	20.8	24.1	14.0	70.9
SA	33.3	117.1	678.6	1793.0	2621.9			0.1	0.3	2.0	5.3	7.8
WA	581.0	2728.9	8998.5	17427.2	29735.6			0.9	4.1	13.4	26.0	44.4
Australia	7256.8	17639.3	33280.6	48863.2	107039.9			2.5	6.0	11.3	16.6	36.3
TYPE:												
Fleece	5073.4	11380.1	20076.9	28207.1	64737.5			2.6	5.9	10.3	14.5	33.4
Skirting	1721.8	4792.6	9102.2	13958.4	29575.0			2.7	7.5	14.2	21.7	46.0
Carding	461.6	1466.6	4101.5	6697.7	12727.4			1.3	4.0	11.3	18.4	35.0
DIFFERENCES:												
Queensland	61.9	14.7	8.5-	2.5-	0.5-	6.2-	0.5	0.7	0.1-	0.6	1.6	
NSW	7.1-	10.1-	12.3-	0.5-	7.2-	1.8-	0.3-	1.0-	1.8-	0.2	2.8-	
Victoria	17.3	10.2-	15.0-	11.6-	11.2-	7.6-	0.3	0.2-	0.9-	0.6-	1.2-	
Tasmania	82.2	6.5	25.4-	46.0-	16.0-	19.0-	6.7	5.0	2.0-	7.1-	2.5	
SA	64.9	9.7	48.5	23.7	29.0	9.4-	0.0	0.0	0.8	1.4	2.3	
WA	6.3-	11.2-	2.0	15.4	7.7	12.6-	0.1	0.1	1.9	6.3	8.4	
Australia	5.7	8.4-	9.7-	0.1-	4.3-	7.8-	0.4	0.0	0.2-	1.3	1.3	
Fleece	8.5	5.8-	5.8-	2.8-	3.5-	385.8	0.4	0.2	0.2	4.4	1.7	
Skirting	3.5	3.6-	7.0-	5.5	0.3-	60.9	0.3	0.2	0.1-	7.4	2.6	
Carding	11.7-	33.7-	28.6-	0.7	15.8-	9.0-	0.0	1.5-	3.1-	4.0	2.9-	

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2006/2007:											
Queensland	0.0	0.0	0.5	6.5	81.3		0.0	0.0	0.0	0.0	0.6
NSW	0.4	2.2	61.9	749.4	3330.0		0.0	0.0	0.1	0.9	4.2
Victoria	1.2	2.7	18.3	199.0	1288.3		0.0	0.0	0.0	0.2	1.2
Tasmania	0.0	0.0	0.8	37.9	443.9		0.0	0.0	0.0	0.4	4.9
SA	0.0	0.0	0.0	0.2	20.1		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.1	0.9	49.1	570.1		0.0	0.0	0.0	0.1	0.7
Australia	1.5	5.1	82.4	1042.0	5733.7		0.0	0.0	0.0	0.3	1.8
TYPE:											
Fleece	1.5	4.8	65.0	762.9	3843.4		0.0	0.0	0.0	0.4	1.8
Skirting	0.0	0.2	14.4	229.1	1420.3		0.0	0.0	0.0	0.3	2.1
Carding	0.0	0.0	3.0	50.0	470.0		0.0	0.0	0.0	0.1	1.2
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	134.3		0.0	0.0	0.0	0.1	1.1
NSW	0.2	1.7	36.5	557.3	3254.1		0.0	0.0	0.0	0.7	4.1
Victoria	1.1	5.4	24.2	282.9	1456.9		0.0	0.0	0.0	0.3	1.5
Tasmania	0.0	0.0	12.9	147.8	718.5		0.0	0.0	0.2	2.0	9.8
SA	0.0	0.0	0.0	0.1	33.2		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	55.4	524.6		0.0	0.0	0.0	0.1	0.8
Australia	1.3	7.1	74.9	1051.9	6121.6		0.0	0.0	0.0	0.4	2.1
TYPE:											
Fleece	1.3	6.6	64.8	795.3	4205.3		0.0	0.0	0.0	0.4	2.2
Skirting	0.0	0.5	8.2	203.9	1509.2		0.0	0.0	0.0	0.3	2.3
Carding	0.0	0.0	1.8	52.7	407.1		0.0	0.0	0.0	0.1	1.1
DIFFERENCES:											
Queensland	0.0	0.0	20.0-	29.2	65.2	6.2-	0.0	0.0	0.0	0.1	0.5
NSW	50.0-	22.7-	41.0-	25.6-	2.3-	1.8-	0.0	0.0	0.1-	0.2-	0.1-
Victoria	8.3-	100.0	32.2	42.2	13.1	7.6-	0.0	0.0	0.0	0.1	0.3
Tasmania	0.0	0.0	0.0	290.0	61.9	19.0-	0.0	0.0	0.2	1.6	4.9
SA	0.0	0.0	0.0	50.0-	65.2	9.4-	0.0	0.0	0.0	0.0	0.0
WA	0.0	100.0-	11.1	12.8	8.0-	12.6-	0.0	0.0	0.0	0.0	0.1
Australia	13.3-	39.2	9.1-	1.0	6.8	7.8-	0.0	0.0	0.0	0.1	0.3
Fleece	13.3-	37.5	0.3-	4.2	9.4	385.8	0.0	0.0	0.0	0.4	0.4
Skirting	0.0	150.0	43.1-	11.0-	6.3	60.9	0.0	0.0	0.0	0.3	0.2
Carding	0.0	0.0	40.0-	5.4	13.4-	9.0-	0.0	0.0	0.0	0.1	0.1-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1218	8445	6.93	181.8		23.9	810	70.0	0	0.0
NSW	10936	52089	4.76	176.7		11.9	6520	67.4	12	0.3
Victoria	10813	72448	6.70	177.9		49.9	6868	64.7	55	1.2
Tasmania	520	3231	6.21	172.4		70.8	281	52.6	1	0.3
SA	3131	26581	8.49	179.2		36.6	2258	74.1	4	0.3
WA	9880	69550	7.04	177.8		69.4	7652	84.3	39	0.4
Australia	36498	232344	6.37	177.8		42.1	24389	72.3	111	0.6
TYPE:										
Fleece	21289	150623	7.08	180.7		41.6	18495	88.9	41	0.2
Skirting	8745	49122	5.62	173.4		44.2	5024	58.7	68	2.3
Carding	6464	32599	5.04	171.1		40.7	870	16.0	2	0.0
2007/2008:										
Queensland	898	6159	6.86	181.8		22.5	594	66.8	0	0.0
NSW	10586	50782	4.80	177.3		16.6	6236	67.2	16	0.4
Victoria	8708	56417	6.48	178.1		35.9	5257	62.8	83	2.4
Tasmania	419	2318	5.53	171.2		55.8	193	41.9	0	0.0
SA	2510	20957	8.35	179.7		37.5	1884	78.7	4	0.2
WA	7667	54264	7.08	178.7		69.8	5798	82.0	20	0.2
Australia	30788	190897	6.20	178.3		37.7	19962	71.1	123	0.9
TYPE:										
Fleece	17528	120928	6.90	181.0		37.7	14946	87.4	20	0.1
Skirting	7709	43089	5.59	174.6		39.7	4277	59.0	102	3.8
Carding	5551	26880	4.84	171.8		35.0	739	16.6	1	0.0
DIFFERENCES:										
Queensland	26.3-	27.1-	0.07-	0.0	27.1-	1.4-	26.7-	3.2-	0.0	0.0
NSW	3.2-	2.5-	0.04	0.3	2.2-	4.7	4.4-	0.2-	33.3	0.1
Victoria	19.5-	22.1-	0.22-	0.1	22.0-	14.0-	23.5-	1.9-	50.9	1.2
Tasmania	19.4-	28.3-	0.68-	0.7-	28.8-	15.0-	31.3-	10.7-	100.0-	0.3-
SA	19.8-	21.2-	0.14-	0.3	20.9-	0.9	16.6-	4.6	0.0	0.1-
WA	22.4-	22.0-	0.04	0.5	21.6-	0.4	24.2-	2.3-	48.7-	0.2-
Australia	15.6-	17.8-	0.17-	0.3	17.6-	4.4-	18.2-	1.2-	10.8	0.3
Fleece	17.7-	19.7-	0.18-	0.2	19.6-	3.9-	19.2-	1.5-	51.2-	0.1-
Skirting	11.8-	12.3-	0.03-	0.7	11.7-	4.5-	14.9-	0.3	50.0	1.5
Carding	14.1-	17.5-	0.20-	0.4	17.2-	5.7-	15.1-	0.6	50.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	12242	80286	6.56	181.2			20.4	8729	74.1	5	0.0	
NSW	122752	516713	4.21	172.8			8.6	78976	68.8	160	0.4	
Victoria	104974	661307	6.30	176.5			39.3	68642	65.6	824	1.5	
Tasmania	10557	55433	5.25	173.9			42.1	8302	75.5	9	0.3	
SA	28727	234798	8.17	177.7			29.5	20832	74.3	67	0.4	
WA	73315	502224	6.85	177.2			69.3	53050	79.2	254	0.3	
Australia	352567	2050761	5.82	176.0			33.5	238531	71.4	1319	0.7	
TYPE:												
Fleece	211737	1338657	6.32	178.3			32.5	182273	86.8	478	0.2	
Skirting	85929	445675	5.19	172.3			34.6	50492	60.2	837	2.7	
Carding	54901	266429	4.85	170.8			35.5	5766	12.5	4	0.0	
=====												
2007/2008:												
Queensland	11501	73495	6.39	181.3			17.5	7985	72.7	5	0.1	
NSW	120323	502133	4.17	174.5			10.6	76256	68.4	229	0.6	
Victoria	98066	597395	6.09	177.4			31.4	62708	64.7	674	1.4	
Tasmania	9061	44546	4.92	174.0			39.4	6867	72.5	10	0.3	
SA	27170	208700	7.68	178.6			27.9	20007	76.5	63	0.4	
WA	66237	432997	6.54	177.2			68.7	47157	78.1	177	0.2	
Australia	332358	1859266	5.59	176.8			30.8	220980	70.6	1158	0.7	
TYPE:												
Fleece	196605	1206872	6.14	178.9			29.8	167860	86.1	300	0.2	
Skirting	83474	414183	4.96	173.3			32.6	47435	58.7	852	2.7	
Carding	52279	238211	4.56	172.0			31.5	5685	13.1	6	0.0	
=====												
DIFFERENCES:												
Queensland	6.1-	8.5-	0.17-	0.1	8.4-	8.4-	2.9-	8.5-	1.4-	0.0	0.1	
NSW	2.0-	2.8-	0.04-	1.0	1.9-	1.4-	2.0	3.4-	0.4-	43.1	0.2	
Victoria	6.6-	9.7-	0.21-	0.5	9.2-	7.5-	7.9-	8.6-	0.9-	18.2-	0.1-	
Tasmania	14.2-	19.6-	0.33-	0.1	19.6-	19.4-	2.7-	17.3-	3.0-	11.1	0.0	
SA	5.4-	11.1-	0.49-	0.5	10.7-	9.1-	1.6-	4.0-	2.2	6.0-	0.0	
WA	9.7-	13.8-	0.31-	0.0	13.8-	13.1-	0.6-	11.1-	1.1-	30.3-	0.1-	
Australia	5.7-	9.3-	0.23-	0.5	8.9-	7.9-	2.7-	7.4-	0.8-	12.2-	0.0	
Fleece	7.1-	9.8-	0.18-	0.3	9.5-		2.7-	7.9-	0.7-	37.2-	0.0	
Skirting	2.9-	7.1-	0.23-	0.6	6.5-		2.0-	6.1-	1.5-	1.8	0.0	
Carding	4.8-	10.6-	0.29-	0.7	10.0-		4.0-	1.4-	0.6	50.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of MARCH as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -6.7%.

It has moved from 34.8% of the clip at the end of MARCH last year to 35.7% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	59.6	3.0	20.6	22.2	84.2	16.1	32.1	38.3	48.5	18.6	70.5	0.0	0.0	
NSW	59.0	3.0	20.7	22.2	82.1	16.0	33.0	36.9	56.4	27.2	68.0	70.3	10.2	
Victoria	62.4	1.8	22.0	22.9	84.3	16.1	32.9	37.0	49.4	30.8	70.8	69.2	9.0	
Tasmania	69.5	0.8	23.0	23.5	82.7	17.7	32.8	37.4	50.9	17.8	68.1	74.9	8.9	
SA	60.2	2.1	22.3	22.4	88.6	15.8	35.1	36.7	47.9	25.5	75.7	69.5	8.7	
WA	60.2	2.1	20.1	22.2	81.1	16.1	29.9	37.1	54.0	21.9	66.3	70.0	9.0	
Australia	60.7	2.2	21.2	22.5	83.2	16.1	32.1	37.0	52.2	25.8	69.2	69.5	9.1	
TYPE:														
Fleece	63.3	1.4	21.2	21.8	85.9	15.0	33.2	36.5	52.2	26.4	72.1	70.3	9.1	
Skirting	53.5	4.6	20.7	23.2	74.4	20.7	27.3	42.1	56.8	21.3	59.1	69.4	9.1	
Carding	59.3	2.7	21.4	24.8	59.8	17.7	30.1	22.6	27.9	34.8	48.1	68.1	8.4	
2007/2008:														
Queensland	59.9	3.1	20.7	22.0	85.3	16.6	32.6	37.6	59.6	17.6	70.0	0.0	0.0	
NSW	61.0	2.7	21.4	21.7	86.5	16.1	33.5	36.4	49.2	32.7	72.4	69.0	10.4	
Victoria	63.9	1.7	22.3	22.9	86.7	15.8	28.6	38.2	42.8	42.0	71.4	69.3	9.3	
Tasmania	68.1	1.0	23.8	24.3	77.1	18.5	31.1	36.1	49.4	26.7	64.1	0.0	0.0	
SA	59.2	1.9	22.2	22.2	90.2	15.5	31.8	38.4	44.3	31.9	76.2	70.8	8.7	
WA	59.2	2.5	20.2	22.5	80.7	16.2	28.0	37.9	43.8	36.2	66.3	71.5	9.4	
Australia	61.2	2.2	21.4	22.4	85.0	16.0	30.2	37.6	45.5	35.7	70.5	69.5	9.4	
TYPE:														
Fleece	64.0	1.4	21.5	21.7	87.8	14.9	31.3	37.1	44.8	37.1	73.6	71.5	9.4	
Skirting	53.7	4.6	20.7	23.1	77.1	20.5	25.7	42.7	51.7	29.6	60.9	69.3	9.4	
Carding	60.0	2.6	21.9	24.6	60.1	18.2	29.0	22.6	26.6	35.0	48.4	71.3	10.5	
DIFFERENCES:														
Queensland	0.3	0.1	0.1	0.2-	1.1	0.5	0.5	0.7-	11.1	1.0-	0.5-	0.0	0.0	
NSW	2.0	0.3-	0.7	0.5-	4.4	0.1	0.5	0.5-	7.2-	5.5	4.4	1.3-	0.2	
Victoria	1.5	0.1-	0.3	0.0	2.4	0.3-	4.3-	1.2	6.6-	11.2	0.6	0.1	0.3	
Tasmania	1.4-	0.2	0.8	0.8	5.6-	0.8	1.7-	1.3-	1.5-	8.9	4.0-	74.9-	8.9-	
SA	1.0-	0.2-	0.1-	0.2-	1.6	0.3-	3.3-	1.7	3.6-	6.4	0.5	1.3	0.0	
WA	1.0-	0.4	0.1	0.3	0.4-	0.1	1.9-	0.8	10.2-	14.3	0.0	1.5	0.4	
Australia	0.5	0.0	0.2	0.1-	1.8	0.1-	1.9-	0.6	6.7-	9.9	1.3	0.0	0.3	
Fleece	0.7	0.0	0.3	0.1-	1.9	0.1-	1.9-	0.6	7.4-	10.7	1.5	1.2	0.3	
Skirting	0.2	0.0	0.0	0.1-	2.7	0.2-	1.6-	0.6	5.1-	8.3	1.8	0.1-	0.3	
Carding	0.7	0.1-	0.5	0.2-	0.3	0.5	1.1-	0.0	1.3-	0.2	0.3	3.2	2.1	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.2	3.2	20.6	21.8	85.6	16.0	34.9	35.8	54.1	22.3	71.7	73.7	9.7	
NSW	63.3	3.3	20.5	22.1	81.9	16.0	35.6	34.0	50.7	18.3	69.1	71.2	9.5	
Victoria	65.0	1.9	22.1	23.0	86.4	16.4	32.7	36.9	52.5	21.0	71.3	71.8	9.3	
Tasmania	69.8	1.1	20.2	22.3	82.3	17.1	35.4	32.8	44.9	19.8	69.5	74.0	8.7	
SA	62.4	2.4	22.7	22.5	91.6	16.0	33.6	38.5	56.0	22.5	75.7	71.7	9.2	
WA	62.2	1.9	20.3	22.6	82.9	16.5	30.6	36.3	52.5	16.5	67.8	69.7	9.3	
Australia	63.6	2.3	21.2	22.6	84.8	16.3	33.1	36.1	52.3	19.3	70.3	71.5	9.3	
TYPE:														
Fleece	66.9	1.4	21.4	21.9	87.5	15.2	34.2	35.4	52.2	18.8	73.2	72.2	9.0	
Skirting	55.5	4.9	20.6	23.2	76.2	20.9	28.8	40.7	56.6	19.3	60.5	71.3	9.4	
Carding	59.7	2.9	21.4	25.0	59.4	18.0	27.7	22.0	22.8	39.6	46.9	67.5	9.3	
2007/2008:														
Queensland	61.5	2.6	20.4	21.6	85.7	16.2	34.5	36.0	55.0	26.7	71.7	71.9	9.6	
NSW	63.5	2.1	20.8	21.9	85.6	16.0	34.1	35.2	52.3	28.0	71.2	71.6	9.6	
Victoria	64.7	1.3	22.3	23.0	88.7	15.9	30.0	38.9	51.5	22.9	71.9	70.6	9.4	
Tasmania	68.9	0.7	20.0	22.7	82.1	16.8	32.6	34.6	47.2	19.5	67.8	72.9	8.5	
SA	61.9	1.7	22.3	22.4	93.0	15.7	31.3	39.7	53.4	24.5	76.1	70.9	9.0	
WA	61.3	1.9	20.0	22.9	82.8	16.5	28.2	37.9	49.1	23.2	66.7	70.8	9.6	
Australia	63.2	1.7	21.2	22.5	86.6	16.1	31.0	37.6	51.4	24.6	70.8	70.9	9.4	
TYPE:														
Fleece	66.5	1.0	21.4	21.8	89.4	15.0	31.9	36.9	51.5	24.4	73.5	72.0	9.3	
Skirting	55.4	3.6	20.6	23.3	77.7	20.6	27.3	42.1	54.7	23.2	61.6	70.7	9.4	
Carding	59.7	2.2	21.7	25.0	60.2	18.1	27.5	23.5	22.0	42.4	49.1	68.6	9.8	
DIFFERENCES:														
Queensland	0.3	0.6-	0.2-	0.2-	0.1	0.2	0.4-	0.2	0.9	4.4	0.0	1.8-	0.1-	
NSW	0.2	1.2-	0.3	0.2-	3.7	0.0	1.5-	1.2	1.6	9.7	2.1	0.4	0.1	
Victoria	0.3-	0.6-	0.2	0.0	2.3	0.5-	2.7-	2.0	1.0-	1.9	0.6	1.2-	0.1	
Tasmania	0.9-	0.4-	0.2-	0.4	0.2-	0.3-	2.8-	1.8	2.3	0.3-	1.7-	1.1-	0.2-	
SA	0.5-	0.7-	0.4-	0.1-	1.4	0.3-	2.3-	1.2	2.6-	2.0	0.4	0.8-	0.2-	
WA	0.9-	0.0	0.3-	0.3	0.1-	0.0	2.4-	1.6	3.4-	6.7	1.1-	1.1	0.3	
Australia	0.4-	0.6-	0.0	0.1-	1.8	0.2-	2.1-	1.5	0.9-	5.3	0.5	0.6-	0.1	
Fleece	0.4-	0.4-	0.0	0.1-	1.9	0.2-	2.3-	1.5	0.7-	5.6	0.3	0.2-	0.3	
Skirting	0.1-	1.3-	0.0	0.1	1.5	0.3-	1.5-	1.4	1.9-	3.9	1.1	0.6-	0.0	
Carding	0.0	0.7-	0.3	0.0	0.8	0.1	0.2-	1.5	0.8-	2.8	2.2	1.1	0.5	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
<b>2006/2007:</b>																
Queensland	12242	80286		8729	74.1	5	0.0	61.2	3.2	20.6	21.8	85.6	34.9	54.1	71.7	9.7
NSW	122752	516713		78976	68.8	160	0.4	63.3	3.3	20.5	22.1	81.9	35.6	50.7	69.1	9.5
Victoria	104974	661307		68642	65.6	824	1.5	65.0	1.9	22.1	23.0	86.4	32.7	52.5	71.3	9.3
Tasmania	10557	55433		8302	75.5	9	0.3	69.8	1.1	20.2	22.3	82.3	35.4	44.9	69.5	8.7
SA	28727	234798		20832	74.3	67	0.4	62.4	2.4	22.7	22.5	91.6	33.6	56.0	75.7	9.2
WA	73315	502224		53050	79.2	254	0.3	62.2	1.9	20.3	22.6	82.9	30.6	52.5	67.8	9.3
Australia	352567	2050761		238531	71.4	1319	0.7	63.6	2.3	21.2	22.6	84.8	33.1	52.3	70.3	9.3
<b>TYPE:</b>																
Fleece	211737	1338657		182273	86.8	478	0.2	66.9	1.4	21.4	21.9	87.5	34.2	52.2	73.2	9.0
Skirting	85929	445675		50492	60.2	837	2.7	55.5	4.9	20.6	23.2	76.2	28.8	56.6	60.5	9.4
Carding	54901	266429		5766	12.5	4	0.0	59.7	2.9	21.4	25.0	59.4	27.7	22.8	46.9	9.3
<b>2007/2008:</b>																
Queensland	11501	73495		7985	72.7	5	0.1	61.5	2.6	20.4	21.6	85.7	34.5	55.0	71.7	9.6
NSW	120323	502133		76256	68.4	229	0.6	63.5	2.1	20.8	21.9	85.6	34.1	52.3	71.2	9.6
Victoria	98066	597395		62708	64.7	674	1.4	64.7	1.3	22.3	23.0	88.7	30.0	51.5	71.9	9.4
Tasmania	9061	44546		6867	72.5	10	0.3	68.9	0.7	20.0	22.7	82.1	32.6	47.2	67.8	8.5
SA	27170	208700		20007	76.5	63	0.4	61.9	1.7	22.3	22.4	93.0	31.3	53.4	76.1	9.0
WA	66237	432997		47157	78.1	177	0.2	61.3	1.9	20.0	22.9	82.8	28.2	49.1	66.7	9.6
Australia	332358	1859266		220980	70.6	1158	0.7	63.2	1.7	21.2	22.5	86.6	31.0	51.4	70.8	9.4
<b>TYPE:</b>																
Fleece	196605	1206872		167860	86.1	300	0.2	66.5	1.0	21.4	21.8	89.4	31.9	51.5	73.5	9.3
Skirting	83474	414183		47435	58.7	852	2.7	55.4	3.6	20.6	23.3	77.7	27.3	54.7	61.6	9.4
Carding	52279	238211		5685	13.1	6	0.0	59.7	2.2	21.7	25.0	60.2	27.5	22.0	49.1	9.8
<b>DIFFERENCES:</b>																
Queensland	6.1-	8.5-	8.4-	8.5-	1.4-	0.0	0.1	0.3	0.6-	0.2-	0.2-	0.1	0.4-	0.9	0.0	0.1-
NSW	2.0-	2.8-	1.9-	3.4-	0.4-	43.1	0.2	0.2	1.2-	0.3	0.2-	3.7	1.5-	1.6	2.1	0.1
Victoria	6.6-	9.7-	9.2-	8.6-	0.9-	18.2-	0.1-	0.3-	0.6-	0.2	0.0	2.3	2.7-	1.0-	0.6	0.1
Tasmania	14.2-	19.6-	19.6-	17.3-	3.0-	11.1	0.0	0.9-	0.4-	0.2-	0.4	0.2-	2.8-	2.3	1.7-	0.2-
SA	5.4-	11.1-	10.7-	4.0-	2.2	6.0-	0.0	0.5-	0.7-	0.4-	0.1-	1.4	2.3-	2.6-	0.4	0.2-
WA	9.7-	13.8-	13.8-	11.1-	1.1-	30.3-	0.1-	0.9-	0.0	0.3-	0.3	0.1-	2.4-	3.4-	1.1-	0.3
Australia	5.7-	9.3-	8.9-	7.4-	0.8-	12.2-	0.0	0.4-	0.6-	0.0	0.1-	1.8	2.1-	0.9-	0.5	0.1
Fleece	7.1-	9.8-	9.5-	7.9-	0.7-	37.2-	0.0	0.4-	0.4-	0.0	0.1-	1.9	2.3-	0.7-	0.3	0.3
Skirting	2.9-	7.1-	6.5-	6.1-	1.5-	1.8	0.0	0.1-	1.3-	0.0	0.1	1.5	1.5-	1.9-	1.1	0.0
Carding	4.8-	10.6-	10.0-	1.4-	0.6	50.0	0.0	0.0	0.7-	0.3	0.0	0.8	0.2-	0.8-	2.2	0.5

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -6.7%.

It has moved from 34.8% of the clip at the end of MARCH last year to 35.7% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	89.1	424.5	1053.8	2284.8	3852.1		0.6	2.9	7.2	15.7	26.5
NSW	4294.6	9809.4	14414.5	15422.0	43940.5		4.8	11.0	16.1	17.3	49.2
Victoria	1632.0	5587.9	12635.3	16789.5	36644.7		1.4	4.8	10.8	14.4	31.4
Tasmania	491.2	1482.4	2462.7	1997.4	6433.6		5.1	15.4	25.6	20.7	66.8
SA	23.7	125.9	545.6	1772.2	2467.3		0.1	0.3	1.3	4.2	5.9
WA	667.4	3598.2	10356.6	17781.0	32403.3		0.7	4.0	11.6	20.0	36.4
Australia	7198.0	21028.3	41468.4	56046.8	125741.5		2.0	5.8	11.5	15.5	34.8
TYPE:											
Fleece	4853.0	13076.2	23990.3	33434.0	75353.4		2.0	5.5	10.1	14.0	31.6
Skirting	1708.2	5357.1	10919.4	15107.2	33091.9		2.2	7.0	14.2	19.7	43.1
Carding	636.8	2595.0	6558.7	7505.6	17296.2		1.4	5.7	14.4	16.5	38.0
2007/2008:											
Queensland	144.2	478.3	1024.3	2121.7	3768.5		1.1	3.6	7.7	15.9	28.3
NSW	3914.3	8511.3	12334.7	15213.5	39973.8		4.5	9.7	14.1	17.4	45.6
Victoria	1809.8	4931.5	10511.7	14776.8	32029.8		1.7	4.7	9.9	13.9	30.2
Tasmania	884.4	1556.3	1818.8	1093.4	5353.0		11.4	20.1	23.5	14.1	69.1
SA	34.7	131.4	789.3	2032.4	2987.7		0.1	0.4	2.1	5.5	8.0
WA	591.8	2912.0	9930.8	19746.2	33180.7		0.8	3.8	12.9	25.7	43.2
Australia	7379.2	18520.9	36409.5	54983.9	117293.6		2.2	5.6	11.1	16.7	35.7
TYPE:											
Fleece	5139.3	11802.7	21684.8	31659.8	70286.5		2.4	5.5	10.0	14.7	32.6
Skirting	1749.3	5011.0	10056.4	15876.0	32692.7		2.4	7.0	14.0	22.1	45.5
Carding	490.5	1707.3	4668.4	7448.2	14314.4		1.2	4.2	11.4	18.2	34.9
DIFFERENCES:											
Queensland	61.8	12.7	2.8-	7.1-	2.2-	8.4-	0.5	0.7	0.5	0.2	1.8
NSW	8.9-	13.2-	14.4-	1.4-	9.0-	1.9-	0.3-	1.3-	2.0-	0.1	3.6-
Victoria	10.9	11.7-	16.8-	12.0-	12.6-	9.2-	0.3	0.1-	0.9-	0.5-	1.2-
Tasmania	80.0	5.0	26.1-	45.3-	16.8-	19.6-	6.3	4.7	2.1-	6.6-	2.3
SA	46.4	4.4	44.7	14.7	21.1	10.7-	0.0	0.1	0.8	1.3	2.1
WA	11.3-	19.1-	4.1-	11.1	2.4	13.8-	0.1	0.2-	1.3	5.7	6.8
Australia	2.5	11.9-	12.2-	1.9-	6.7-	8.9-	0.2	0.2-	0.4-	1.2	0.9
Fleece	5.9	9.7-	9.6-	5.3-	6.7-	374.3	0.4	0.0	0.1-	4.6	1.0
Skirting	2.4	6.5-	7.9-	5.1	1.2-	57.7	0.2	0.0	0.2-	7.9	2.4
Carding	23.0-	34.2-	28.8-	0.8-	17.2-	10.0-	0.2-	1.5-	3.0-	3.8	3.1-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2006/2007:											
Queensland	0.0	0.0	0.5	6.5	82.1		0.0	0.0	0.0	0.0	0.6
NSW	0.4	2.4	63.6	765.1	3463.1		0.0	0.0	0.1	0.9	3.9
Victoria	1.2	2.7	18.6	202.1	1407.4		0.0	0.0	0.0	0.2	1.2
Tasmania	0.0	0.0	0.8	37.9	452.6		0.0	0.0	0.0	0.4	4.7
SA	0.0	0.0	0.0	0.3	23.4		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.1	0.9	49.9	616.5		0.0	0.0	0.0	0.1	0.7
Australia	1.5	5.2	84.5	1061.7	6045.1		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.5	5.0	66.5	777.7	4002.2		0.0	0.0	0.0	0.3	1.7
Skirting	0.0	0.2	15.0	229.4	1463.6		0.0	0.0	0.0	0.3	1.9
Carding	0.0	0.0	3.0	54.6	579.2		0.0	0.0	0.0	0.1	1.3
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	135.4		0.0	0.0	0.0	0.1	1.0
NSW	0.2	1.8	36.5	560.3	3315.5		0.0	0.0	0.0	0.6	3.8
Victoria	1.1	5.5	24.8	285.9	1492.4		0.0	0.0	0.0	0.3	1.4
Tasmania	0.0	0.0	12.9	148.1	723.4		0.0	0.0	0.2	1.9	9.3
SA	0.0	0.0	0.0	0.1	34.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	56.3	534.6		0.0	0.0	0.0	0.1	0.7
Australia	1.3	7.4	75.5	1059.2	6235.9		0.0	0.0	0.0	0.3	1.9
TYPE:											
Fleece	1.3	6.8	65.3	800.8	4265.1		0.0	0.0	0.0	0.4	2.0
Skirting	0.0	0.5	8.2	204.6	1536.0		0.0	0.0	0.0	0.3	2.1
Carding	0.0	0.0	2.0	53.8	434.7		0.0	0.0	0.0	0.1	1.1
DIFFERENCES:											
Queensland	0.0	0.0	20.0-	29.2	64.9	8.4-	0.0	0.0	0.0	0.1	0.4
NSW	50.0-	25.0-	42.6-	26.8-	4.3-	1.9-	0.0	0.0	0.1-	0.3-	0.1-
Victoria	8.3-	103.7	33.3	41.5	6.0	9.2-	0.0	0.0	0.0	0.1	0.2
Tasmania	0.0	0.0	1512.5	290.8	59.8	19.6-	0.0	0.0	0.2	1.5	4.6
SA	0.0	0.0	0.0	66.7-	47.4	10.7-	0.0	0.0	0.0	0.0	0.0
WA	0.0	100.0-	11.1	12.8	13.3-	13.8-	0.0	0.0	0.0	0.0	0.0
Australia	13.3-	42.3	10.7-	0.2-	3.2	8.9-	0.0	0.0	0.0	0.0	0.2
Fleece	13.3-	36.0	1.8-	3.0	6.6	374.3	0.0	0.0	0.0	0.4	0.3
Skirting	0.0	150.0	45.3-	10.8-	4.9	57.7	0.0	0.0	0.0	0.3	0.2
Carding	0.0	0.0	33.3-	1.5-	24.9-	10.0-	0.0	0.0	0.0	0.1	0.2-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1114	7649	6.87	181.0		15.7	794	76.3	0	0.0
NSW	8560	38437	4.49	177.3		9.8	5018	67.4	5	0.2
Victoria	9503	60227	6.34	178.3		30.9	6184	66.3	76	1.4
Tasmania	426	2588	6.08	173.3		60.1	247	53.1	0	0.0
SA	2482	21619	8.71	180.1		30.9	1848	77.5	5	0.4
WA	7269	49607	6.82	177.0		65.5	5375	80.3	40	0.7
Australia	29354	180127	6.14	178.0		33.2	19466	72.0	126	0.7
TYPE:										
Fleece	16843	114622	6.81	181.0		32.4	14587	89.1	36	0.2
Skirting	7282	39515	5.43	173.5		36.1	4163	58.8	88	2.8
Carding	5229	25990	4.97	171.4		31.7	716	16.7	2	0.0
2007/2008:										
Queensland	1477	9781	6.62	182.8		18.6	866	60.4	0	0.0
NSW	11401	55052	4.83	178.2		16.2	6358	65.4	25	0.5
Victoria	10720	68326	6.37	178.9		34.0	6867	66.8	59	1.2
Tasmania	589	3523	5.98	177.5		54.8	329	52.9	0	0.0
SA	3023	25973	8.59	182.5		33.8	2335	81.1	5	0.4
WA	8379	58178	6.94	178.4		68.4	6198	79.4	49	0.6
Australia	35589	220833	6.21	179.2		36.1	22953	70.9	138	0.7
TYPE:										
Fleece	20365	141578	6.95	182.0		35.6	17061	86.4	44	0.2
Skirting	9095	50320	5.53	175.1		38.1	5038	58.4	94	2.6
Carding	6129	28935	4.72	172.4		34.8	854	17.2	0	0.0
DIFFERENCES:										
Queensland	32.6	27.9	0.25-	1.0	29.1	2.9	9.1	15.9-	0.0	0.0
NSW	33.2	43.2	0.34	0.5	43.9	6.4	26.7	2.0-	400.0	0.3
Victoria	12.8	13.4	0.03	0.3	13.9	3.1	11.0	0.5	22.4-	0.2-
Tasmania	38.3	36.1	0.10-	2.4	39.4	5.3-	33.2	0.2-	0.0	0.0
SA	21.8	20.1	0.12-	1.3	21.7	2.9	26.4	3.6	0.0	0.0
WA	15.3	17.3	0.12	0.8	18.2	2.9	15.3	0.9-	22.5	0.1-
Australia	21.2	22.6	0.07	0.7	23.4	2.9	17.9	1.1-	9.5	0.0
Fleece	20.9	23.5	0.14	0.6	24.2	3.2	17.0	2.7-	22.2	0.0
Skirting	24.9	27.3	0.10	0.9	28.5	2.0	21.0	0.4-	6.8	0.2-
Carding	17.2	11.3	0.25-	0.6	12.0	3.1	19.3	0.5	100.0-	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.  
Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	13356	87935	6.58	181.1			20.0	9523	74.3	5	0.0	
NSW	131312	555150	4.23	173.1			8.7	83994	68.7	165	0.4	
Victoria	114477	721534	6.30	176.7			38.6	74826	65.7	900	1.5	
Tasmania	10983	58021	5.28	173.8			42.8	8549	74.5	9	0.2	
SA	31209	256417	8.22	177.9			29.6	22680	74.6	72	0.4	
WA	80584	551831	6.85	177.2			69.0	58425	79.3	294	0.3	
Australia	381921	2230888	5.84	176.2			33.5	257997	71.4	1445	0.7	
TYPE:												
Fleece	228580	1453279	6.36	178.5			32.5	196860	87.0	514	0.2	
Skirting	93211	485190	5.21	172.4			34.7	54655	60.1	925	2.7	
Carding	60130	292419	4.86	170.9			35.2	6482	12.8	6	0.0	
2007/2008:												
Queensland	12978	83276	6.42	181.5			17.6	8851	71.3	5	0.1	
NSW	131724	557185	4.23	174.9			11.1	82614	68.1	254	0.6	
Victoria	108786	665721	6.12	177.5			31.7	69575	64.9	733	1.4	
Tasmania	9650	48069	4.98	174.2			40.3	7196	71.1	10	0.3	
SA	30193	234673	7.77	179.1			28.5	22342	77.0	68	0.4	
WA	74616	491175	6.58	177.3			68.7	53355	78.2	226	0.3	
Australia	367947	2080099	5.65	177.0			31.3	243933	70.7	1296	0.7	
TYPE:												
Fleece	216970	1348450	6.21	179.2			30.4	184921	86.1	344	0.2	
Skirting	92569	464503	5.02	173.5			33.1	52473	58.7	946	2.7	
Carding	58408	267146	4.57	172.0			31.9	6539	13.5	6	0.0	
DIFFERENCES:												
Queensland	2.8-	5.3-	0.16-	0.2	5.1-	4.6-	2.4-	7.1-	3.0-	0.0	0.1	
NSW	0.3	0.4	0.00	1.0	1.4	1.0	2.4	1.6-	0.6-	53.9	0.2	
Victoria	5.0-	7.7-	0.18-	0.5	7.3-	6.3-	6.9-	7.0-	0.8-	18.6-	0.1-	
Tasmania	12.1-	17.2-	0.30-	0.2	17.0-	17.2-	2.5-	15.8-	3.4-	11.1	0.1	
SA	3.3-	8.5-	0.45-	0.7	7.9-	7.2-	1.1-	1.5-	2.4	5.6-	0.0	
WA	7.4-	11.0-	0.27-	0.1	10.9-	10.7-	0.3-	8.7-	1.1-	23.1-	0.0	
Australia	3.7-	6.8-	0.19-	0.5	6.3-	5.9-	2.2-	5.5-	0.7-	10.3-	0.0	
Fleece	5.1-	7.2-	0.15-	0.4	6.8-		2.1-	6.1-	0.9-	33.1-	0.0	
Skirting	0.7-	4.3-	0.19-	0.6	3.6-		1.6-	4.0-	1.4-	2.3	0.0	
Carding	2.9-	8.6-	0.29-	0.6	8.0-		3.3-	0.9	0.7	0.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.  
Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.  
The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of APRIL as a % of the 12 months total, over the last 3 years.  
Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.  
Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.  
Change in SUPERFINE production (ktonnes) = -5.9%.  
It has moved from 35.0% of the clip at the end of APRIL last year to 35.1% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	60.1	2.5	20.8	22.1	85.7	16.3	34.4	36.5	50.6	15.8	72.5	0.0	0.0	
NSW	58.7	3.1	20.4	22.0	82.0	15.9	34.4	35.8	53.5	28.5	68.5	69.4	9.3	
Victoria	61.1	1.8	21.6	22.9	83.4	16.2	34.2	35.5	47.7	28.9	70.8	68.1	8.8	
Tasmania	69.7	0.7	22.9	23.7	80.5	17.6	32.6	36.9	52.6	20.9	66.8	0.0	0.0	
SA	59.0	2.2	22.2	22.4	87.2	16.0	35.2	36.7	50.3	22.2	74.3	68.3	8.1	
WA	58.9	2.3	20.0	22.5	79.1	16.3	30.1	36.4	49.7	20.1	65.4	69.3	9.2	
Australia	59.8	2.3	21.0	22.5	82.4	16.2	33.1	36.0	50.0	24.6	69.2	68.5	8.9	
TYPE:														
Fleece	62.4	1.4	21.0	21.8	85.0	15.2	34.4	35.5	49.6	25.1	72.2	69.4	9.1	
Skirting	53.3	4.5	20.6	23.3	74.4	20.5	27.9	40.9	55.2	21.2	59.3	68.3	8.8	
Carding	58.1	2.9	21.1	24.9	60.8	17.6	29.9	24.0	32.0	29.6	48.5	68.3	8.7	
2007/2008:														
Queensland	60.2	2.8	20.7	21.7	85.5	16.7	31.9	38.9	60.8	18.9	70.0	0.0	0.0	
NSW	60.9	2.7	21.3	21.5	86.7	16.0	34.4	35.3	49.8	30.9	72.7	70.7	10.4	
Victoria	61.9	1.9	21.9	22.8	85.5	15.9	31.1	36.5	44.1	33.0	71.5	69.8	9.0	
Tasmania	67.7	1.0	22.3	23.4	84.8	16.7	29.1	39.5	51.0	30.3	68.9	0.0	0.0	
SA	57.8	2.1	22.1	22.0	89.2	15.8	33.5	37.8	47.8	21.3	75.7	70.6	8.8	
WA	58.0	2.6	20.2	22.6	80.2	16.5	29.4	37.5	42.2	30.5	66.9	71.0	9.4	
Australia	60.2	2.3	21.3	22.3	84.7	16.1	31.7	36.8	46.1	29.6	70.9	70.2	9.3	
TYPE:														
Fleece	62.9	1.4	21.4	21.6	87.6	15.0	32.9	36.1	45.2	30.6	74.1	70.8	9.4	
Skirting	53.1	4.7	20.7	23.1	76.1	20.8	26.5	41.8	51.6	25.2	60.3	70.1	9.3	
Carding	58.4	2.9	21.5	24.5	61.8	18.4	31.0	26.0	34.2	31.3	52.0	0.0	0.0	
DIFFERENCES:														
Queensland	0.1	0.3	0.1-	0.4-	0.2-	0.4	2.5-	2.4	10.2	3.1	2.5-	0.0	0.0	
NSW	2.2	0.4-	0.9	0.5-	4.7	0.1	0.0	0.5-	3.7-	2.4	4.2	1.3	1.1	
Victoria	0.8	0.1	0.3	0.1-	2.1	0.3-	3.1-	1.0	3.6-	4.1	0.7	1.7	0.2	
Tasmania	2.0-	0.3	0.6-	0.3-	4.3	0.9-	3.5-	2.6	1.6-	9.4	2.1	0.0	0.0	
SA	1.2-	0.1-	0.1-	0.4-	2.0	0.2-	1.7-	1.1	2.5-	0.9-	1.4	2.3	0.7	
WA	0.9-	0.3	0.2	0.1	1.1	0.2	0.7-	1.1	7.5-	10.4	1.5	1.7	0.2	
Australia	0.4	0.0	0.3	0.2-	2.3	0.1-	1.4-	0.8	3.9-	5.0	1.7	1.7	0.4	
Fleece	0.5	0.0	0.4	0.2-	2.6	0.2-	1.5-	0.6	4.4-	5.5	1.9	1.4	0.3	
Skirting	0.2-	0.2	0.1	0.2-	1.7	0.3	1.4-	0.9	3.6-	4.0	1.0	1.8	0.5	
Carding	0.3	0.0	0.4	0.4-	1.0	0.8	1.1	2.0	2.2	1.7	3.5	68.3-	8.7-	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2006/2007:													
Queensland	61.1	3.2	20.6	21.8	85.6	16.0	34.8	35.9	53.8	21.8	71.7	73.7	9.7
NSW	63.0	3.3	20.5	22.1	81.9	16.0	35.5	34.1	50.9	19.0	69.1	71.1	9.5
Victoria	64.6	1.9	22.1	23.0	86.1	16.4	32.9	36.8	52.1	21.6	71.2	71.5	9.2
Tasmania	69.8	1.1	20.4	22.4	82.3	17.2	35.3	32.9	45.2	19.8	69.4	74.0	8.7
SA	62.1	2.3	22.7	22.5	91.2	16.0	33.7	38.3	55.5	22.5	75.6	71.4	9.1
WA	61.9	1.9	20.3	22.6	82.6	16.5	30.6	36.3	52.2	16.9	67.6	69.6	9.3
Australia	63.2	2.3	21.2	22.6	84.6	16.3	33.1	36.1	52.1	19.8	70.2	71.3	9.3
TYPE:													
Fleece	66.5	1.4	21.4	21.9	87.3	15.2	34.3	35.4	52.0	19.3	73.1	72.0	9.0
Skirting	55.3	4.9	20.6	23.2	76.0	20.9	28.7	40.7	56.5	19.4	60.4	71.1	9.3
Carding	59.5	2.9	21.4	25.0	59.6	17.9	28.0	22.3	23.9	38.4	47.1	67.6	9.2
2007/2008:													
Queensland	61.4	2.7	20.5	21.6	85.7	16.3	34.3	36.3	55.6	25.9	71.5	71.9	9.6
NSW	63.2	2.2	20.8	21.8	85.7	16.0	34.1	35.2	52.0	28.3	71.3	71.5	9.7
Victoria	64.4	1.3	22.2	23.0	88.3	15.9	30.1	38.6	50.7	24.0	71.9	70.5	9.3
Tasmania	68.9	0.8	20.2	22.8	82.2	16.8	32.4	34.9	47.4	20.1	67.9	72.9	8.5
SA	61.4	1.7	22.3	22.4	92.5	15.7	31.6	39.5	52.7	24.1	76.0	70.9	9.0
WA	60.9	2.0	20.0	22.9	82.5	16.5	28.3	37.8	48.3	24.1	66.7	70.9	9.6
Australia	62.9	1.8	21.2	22.5	86.4	16.1	31.1	37.5	50.8	25.1	70.8	70.8	9.4
TYPE:													
Fleece	66.1	1.1	21.4	21.8	89.2	15.0	32.0	36.9	50.8	25.0	73.5	71.9	9.3
Skirting	55.2	3.7	20.6	23.2	77.6	20.6	27.2	42.1	54.4	23.4	61.5	70.6	9.4
Carding	59.5	2.3	21.7	24.9	60.4	18.1	28.0	23.9	23.7	40.9	49.5	68.6	9.8
DIFFERENCES:													
Queensland	0.3	0.5-	0.1-	0.2-	0.1	0.3	0.5-	0.4	1.8	4.1	0.2-	1.8-	0.1-
NSW	0.2	1.1-	0.3	0.3-	3.8	0.0	1.4-	1.1	1.1	9.3	2.2	0.4	0.2
Victoria	0.2-	0.6-	0.1	0.0	2.2	0.5-	2.8-	1.8	1.4-	2.4	0.7	1.0-	0.1
Tasmania	0.9-	0.3-	0.2-	0.4	0.1-	0.4-	2.9-	2.0	2.2	0.3	1.5-	1.1-	0.2-
SA	0.7-	0.6-	0.4-	0.1-	1.3	0.3-	2.1-	1.2	2.8-	1.6	0.4	0.5-	0.1-
WA	1.0-	0.1	0.3-	0.3	0.1-	0.0	2.3-	1.5	3.9-	7.2	0.9-	1.3	0.3
Australia	0.3-	0.5-	0.0	0.1-	1.8	0.2-	2.0-	1.4	1.3-	5.3	0.6	0.5-	0.1
Fleece	0.4-	0.3-	0.0	0.1-	1.9	0.2-	2.3-	1.5	1.2-	5.7	0.4	0.1-	0.3
Skirting	0.1-	1.2-	0.0	0.0	1.6	0.3-	1.5-	1.4	2.1-	4.0	1.1	0.5-	0.1
Carding	0.0	0.6-	0.3	0.1-	0.8	0.2	0.0	1.6	0.2-	2.5	2.4	1.0	0.6

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	13356	87935		9523	74.3	5	0.0	61.1	3.2	20.6	21.8	85.6	34.8	53.8	71.7	9.7
NSW	131312	555150		83994	68.7	165	0.4	63.0	3.3	20.5	22.1	81.9	35.5	50.9	69.1	9.5
Victoria	114477	721534		74826	65.7	900	1.5	64.6	1.9	22.1	23.0	86.1	32.9	52.1	71.2	9.2
Tasmania	10983	58021		8549	74.5	9	0.2	69.8	1.1	20.4	22.4	82.3	35.3	45.2	69.4	8.7
SA	31209	256417		22680	74.6	72	0.4	62.1	2.3	22.7	22.5	91.2	33.7	55.5	75.6	9.1
WA	80584	551831		58425	79.3	294	0.3	61.9	1.9	20.3	22.6	82.6	30.6	52.2	67.6	9.3
Australia	381921	2230888		257997	71.4	1445	0.7	63.2	2.3	21.2	22.6	84.6	33.1	52.1	70.2	9.3
TYPE:																
Fleece	228580	1453279		196860	87.0	514	0.2	66.5	1.4	21.4	21.9	87.3	34.3	52.0	73.1	9.0
Skirting	93211	485190		54655	60.1	925	2.7	55.3	4.9	20.6	23.2	76.0	28.7	56.5	60.4	9.3
Carding	60130	292419		6482	12.8	6	0.0	59.5	2.9	21.4	25.0	59.6	28.0	23.9	47.1	9.2
2007/2008:																
Queensland	12978	83276		8851	71.3	5	0.1	61.4	2.7	20.5	21.6	85.7	34.3	55.6	71.5	9.6
NSW	131724	557185		82614	68.1	254	0.6	63.2	2.2	20.8	21.8	85.7	34.1	52.0	71.3	9.7
Victoria	108786	665721		69575	64.9	733	1.4	64.4	1.3	22.2	23.0	88.3	30.1	50.7	71.9	9.3
Tasmania	9650	48069		7196	71.1	10	0.3	68.9	0.8	20.2	22.8	82.2	32.4	47.4	67.9	8.5
SA	30193	234673		22342	77.0	68	0.4	61.4	1.7	22.3	22.4	92.5	31.6	52.7	76.0	9.0
WA	74616	491175		53355	78.2	226	0.3	60.9	2.0	20.0	22.9	82.5	28.3	48.3	66.7	9.6
Australia	367947	2080099		243933	70.7	1296	0.7	62.9	1.8	21.2	22.5	86.4	31.1	50.8	70.8	9.4
TYPE:																
Fleece	216970	1348450		184921	86.1	344	0.2	66.1	1.1	21.4	21.8	89.2	32.0	50.8	73.5	9.3
Skirting	92569	464503		52473	58.7	946	2.7	55.2	3.7	20.6	23.2	77.6	27.2	54.4	61.5	9.4
Carding	58408	267146		6539	13.5	6	0.0	59.5	2.3	21.7	24.9	60.4	28.0	23.7	49.5	9.8
DIFFERENCES:																
Queensland	2.8-	5.3-	5.1-	7.1-	3.0-	0.0	0.1	0.3	0.5-	0.1-	0.2-	0.1	0.5-	1.8	0.2-	0.1-
NSW	0.3	0.4	1.4	1.6-	0.6-	53.9	0.2	0.2	1.1-	0.3	0.3-	3.8	1.4-	1.1	2.2	0.2
Victoria	5.0-	7.7-	7.3-	7.0-	0.8-	18.6-	0.1-	0.2-	0.6-	0.1	0.0	2.2	2.8-	1.4-	0.7	0.1
Tasmania	12.1-	17.2-	17.0-	15.8-	3.4-	11.1	0.1	0.9-	0.3-	0.2-	0.4	0.1-	2.9-	2.2	1.5-	0.2-
SA	3.3-	8.5-	7.9-	1.5-	2.4	5.6-	0.0	0.7-	0.6-	0.4-	0.1-	1.3	2.1-	2.8-	0.4	0.1-
WA	7.4-	11.0-	10.9-	8.7-	1.1-	23.1-	0.0	1.0-	0.1	0.3-	0.3	0.1-	2.3-	3.9-	0.9-	0.3
Australia	3.7-	6.8-	6.3-	5.5-	0.7-	10.3-	0.0	0.3-	0.5-	0.0	0.1-	1.8	2.0-	1.3-	0.6	0.1
Fleece	5.1-	7.2-	6.8-	6.1-	0.9-	33.1-	0.0	0.4-	0.3-	0.0	0.1-	1.9	2.3-	1.2-	0.4	0.3
Skirting	0.7-	4.3-	3.6-	4.0-	1.4-	2.3	0.0	0.1-	1.2-	0.0	0.0	1.6	1.5-	2.1-	1.1	0.1
Carding	2.9-	8.6-	8.0-	0.9	0.7	0.0	0.0	0.0	0.6-	0.3	0.1-	0.8	0.0	0.2-	2.4	0.6

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -5.9%.

It has moved from 35.0% of the clip at the end of APRIL last year to 35.1% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	91.9	438.0	1131.4	2483.6	4144.9		0.6	2.7	7.1	15.6	26.0
NSW	4484.1	10400.1	15512.7	16727.0	47123.9		4.7	10.8	16.1	17.4	49.0
Victoria	1805.2	6266.3	13981.4	18602.2	40655.2		1.4	4.9	11.0	14.6	31.9
Tasmania	498.1	1522.8	2519.6	2072.0	6612.5		4.9	15.1	25.0	20.5	65.6
SA	30.4	146.2	633.6	2037.6	2847.9		0.1	0.3	1.4	4.5	6.2
WA	736.8	4065.9	11463.0	19725.0	35990.8		0.8	4.2	11.7	20.2	36.8
Australia	7646.6	22839.4	45241.8	61647.4	137375.1		1.9	5.8	11.5	15.7	35.0
TYPE:											
Fleece	5071.0	14077.3	26234.5	36817.4	82200.1		2.0	5.4	10.1	14.2	31.7
Skirting	1772.7	5768.4	11870.5	16646.2	36057.8		2.1	6.9	14.2	19.9	43.1
Carding	803.0	2993.6	7136.8	8183.8	19117.2		1.6	6.0	14.3	16.4	38.3
2007/2008:											
Queensland	146.0	491.3	1102.5	2438.7	4178.5		1.0	3.3	7.3	16.1	27.6
NSW	3982.3	8850.3	13296.0	16912.7	43041.2		4.1	9.1	13.6	17.4	44.2
Victoria	1925.9	5495.1	11938.2	16653.6	36012.8		1.6	4.6	10.1	14.1	30.5
Tasmania	900.0	1625.1	1909.9	1190.6	5625.7		10.7	19.4	22.8	14.2	67.2
SA	39.4	157.0	929.2	2415.8	3541.4		0.1	0.4	2.2	5.7	8.4
WA	624.8	3190.4	11041.2	21996.4	36852.9		0.7	3.7	12.7	25.3	42.3
Australia	7618.5	19809.3	40217.0	61607.7	129252.5		2.1	5.4	10.9	16.7	35.1
TYPE:											
Fleece	5252.3	12450.0	23812.0	35362.4	76876.8		2.2	5.2	9.9	14.6	31.8
Skirting	1808.5	5339.4	11117.0	17927.7	36192.6		2.2	6.6	13.8	22.2	44.9
Carding	557.7	2019.9	5288.0	8317.6	16183.1		1.2	4.4	11.5	18.1	35.2
DIFFERENCES:											
Queensland	58.9	12.2	2.6-	1.8-	0.8	5.1-	0.4	0.6	0.2	0.5	1.6
NSW	11.2-	14.9-	14.3-	1.1	8.7-	1.4	0.6-	1.7-	2.5-	0.0	4.8-
Victoria	6.7	12.3-	14.6-	10.5-	11.4-	7.3-	0.2	0.3-	0.9-	0.5-	1.4-
Tasmania	80.7	6.7	24.2-	42.5-	14.9-	17.0-	5.8	4.3	2.2-	6.3-	1.6
SA	29.6	7.4	46.7	18.6	24.4	7.9-	0.0	0.1	0.8	1.2	2.2
WA	15.2-	21.5-	3.7-	11.5	2.4	10.9-	0.1-	0.5-	1.0	5.1	5.5
Australia	0.4-	13.3-	11.1-	0.1-	5.9-	6.3-	0.2	0.4-	0.6-	1.0	0.1
Fleece											
Fleece	3.6	11.6-	9.2-	4.0-	6.5-	383.6	0.2	0.2-	0.2-	4.5	0.1
Skirting	2.0	7.4-	6.3-	7.7	0.4	61.3	0.1	0.3-	0.4-	8.0	1.8
Carding	30.5-	32.5-	25.9-	1.6	15.3-	8.0-	0.4-	1.6-	2.8-	3.8	3.1-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2006/2007:											
Queensland	0.0	0.3	0.6	6.5	84.5		0.0	0.0	0.0	0.0	0.5
NSW	0.4	2.4	63.7	791.5	3626.1		0.0	0.0	0.1	0.8	3.8
Victoria	1.5	3.6	20.1	218.8	1561.2		0.0	0.0	0.0	0.2	1.2
Tasmania	0.0	0.0	0.8	38.3	458.9		0.0	0.0	0.0	0.4	4.6
SA	0.0	0.0	0.0	0.3	30.2		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.1	0.9	51.3	684.5		0.0	0.0	0.0	0.1	0.7
Australia	1.9	6.4	86.2	1106.7	6445.4		0.0	0.0	0.0	0.3	1.6
TYPE:											
Fleece	1.9	6.1	67.5	798.7	4196.8		0.0	0.0	0.0	0.3	1.6
Skirting	0.0	0.3	15.6	234.4	1522.3		0.0	0.0	0.0	0.3	1.8
Carding	0.0	0.0	3.1	73.6	726.2		0.0	0.0	0.0	0.1	1.5
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	137.3		0.0	0.0	0.0	0.1	0.9
NSW	0.2	1.8	36.7	565.0	3378.6		0.0	0.0	0.0	0.6	3.5
Victoria	1.4	6.5	25.9	292.5	1599.5		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	148.6	738.6		0.0	0.0	0.2	1.8	8.8
SA	0.0	0.0	0.0	0.1	39.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	56.8	567.0		0.0	0.0	0.0	0.1	0.7
Australia	1.6	8.4	76.8	1071.4	6460.2		0.0	0.0	0.0	0.3	1.8
TYPE:											
Fleece	1.6	7.8	66.0	806.5	4370.4		0.0	0.0	0.0	0.3	1.8
Skirting	0.0	0.5	8.8	208.7	1590.5		0.0	0.0	0.0	0.3	2.0
Carding	0.0	0.0	2.0	56.3	499.4		0.0	0.0	0.0	0.1	1.1
DIFFERENCES:											
Queensland	0.0	100.0-	33.3-	29.2	62.5	5.1-	0.0	0.0	0.0	0.1	0.4
NSW	50.0-	25.0-	42.4-	28.6-	6.8-	1.4	0.0	0.0	0.1-	0.2-	0.3-
Victoria	6.7-	80.6	28.9	33.7	2.5	7.3-	0.0	0.0	0.0	0.0	0.2
Tasmania	0.0	0.0	1512.5	288.0	61.0	17.0-	0.0	0.0	0.2	1.4	4.2
SA	0.0	0.0	0.0	66.7-	30.1	7.9-	0.0	0.0	0.0	0.0	0.0
WA	0.0	100.0-	11.1	10.7	17.2-	10.9-	0.0	0.0	0.0	0.0	0.0
Australia	15.8-	31.3	10.9-	3.2-	0.2	6.3-	0.0	0.0	0.0	0.0	0.2
Fleece	15.8-	27.9	2.2-	1.0	4.1	383.6	0.0	0.0	0.0	0.3	0.2
Skirting	0.0	66.7	43.6-	11.0-	4.5	61.3	0.0	0.0	0.0	0.3	0.2
Carding	0.0	0.0	35.5-	23.5-	31.2-	8.0-	0.0	0.0	0.0	0.1	0.4-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1495	9205	6.16	182.2		26.2	1018	71.9	8	0.8
NSW	11127	49432	4.44	176.5		8.4	6643	68.3	17	0.2
Victoria	9802	60105	6.13	177.4		33.1	6121	63.0	34	0.9
Tasmania	860	4752	5.53	174.5		59.8	519	59.3	0	0.0
SA	2813	24132	8.58	181.1		38.6	2077	76.7	1	0.0
WA	6741	45382	6.73	176.5		74.5	4793	76.3	30	0.4
Australia	32838	193008	5.88	177.6		34.1	21171	69.5	90	0.5
TYPE:										
Fleece	18554	121195	6.53	180.4		33.0	15852	86.9	51	0.3
Skirting	8472	44438	5.25	173.5		36.7	4553	55.2	37	1.2
Carding	5812	27375	4.71	171.4		33.7	766	15.8	2	0.0
2007/2008:										
Queensland	1230	8499	6.91	182.6		20.7	973	82.7	0	0.0
NSW	11299	54545	4.83	177.9		10.9	7133	72.8	31	0.5
Victoria	9372	58089	6.20	178.3		31.4	5974	63.8	49	0.9
Tasmania	804	4561	5.67	177.9		55.0	498	59.0	0	0.0
SA	2599	22750	8.75	182.1		40.7	1945	80.6	3	0.1
WA	5116	35952	7.03	177.7		73.4	3889	81.2	21	0.3
Australia	30420	184396	6.06	178.7		31.8	20412	72.7	104	0.5
TYPE:										
Fleece	17431	117621	6.75	181.5		30.6	15261	89.1	41	0.2
Skirting	8142	43997	5.40	174.5		34.5	4517	58.2	62	1.6
Carding	4847	22778	4.70	172.8		31.7	634	15.9	1	0.1
DIFFERENCES:										
Queensland	17.7-	7.7-	0.75	0.2	7.5-	5.5-	4.4-	10.8	100.0-	0.8-
NSW	1.5	10.3	0.39	0.8	11.3	2.5	7.4	4.5	82.4	0.3
Victoria	4.4-	3.4-	0.07	0.5	2.8-	1.7-	2.4-	0.8	44.1	0.0
Tasmania	6.5-	4.0-	0.14	1.9	2.1-	4.8-	4.0-	0.3-	0.0	0.0
SA	7.6-	5.7-	0.17	0.6	5.2-	2.1	6.4-	3.9	200.0	0.1
WA	24.1-	20.8-	0.30	0.7	20.2-	1.1-	18.9-	4.9	30.0-	0.1-
Australia	7.4-	4.5-	0.18	0.6	3.8-	2.3-	3.6-	3.2	15.6	0.0
Fleece	6.1-	2.9-	0.22	0.6	2.4-	2.4-	3.7-	2.2	19.6-	0.1-
Skirting	3.9-	1.0-	0.15	0.6	0.4-	2.2-	0.8-	3.0	67.6	0.4
Carding	16.6-	16.8-	0.01-	0.8	16.1-	2.0-	17.2-	0.1	50.0-	0.1

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	WT			LOTS	AR%	LOTS	AR%
2006/2007:												
Queensland	14851	97140	6.54	181.3			20.7	10541	74.1	13	0.1	
NSW	142439	604582	4.24	173.4			8.7	90637	68.6	182	0.4	
Victoria	124279	781639	6.29	176.7			38.2	80947	65.5	934	1.5	
Tasmania	11843	62773	5.30	173.9			44.0	9068	73.4	9	0.2	
SA	34022	280549	8.25	178.2			30.3	24757	74.8	73	0.4	
WA	87325	597213	6.84	177.2			69.4	63218	79.1	324	0.3	
Australia	414759	2423896	5.84	176.3			33.5	279168	71.3	1535	0.7	
TYPE:												
Fleece	247134	1574474	6.37	178.6			32.5	212712	87.0	565	0.2	
Skirting	101683	529628	5.21	172.5			34.9	59208	59.7	962	2.5	
Carding	65942	319794	4.85	170.9			35.0	7248	13.1	8	0.0	
2007/2008:												
Queensland	14258	92097	6.46	181.6			17.8	9871	72.5	5	0.1	
NSW	143545	614460	4.28	175.1			11.1	90064	68.5	285	0.6	
Victoria	118526	726438	6.13	177.6			31.7	75758	64.8	793	1.3	
Tasmania	10455	52641	5.04	174.6			41.5	7708	70.2	10	0.2	
SA	32974	258931	7.85	179.3			29.4	24410	77.3	71	0.3	
WA	80094	529815	6.61	177.4			68.9	57490	78.4	248	0.3	
Australia	399852	2274382	5.69	177.2			31.3	265301	70.8	1412	0.7	
TYPE:												
Fleece	235263	1472603	6.26	179.4			30.4	200900	86.3	386	0.2	
Skirting	101107	510780	5.05	173.6			33.2	57189	58.6	1019	2.6	
Carding	63482	290999	4.58	172.1			31.8	7212	13.8	7	0.0	
DIFFERENCES:												
Queensland	4.0-	5.2-	0.08-	0.2	5.0-	5.3-	2.9-	6.4-	1.6-	61.5-	0.0	
NSW	0.8	1.6	0.04	1.0	2.7	2.0	2.4	0.6-	0.1-	56.6	0.2	
Victoria	4.6-	7.1-	0.16-	0.5	6.6-	6.4-	6.5-	6.4-	0.7-	15.1-	0.2-	
Tasmania	11.7-	16.1-	0.26-	0.4	15.8-	16.4-	2.5-	15.0-	3.2-	11.1	0.0	
SA	3.1-	7.7-	0.40-	0.6	7.1-	7.0-	0.9-	1.4-	2.5	2.7-	0.1-	
WA	8.3-	11.3-	0.23-	0.1	11.2-	11.3-	0.5-	9.1-	0.7-	23.5-	0.0	
Australia	3.6-	6.2-	0.15-	0.5	5.7-	5.8-	2.2-	5.0-	0.5-	8.0-	0.0	
Fleece	4.8-	6.5-	0.11-	0.4	6.1-		2.1-	5.6-	0.7-	31.7-	0.0	
Skirting	0.6-	3.6-	0.16-	0.6	2.9-		1.7-	3.4-	1.1-	5.9	0.1	
Carding	3.7-	9.0-	0.27-	0.7	8.4-		3.2-	0.5-	0.7	12.5-	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of MAY as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -6.5%.

It has moved from 35.3% of the clip at the end of MAY last year to 35.0% this year.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2006/2007:													
Queensland	60.5	2.4	20.7	22.2	84.9	16.1	34.0	37.0	59.2	19.1	70.6	73.7	9.9
NSW	60.0	2.9	20.4	22.1	81.4	16.1	35.3	34.7	51.1	27.2	68.8	68.6	10.1
Victoria	61.6	1.8	21.8	23.1	82.8	16.6	34.7	34.9	47.8	21.5	70.2	68.8	9.6
Tasmania	68.5	0.8	21.5	23.0	80.7	17.1	33.3	35.3	57.1	21.0	66.9	0.0	0.0
SA	59.1	2.4	22.2	22.5	87.3	16.4	35.3	36.9	54.2	20.1	73.7	72.4	8.5
WA	58.3	2.5	20.0	23.0	78.0	16.7	30.4	36.3	47.0	17.5	64.6	67.0	8.9
Australia	60.2	2.3	21.0	22.7	81.9	16.5	33.8	35.6	50.1	21.6	68.9	68.9	9.5
TYPE:													
Fleece	63.2	1.4	21.1	21.9	84.6	15.4	35.1	35.0	49.7	21.9	72.1	69.1	9.4
Skirting	53.2	4.6	20.6	23.6	73.7	21.1	28.1	40.0	54.1	19.3	58.0	68.9	9.6
Carding	57.9	2.9	21.2	25.1	60.7	18.0	32.0	26.0	36.7	27.6	50.1	59.9	9.6
2007/2008:													
Queensland	61.3	2.7	20.5	21.3	83.8	16.1	32.4	39.0	63.9	21.5	69.3	0.0	0.0
NSW	61.1	3.0	21.1	21.3	86.2	16.0	36.3	35.1	55.7	23.0	72.5	70.9	10.7
Victoria	61.5	2.0	21.9	22.9	84.2	15.9	32.1	36.0	44.8	25.9	70.6	68.8	9.1
Tasmania	66.2	1.4	21.7	23.0	82.5	15.9	31.5	35.7	49.2	30.8	68.4	0.0	0.0
SA	57.4	2.0	21.9	22.1	89.1	15.8	34.9	37.6	49.7	17.9	75.8	69.7	8.3
WA	58.3	2.9	20.1	23.0	79.8	16.8	30.1	36.9	42.3	24.1	66.6	69.8	9.5
Australia	60.3	2.5	21.2	22.3	84.5	16.1	33.3	36.3	49.3	23.4	70.9	69.6	9.6
TYPE:													
Fleece	63.4	1.5	21.5	21.5	87.2	15.0	34.7	35.4	48.7	23.5	73.9	70.0	9.9
Skirting	53.1	4.9	20.6	23.1	76.0	20.6	27.5	41.3	53.2	21.6	60.2	69.6	9.5
Carding	57.8	3.1	21.4	24.7	63.2	18.0	34.6	27.5	38.6	33.2	56.2	62.0	11.3
DIFFERENCES:													
Queensland	0.8	0.3	0.2-	0.9-	1.1-	0.0	1.6-	2.0	4.7	2.4	1.3-	73.7-	9.9-
NSW	1.1	0.1	0.7	0.8-	4.8	0.1-	1.0	0.4	4.6	4.2-	3.7	2.3	0.6
Victoria	0.1-	0.2	0.1	0.2-	1.4	0.7-	2.6-	1.1	3.0-	4.4	0.4	0.0	0.5-
Tasmania	2.3-	0.6	0.2	0.0	1.8	1.2-	1.8-	0.4	7.9-	9.8	1.5	0.0	0.0
SA	1.7-	0.4-	0.3-	0.4-	1.8	0.6-	0.4-	0.7	4.5-	2.2-	2.1	2.7-	0.2-
WA	0.0	0.4	0.1	0.0	1.8	0.1	0.3-	0.6	4.7-	6.6	2.0	2.8	0.6
Australia	0.1	0.2	0.2	0.4-	2.6	0.4-	0.5-	0.7	0.8-	1.8	2.0	0.7	0.1
TYPE:													
Fleece	0.2	0.1	0.4	0.4-	2.6	0.4-	0.4-	0.4	1.0-	1.6	1.8	0.9	0.5
Skirting	0.1-	0.3	0.0	0.5-	2.3	0.5-	0.6-	1.3	0.9-	2.3	2.2	0.7	0.1-
Carding	0.1-	0.2	0.2	0.4-	2.5	0.0	2.6	1.5	1.9	5.6	6.1	2.1	1.7

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT	Y	Y-Z
2006/2007:													
Queensland	61.1	3.1	20.6	21.9	85.5	16.0	34.8	36.0	54.3	21.5	71.6	73.7	9.8
NSW	62.7	3.3	20.5	22.1	81.8	16.0	35.5	34.2	50.9	19.7	69.1	71.0	9.5
Victoria	64.4	1.9	22.1	23.0	85.9	16.4	33.0	36.7	51.8	21.6	71.2	71.4	9.3
Tasmania	69.7	1.1	20.5	22.4	82.2	17.2	35.2	33.1	45.9	19.9	69.2	74.0	8.7
SA	61.8	2.3	22.6	22.5	90.9	16.0	33.8	38.2	55.4	22.3	75.4	71.4	9.1
WA	61.6	2.0	20.3	22.6	82.2	16.5	30.6	36.3	51.8	16.9	67.4	69.4	9.3
Australia	63.0	2.3	21.2	22.6	84.4	16.3	33.2	36.0	52.0	19.9	70.1	71.1	9.3
TYPE:													
Fleece	66.3	1.4	21.3	21.9	87.1	15.2	34.3	35.4	51.8	19.5	73.0	71.7	9.0
Skirting	55.1	4.9	20.6	23.2	75.9	20.9	28.6	40.7	56.3	19.4	60.2	71.0	9.3
Carding	59.4	2.9	21.4	25.0	59.7	17.9	28.4	22.7	25.2	37.3	47.4	65.5	9.3
2007/2008:													
Queensland	61.4	2.7	20.5	21.5	85.5	16.2	34.1	36.6	56.6	25.3	71.3	71.9	9.6
NSW	63.0	2.3	20.9	21.8	85.8	16.0	34.3	35.2	52.4	27.8	71.4	71.5	9.8
Victoria	64.2	1.4	22.2	23.0	88.0	15.9	30.3	38.4	50.2	24.2	71.8	70.4	9.3
Tasmania	68.6	0.8	20.3	22.8	82.2	16.7	32.3	35.0	47.6	20.9	67.9	72.9	8.5
SA	61.0	1.7	22.3	22.3	92.2	15.7	31.9	39.3	52.4	23.5	76.0	70.8	9.0
WA	60.7	2.0	20.0	22.9	82.3	16.5	28.4	37.8	47.8	24.1	66.7	70.8	9.6
Australia	62.7	1.9	21.2	22.5	86.2	16.1	31.3	37.4	50.6	25.0	70.8	70.7	9.4
TYPE:													
Fleece	65.9	1.1	21.4	21.8	89.0	15.0	32.3	36.7	50.6	24.9	73.6	71.7	9.3
Skirting	55.0	3.8	20.6	23.2	77.4	20.6	27.2	42.0	54.2	23.3	61.4	70.6	9.4
Carding	59.4	2.3	21.7	24.9	60.7	18.1	28.6	24.2	25.0	40.2	50.2	66.7	10.3
DIFFERENCES:													
Queensland	0.3	0.4-	0.1-	0.4-	0.0	0.2	0.7-	0.6	2.3	3.8	0.3-	1.8-	0.2-
NSW	0.3	1.0-	0.4	0.3-	4.0	0.0	1.2-	1.0	1.5	8.1	2.3	0.5	0.3
Victoria	0.2-	0.5-	0.1	0.0	2.1	0.5-	2.7-	1.7	1.6-	2.6	0.6	1.0-	0.0
Tasmania	1.1-	0.3-	0.2-	0.4	0.0	0.5-	2.9-	1.9	1.7	1.0	1.3-	1.1-	0.2-
SA	0.8-	0.6-	0.3-	0.2-	1.3	0.3-	1.9-	1.1	3.0-	1.2	0.6	0.6-	0.1-
WA	0.9-	0.0	0.3-	0.3	0.1	0.0	2.2-	1.5	4.0-	7.2	0.7-	1.4	0.3
Australia	0.3-	0.4-	0.0	0.1-	1.8	0.2-	1.9-	1.4	1.4-	5.1	0.7	0.4-	0.1
TYPE:													
Fleece	0.4-	0.3-	0.1	0.1-	1.9	0.2-	2.0-	1.3	1.2-	5.4	0.6	0.0	0.3
Skirting	0.1-	1.1-	0.0	0.0	1.5	0.3-	1.4-	1.3	2.1-	3.9	1.2	0.4-	0.1
Carding	0.0	0.6-	0.3	0.1-	1.0	0.2	0.2	1.5	0.2-	2.9	2.8	1.2	1.0

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA		COLOUR DATA		TEST RESULTS								
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	14851	97140		10541	74.1	13	0.1	61.1	3.1	20.6	21.9	85.5	34.8	54.3	71.6	9.8
NSW	142439	604582		90637	68.6	182	0.4	62.7	3.3	20.5	22.1	81.8	35.5	50.9	69.1	9.5
Victoria	124279	781639		80947	65.5	934	1.5	64.4	1.9	22.1	23.0	85.9	33.0	51.8	71.2	9.3
Tasmania	11843	62773		9068	73.4	9	0.2	69.7	1.1	20.5	22.4	82.2	35.2	45.9	69.2	8.7
SA	34022	280549		24757	74.8	73	0.4	61.8	2.3	22.6	22.5	90.9	33.8	55.4	75.4	9.1
WA	87325	597213		63218	79.1	324	0.3	61.6	2.0	20.3	22.6	82.2	30.6	51.8	67.4	9.3
Australia	414759	2423896		279168	71.3	1535	0.7	63.0	2.3	21.2	22.6	84.4	33.2	52.0	70.1	9.3
TYPE:																
Fleece	247134	1574474		212712	87.0	565	0.2	66.3	1.4	21.3	21.9	87.1	34.3	51.8	73.0	9.0
Skirting	101683	529628		59208	59.7	962	2.5	55.1	4.9	20.6	23.2	75.9	28.6	56.3	60.2	9.3
Carding	65942	319794		7248	13.1	8	0.0	59.4	2.9	21.4	25.0	59.7	28.4	25.2	47.4	9.3
2007/2008:																
Queensland	14258	92097		9871	72.5	5	0.1	61.4	2.7	20.5	21.5	85.5	34.1	56.6	71.3	9.6
NSW	143545	614460		90064	68.5	285	0.6	63.0	2.3	20.9	21.8	85.8	34.3	52.4	71.4	9.8
Victoria	118526	726438		75758	64.8	793	1.3	64.2	1.4	22.2	23.0	88.0	30.3	50.2	71.8	9.3
Tasmania	10455	52641		7708	70.2	10	0.2	68.6	0.8	20.3	22.8	82.2	32.3	47.6	67.9	8.5
SA	32974	258931		24410	77.3	71	0.3	61.0	1.7	22.3	22.3	92.2	31.9	52.4	76.0	9.0
WA	80094	529815		57490	78.4	248	0.3	60.7	2.0	20.0	22.9	82.3	28.4	47.8	66.7	9.6
Australia	399852	2274382		265301	70.8	1412	0.7	62.7	1.9	21.2	22.5	86.2	31.3	50.6	70.8	9.4
TYPE:																
Fleece	235263	1472603		200900	86.3	386	0.2	65.9	1.1	21.4	21.8	89.0	32.3	50.6	73.6	9.3
Skirting	101107	510780		57189	58.6	1019	2.6	55.0	3.8	20.6	23.2	77.4	27.2	54.2	61.4	9.4
Carding	63482	290999		7212	13.8	7	0.0	59.4	2.3	21.7	24.9	60.7	28.6	25.0	50.2	10.3
DIFFERENCES:																
Queensland	4.0-	5.2-	5.0-	6.4-	1.6-	61.5-	0.0	0.3	0.4-	0.1-	0.4-	0.0	0.7-	2.3	0.3-	0.2-
NSW	0.8	1.6	2.7	0.6-	0.1-	56.6	0.2	0.3	1.0-	0.4	0.3-	4.0	1.2-	1.5	2.3	0.3
Victoria	4.6-	7.1-	6.6-	6.4-	0.7-	15.1-	0.2-	0.2-	0.5-	0.1	0.0	2.1	2.7-	1.6-	0.6	0.0
Tasmania	11.7-	16.1-	15.8-	15.0-	3.2-	11.1	0.0	1.1-	0.3-	0.2-	0.4	0.0	2.9-	1.7	1.3-	0.2-
SA	3.1-	7.7-	7.1-	1.4-	2.5	2.7-	0.1-	0.8-	0.6-	0.3-	0.2-	1.3	1.9-	3.0-	0.6	0.1-
WA	8.3-	11.3-	11.2-	9.1-	0.7-	23.5-	0.0	0.9-	0.0	0.3-	0.3	0.1	2.2-	4.0-	0.7-	0.3
Australia	3.6-	6.2-	5.7-	5.0-	0.5-	8.0-	0.0	0.3-	0.4-	0.0	0.1-	1.8	1.9-	1.4-	0.7	0.1
Fleece	4.8-	6.5-	6.1-	5.6-	0.7-	31.7-	0.0	0.4-	0.3-	0.1	0.1-	1.9	2.0-	1.2-	0.6	0.3
Skirting	0.6-	3.6-	2.9-	3.4-	1.1-	5.9	0.1	0.1-	1.1-	0.0	0.0	1.5	1.4-	2.1-	1.2	0.1
Carding	3.7-	9.0-	8.4-	0.5-	0.7	12.5-	0.0	0.0	0.6-	0.3	0.1-	1.0	0.2	0.2-	2.8	1.0

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -6.5%.

It has moved from 35.3% of the clip at the end of MAY last year to 35.0% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
<b>2006/2007:</b>											
Queensland	98.1	463.5	1288.1	2742.9	4592.6		0.6	2.6	7.3	15.6	26.1
NSW	4806.2	11212.9	16895.8	18503.4	51418.3		4.6	10.7	16.1	17.7	49.1
Victoria	2086.3	6918.5	15422.6	20371.4	44798.8		1.5	5.0	11.2	14.7	32.4
Tasmania	517.7	1605.4	2713.8	2208.1	7045.1		4.7	14.7	24.9	20.2	64.5
SA	42.9	188.3	732.5	2369.5	3333.3		0.1	0.4	1.5	4.7	6.7
WA	816.1	4527.2	12727.5	21488.4	39559.1		0.8	4.3	12.0	20.3	37.4
Australia	8367.3	24915.9	49780.3	67683.8	150747.3		2.0	5.8	11.7	15.8	35.3
<b>TYPE:</b>											
Fleece	5439.5	15274.7	28924.5	40590.3	90229.0		1.9	5.4	10.3	14.4	32.1
Skirting	1908.3	6268.5	13061.1	18268.8	39506.6		2.1	6.9	14.3	20.0	43.3
Carding	1019.5	3372.7	7794.7	8824.7	21011.6		1.9	6.2	14.3	16.1	38.4
<b>2007/2008:</b>											
Queensland	146.0	501.6	1221.4	2746.0	4615.0		0.9	3.0	7.3	16.4	27.6
NSW	4079.4	9264.1	14377.0	18770.2	46490.7		3.8	8.6	13.4	17.4	43.2
Victoria	2109.5	6193.6	13315.9	18395.0	40014.0		1.6	4.8	10.3	14.3	31.0
Tasmania	915.2	1707.4	2065.8	1350.2	6038.7		10.0	18.6	22.5	14.7	65.7
SA	49.7	201.1	1089.0	2751.3	4091.1		0.1	0.4	2.3	5.9	8.8
WA	654.0	3454.7	11864.0	23655.3	39628.0		0.7	3.7	12.6	25.2	42.2
Australia	7953.8	21322.4	43933.2	67668.0	140877.5		2.0	5.3	10.9	16.8	35.0
<b>TYPE:</b>											
Fleece	5391.8	13265.3	25930.2	38804.8	83392.0		2.0	5.0	9.8	14.7	31.6
Skirting	1889.8	5739.1	12207.1	19914.3	39750.3		2.1	6.5	13.8	22.5	44.8
Carding	672.2	2318.0	5796.0	8949.0	17735.2		1.3	4.6	11.6	17.9	35.4
<b>DIFFERENCES:</b>											
Queensland	48.8	8.2	5.2-	0.1	0.5	5.0-	0.3	0.4	0.0	0.8	1.5
NSW	15.1-	17.4-	14.9-	1.4	9.6-	2.7	0.8-	2.1-	2.7-	0.3-	5.9-
Victoria	1.1	10.5-	13.7-	9.7-	10.7-	6.6-	0.1	0.2-	0.9-	0.4-	1.4-
Tasmania	76.8	6.4	23.9-	38.9-	14.3-	15.8-	5.3	3.9	2.4-	5.5-	1.2
SA	15.9	6.8	48.7	16.1	22.7	7.1-	0.0	0.0	0.8	1.2	2.1
WA	19.9-	23.7-	6.8-	10.1	0.2	11.2-	0.1-	0.6-	0.6	4.9	4.8
Australia	4.9-	14.4-	11.7-	0.0-	6.5-	5.7-	0.0	0.5-	0.8-	1.0	0.3-
Fleece	0.9-	13.2-	10.4-	4.4-	7.6-	383.3	0.1	0.4-	0.5-	4.4	0.5-
Skirting	1.0-	8.4-	6.5-	9.0	0.6	62.2	0.0	0.4-	0.5-	8.2	1.5
Carding	34.1-	31.3-	25.6-	1.4	15.6-	8.4-	0.6-	1.6-	2.7-	3.6	3.0-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2006/2007:											
Queensland	0.0	0.3	0.6	6.6	90.5		0.0	0.0	0.0	0.0	0.5
NSW	0.7	3.1	67.8	818.8	3915.8		0.0	0.0	0.1	0.8	3.7
Victoria	2.0	4.9	21.5	251.4	1806.6		0.0	0.0	0.0	0.2	1.3
Tasmania	0.0	0.0	0.8	40.1	476.9		0.0	0.0	0.0	0.4	4.4
SA	0.0	0.0	0.0	0.5	42.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.1	1.1	53.0	761.9		0.0	0.0	0.0	0.1	0.7
Australia	2.7	8.5	91.7	1170.4	7093.9		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	2.7	7.7	69.8	831.8	4527.6		0.0	0.0	0.0	0.3	1.6
Skirting	0.0	0.8	16.5	243.0	1648.0		0.0	0.0	0.0	0.3	1.8
Carding	0.0	0.0	5.5	95.6	918.4		0.0	0.0	0.0	0.2	1.7
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	137.3		0.0	0.0	0.0	0.1	0.8
NSW	0.2	2.1	39.7	583.3	3454.2		0.0	0.0	0.0	0.5	3.2
Victoria	1.5	7.8	28.4	305.6	1766.3		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	149.4	753.0		0.0	0.0	0.1	1.6	8.2
SA	0.0	0.0	0.0	0.1	49.5		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	59.0	594.0		0.0	0.0	0.0	0.1	0.6
Australia	1.7	9.9	82.3	1105.8	6754.2		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	1.7	9.4	70.9	821.5	4488.3		0.0	0.0	0.0	0.3	1.7
Skirting	0.0	0.5	9.4	216.0	1663.9		0.0	0.0	0.0	0.2	1.9
Carding	0.0	0.0	2.0	68.3	601.9		0.0	0.0	0.0	0.1	1.2
DIFFERENCES:											
Queensland	0.0	100.0-	33.3-	27.3	51.7	5.0-	0.0	0.0	0.0	0.1	0.3
NSW	71.4-	32.3-	41.4-	28.8-	11.8-	2.7	0.0	0.0	0.1-	0.3-	0.5-
Victoria	25.0-	59.2	32.1	21.6	2.2-	6.6-	0.0	0.0	0.0	0.0	0.1
Tasmania	0.0	0.0	1512.5	272.6	57.9	15.8-	0.0	0.0	0.1	1.2	3.8
SA	0.0	0.0	0.0	80.0-	17.0	7.1-	0.0	0.0	0.0	0.0	0.0
WA	0.0	100.0-	9.1-	11.3	22.0-	11.2-	0.0	0.0	0.0	0.0	0.1-
Australia	37.0-	16.5	10.3-	5.5-	4.8-	5.7-	0.0	0.0	0.0	0.0	0.0
TYPE:											
Fleece	37.0-	22.1	1.6	1.2-	0.9-	383.3	0.0	0.0	0.0	0.3	0.1
Skirting	0.0	37.5-	43.0-	11.1-	1.0	62.2	0.0	0.0	0.0	0.2-	0.1
Carding	0.0	0.0	63.6-	28.6-	34.5-	8.4-	0.0	0.0	0.0	0.1-	0.5-

	PRESALE DATA					RAPID	STAPLE DATA		COLOUR DATA	
	LOTS	BALES	B/L	BALE WT	WT		LOTS	AR%	LOTS	AR%
2006/2007:										
Queensland	1704	11374	6.67	183.4		22.9	1171	74.0	0	0.0
NSW	12242	53127	4.34	177.7		15.6	7320	68.0	4	0.2
Victoria	8965	51741	5.77	177.4		42.3	5683	64.0	38	0.7
Tasmania	1129	6692	5.93	177.6		64.5	746	69.9	2	0.5
SA	2201	16525	7.51	180.7		55.4	1563	76.5	2	0.1
WA	3750	23921	6.38	174.8		76.3	2407	68.2	3	0.1
Australia	29991	163380	5.45	177.9		36.3	18890	68.1	49	0.3
TYPE:										
Fleece	16948	102527	6.05	180.5		34.4	14244	86.0	14	0.1
Skirting	7891	38373	4.86	174.4		38.9	4035	52.6	35	1.1
Carding	5152	22480	4.36	172.0		38.7	611	13.3	0	0.0
2007/2008:										
Queensland	1400	9432	6.74	182.9		19.0	955	73.3	0	0.0
NSW	9041	41656	4.61	178.3		12.4	5381	69.7	11	0.4
Victoria	6194	36125	5.83	176.8		37.4	3787	60.8	15	0.4
Tasmania	820	4927	6.01	178.1		44.8	508	62.8	0	0.0
SA	1434	11853	8.27	182.4		32.8	1061	79.6	1	0.1
WA	2478	16748	6.76	174.5		69.9	1554	67.8	4	0.2
Australia	21367	120741	5.65	178.1		29.3	13246	67.7	31	0.3
TYPE:										
Fleece	12029	75852	6.31	180.7		26.8	9825	83.7	4	0.0
Skirting	5915	29691	5.02	174.2		32.4	2999	53.7	26	1.2
Carding	3423	15198	4.44	172.5		33.1	422	15.5	1	0.0
DIFFERENCES:										
Queensland	17.8-	17.1-	0.07	0.3-	17.3-	3.9-	18.4-	0.7-	0.0	0.0
NSW	26.1-	21.6-	0.27	0.3	21.3-	3.2-	26.5-	1.7	175.0	0.2
Victoria	30.9-	30.2-	0.06	0.3-	30.4-	4.9-	33.4-	3.2-	60.5-	0.3-
Tasmania	27.4-	26.4-	0.08	0.3	26.2-	19.7-	31.9-	7.1-	100.0-	0.5-
SA	34.8-	28.3-	0.76	0.9	27.6-	22.6-	32.1-	3.1	50.0-	0.0
WA	33.9-	30.0-	0.38	0.2-	30.1-	6.4-	35.4-	0.4-	33.3	0.1
Australia	28.8-	26.1-	0.20	0.1	26.0-	7.0-	29.9-	0.4-	36.7-	0.0
Fleece	29.0-	26.0-	0.26	0.1	25.9-	7.6-	31.0-	2.3-	71.4-	0.1-
Skirting	25.0-	22.6-	0.16	0.1-	22.7-	6.5-	25.7-	1.1	25.7-	0.1
Carding	33.6-	32.4-	0.08	0.3	32.2-	5.6-	30.9-	2.2	0.0	0.0

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR Data is based on all wool tested.

	PRESALE DATA						PROJ WT	RAPID	STAPLE	DATA	COLOUR	DATA
	LOTS	BALES	B/L	BALE WT	WT	LOTS			AR%	LOTS	AR%	
2006/2007:												
Queensland	16555	108514	6.55	181.5			20.9	11712	74.1	13	0.1	
NSW	154681	657709	4.25	173.7			9.2	97957	68.6	186	0.4	
Victoria	133244	833380	6.25	176.8			38.5	86630	65.4	972	1.4	
Tasmania	12972	69465	5.35	174.2			45.8	9814	73.0	11	0.3	
SA	36223	297074	8.20	178.4			31.9	26320	74.9	75	0.4	
WA	91075	621134	6.82	177.1			69.7	65625	78.7	327	0.3	
Australia	444750	2587276	5.82	176.4			33.7	298058	71.1	1584	0.7	
TYPE:												
Fleece	264082	1677001	6.35	178.8			32.7	226956	86.9	579	0.2	
Skirting	109574	568001	5.18	172.6			35.2	63243	59.2	997	2.4	
Carding	71094	342274	4.81	171.0			35.3	7859	13.1	8	0.0	
2007/2008:												
Queensland	15658	101529	6.48	181.7			17.9	10826	72.5	5	0.1	
NSW	152586	656116	4.30	175.3			11.1	95445	68.6	296	0.6	
Victoria	124720	762563	6.11	177.6			32.0	79545	64.6	808	1.3	
Tasmania	11275	57568	5.11	174.9			41.7	8216	69.6	10	0.2	
SA	34408	270784	7.87	179.5			29.6	25471	77.4	72	0.3	
WA	82572	546563	6.62	177.3			69.0	59044	78.1	252	0.3	
Australia	421219	2395123	5.69	177.2			31.2	278547	70.7	1443	0.7	
TYPE:												
Fleece	247292	1548455	6.26	179.5			30.2	210725	86.2	390	0.2	
Skirting	107022	540471	5.05	173.7			33.2	60188	58.4	1045	2.6	
Carding	66905	306197	4.58	172.1			31.9	7634	13.8	8	0.0	
DIFFERENCES:												
Queensland	5.4-	6.4-	0.07-	0.1	6.3-	6.3-	3.0-	7.6-	1.6-	61.5-	0.0	
NSW	1.4-	0.2-	0.05	0.9	0.7	0.6	1.9	2.6-	0.0	59.1	0.2	
Victoria	6.4-	8.5-	0.14-	0.5	8.1-	8.0-	6.5-	8.2-	0.8-	16.9-	0.1-	
Tasmania	13.1-	17.1-	0.24-	0.4	16.8-	16.7-	4.1-	16.3-	3.4-	9.1-	0.1-	
SA	5.0-	8.8-	0.33-	0.6	8.3-	8.2-	2.3-	3.2-	2.5	4.0-	0.1-	
WA	9.3-	12.0-	0.20-	0.1	11.9-	11.9-	0.7-	10.0-	0.6-	22.9-	0.0	
Australia	5.3-	7.4-	0.13-	0.5	7.0-	7.0-	2.5-	6.5-	0.4-	8.9-	0.0	
Fleece	6.4-	7.7-	0.09-	0.4	7.3-		2.5-	7.2-	0.7-	32.6-	0.0	
Skirting	2.3-	4.8-	0.13-	0.6	4.3-		2.0-	4.8-	0.8-	4.8	0.2	
Carding	5.9-	10.5-	0.23-	0.6	10.0-		3.4-	2.9-	0.7	0.0	0.0	

NOTE: Differences for LOTS, BALES, AV BALE WT, WT, PROJECTED WT, L&S and COLOUR are % differences.

Differences for LOT-SIZE (B/L), RAPID% and AR% are actual values.

The change in PROJECTED WT of wool tested = the % change in WT, adjusted for differences in the WT tested at the end of JUNE as a % of the 12 months total, over the last 3 years.

Adoption Rate (AR%) data is based on number of bales tested as a % of number of bales tested for YIELD.

Adoption Rate (AR%) for STAPLE and COLOUR data is based on all wool tested.

Change in SUPERFINE production (ktonnes) = -8.6%.

It has moved from 35.6% of the clip at the end of JUNE last year to 35.0% this year.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	60.5	2.5	20.7	21.7	85.0	15.6	34.2	35.8	62.9	22.5	70.2	0.0	0.0	
NSW	60.7	2.8	20.2	22.0	82.0	16.0	36.1	33.7	50.6	23.4	69.5	71.3	8.8	
Victoria	62.0	1.8	21.8	23.2	82.9	16.4	34.9	34.4	45.8	19.7	70.5	69.3	9.4	
Tasmania	68.8	0.8	20.8	22.3	83.4	16.6	34.8	33.6	55.4	20.3	68.9	70.2	8.3	
SA	59.3	2.4	22.4	22.6	88.0	16.3	35.1	37.2	54.2	22.9	74.0	70.6	8.4	
WA	58.8	2.5	20.2	23.6	76.2	17.7	30.3	34.3	47.2	18.3	61.9	69.5	9.6	
Australia	61.0	2.3	21.0	22.7	82.4	16.4	34.6	34.6	50.2	21.3	69.2	69.8	9.2	
TYPE:														
Fleece	64.3	1.4	21.0	21.8	84.9	15.3	35.8	33.9	49.9	21.3	72.1	71.4	8.5	
Skirting	53.4	4.4	20.6	23.6	74.2	21.1	29.4	38.6	53.8	19.9	58.7	69.2	9.4	
Carding	58.2	2.8	21.5	25.3	62.8	17.7	31.2	26.7	37.2	32.5	51.7	0.0	0.0	
2007/2008:														
Queensland	61.4	2.6	20.5	21.2	86.3	16.0	32.8	38.3	64.1	24.3	70.6	0.0	0.0	
NSW	61.1	3.0	20.8	21.1	86.1	15.8	37.2	34.2	57.0	22.3	72.4	71.4	9.1	
Victoria	62.0	1.9	22.0	23.1	82.9	16.3	32.9	35.0	44.4	22.3	69.8	69.6	10.0	
Tasmania	66.1	1.4	21.4	22.6	82.8	16.0	32.9	34.2	46.2	28.4	69.4	0.0	0.0	
SA	57.6	1.9	21.9	22.1	89.6	15.9	35.0	37.7	49.8	18.4	76.1	69.1	8.9	
WA	57.8	2.9	20.6	23.8	77.7	17.6	31.7	35.7	44.7	19.2	65.1	70.9	9.2	
Australia	60.8	2.5	21.2	22.2	84.4	16.2	34.5	35.4	51.3	21.8	70.9	70.5	9.5	
TYPE:														
Fleece	64.1	1.5	21.4	21.4	87.1	15.0	35.9	34.4	50.9	21.1	73.9	70.9	9.2	
Skirting	53.5	4.7	20.6	23.1	76.3	20.9	28.6	40.6	54.9	21.9	60.4	70.6	9.5	
Carding	57.8	3.2	21.5	24.8	63.7	18.0	35.4	28.6	38.2	40.8	57.9	68.4	10.9	
DIFFERENCES:														
Queensland	0.9	0.1	0.2-	0.5-	1.3	0.4	1.4-	2.5	1.2	1.8	0.4	0.0	0.0	
NSW	0.4	0.2	0.6	0.9-	4.1	0.2-	1.1	0.5	6.4	1.1-	2.9	0.1	0.3	
Victoria	0.0	0.1	0.2	0.1-	0.0	0.1-	2.0-	0.6	1.4-	2.6	0.7-	0.3	0.6	
Tasmania	2.7-	0.6	0.6	0.3	0.6-	0.6-	1.9-	0.6	9.2-	8.1	0.5	70.2-	8.3-	
SA	1.7-	0.5-	0.5-	0.5-	1.6	0.4-	0.1-	0.5	4.4-	4.5-	2.1	1.5-	0.5	
WA	1.0-	0.4	0.4	0.2	1.5	0.1-	1.4	1.4	2.5-	0.9	3.2	1.4	0.4-	
Australia	0.2-	0.2	0.2	0.5-	2.0	0.2-	0.1-	0.8	1.1	0.5	1.7	0.7	0.3	
Fleece	0.2-	0.1	0.4	0.4-	2.2	0.3-	0.1	0.5	1.0	0.2-	1.8	0.5-	0.7	
Skirting	0.1	0.3	0.0	0.5-	2.1	0.2-	0.8-	2.0	1.1	2.0	1.7	1.4	0.1	
Carding	0.4-	0.4	0.0	0.5-	0.9	0.3	4.2	1.9	1.0	8.3	6.2	68.4	10.9	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	TEST RESULTS												Y	Y-Z
	YIELD	VM	MFD	CVD	SL	CVSL	SS	CVSS	MIDBRK	TIPBRK	HAUT			
2006/2007:														
Queensland	61.0	3.0	20.6	21.8	85.4	16.0	34.7	36.0	55.2	21.6	71.5	73.7	9.8	
NSW	62.6	3.3	20.5	22.1	81.9	16.0	35.6	34.1	50.9	20.0	69.1	71.0	9.5	
Victoria	64.2	1.9	22.1	23.0	85.7	16.4	33.1	36.5	51.4	21.5	71.1	71.3	9.3	
Tasmania	69.6	1.1	20.5	22.4	82.3	17.1	35.2	33.1	46.8	19.9	69.2	73.3	8.6	
SA	61.7	2.3	22.6	22.5	90.7	16.1	33.9	38.1	55.3	22.3	75.4	71.4	9.1	
WA	61.5	2.0	20.3	22.7	82.0	16.5	30.6	36.3	51.7	16.9	67.2	69.4	9.3	
Australia	62.9	2.3	21.2	22.6	84.3	16.3	33.3	36.0	51.9	20.0	70.1	71.1	9.3	
TYPE:														
Fleece	66.2	1.4	21.3	21.9	86.9	15.2	34.4	35.3	51.7	19.6	73.0	71.7	9.0	
Skirting	55.0	4.8	20.6	23.2	75.8	20.9	28.7	40.5	56.1	19.4	60.1	70.9	9.4	
Carding	59.3	2.9	21.4	25.0	59.9	17.9	28.6	22.9	26.0	37.0	47.7	65.5	9.3	
2007/2008:														
Queensland	61.4	2.7	20.5	21.5	85.6	16.2	34.0	36.8	57.3	25.2	71.2	71.9	9.6	
NSW	62.9	2.3	20.9	21.7	85.8	16.0	34.5	35.2	52.7	27.4	71.5	71.5	9.7	
Victoria	64.1	1.4	22.2	23.0	87.8	15.9	30.4	38.3	50.0	24.1	71.7	70.4	9.3	
Tasmania	68.4	0.9	20.4	22.8	82.3	16.6	32.4	34.9	47.5	21.5	68.0	72.9	8.5	
SA	60.9	1.8	22.2	22.3	92.1	15.7	32.0	39.2	52.3	23.3	76.0	70.8	9.0	
WA	60.6	2.1	20.1	22.9	82.2	16.5	28.5	37.7	47.7	24.0	66.7	70.8	9.5	
Australia	62.6	1.9	21.2	22.5	86.1	16.1	31.4	37.3	50.7	24.8	70.8	70.7	9.4	
TYPE:														
Fleece	65.8	1.1	21.4	21.8	88.9	15.0	32.4	36.6	50.6	24.7	73.6	71.7	9.3	
Skirting	54.9	3.9	20.6	23.2	77.4	20.6	27.3	41.9	54.3	23.2	61.3	70.6	9.4	
Carding	59.3	2.4	21.6	24.9	60.9	18.1	29.0	24.5	25.8	40.3	50.7	66.9	10.3	
DIFFERENCES:														
Queensland	0.4	0.3-	0.1-	0.3-	0.2	0.2	0.7-	0.8	2.1	3.6	0.3-	1.8-	0.2-	
NSW	0.3	1.0-	0.4	0.4-	3.9	0.0	1.1-	1.1	1.8	7.4	2.4	0.5	0.2	
Victoria	0.1-	0.5-	0.1	0.0	2.1	0.5-	2.7-	1.8	1.4-	2.6	0.6	0.9-	0.0	
Tasmania	1.2-	0.2-	0.1-	0.4	0.0	0.5-	2.8-	1.8	0.7	1.6	1.2-	0.4-	0.1-	
SA	0.8-	0.5-	0.4-	0.2-	1.4	0.4-	1.9-	1.1	3.0-	1.0	0.6	0.6-	0.1-	
WA	0.9-	0.1	0.2-	0.2	0.2	0.0	2.1-	1.4	4.0-	7.1	0.5-	1.4	0.2	
Australia	0.3-	0.4-	0.0	0.1-	1.8	0.2-	1.9-	1.3	1.2-	4.8	0.7	0.4-	0.1	
Fleece	0.4-	0.3-	0.1	0.1-	2.0	0.2-	2.0-	1.3	1.1-	5.1	0.6	0.0	0.3	
Skirting	0.1-	0.9-	0.0	0.0	1.6	0.3-	1.4-	1.4	1.8-	3.8	1.2	0.3-	0.0	
Carding	0.0	0.5-	0.2	0.1-	1.0	0.2	0.4	1.6	0.2-	3.3	3.0	1.4	1.0	

NOTE: Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	PRESALE DATA			STAPLE DATA	COLOUR DATA	TEST RESULTS										
	LOTS	BALES	WEIGHT	LOTS	AR%	LOTS	AR%	YIELD	VM	MFD	CVD	SL	SS	MIDBRK	HAUT	YELL
2006/2007:																
Queensland	16555	108514		11712	74.1	13	0.1	61.0	3.0	20.6	21.8	85.4	34.7	55.2	71.5	9.8
NSW	154681	657709		97957	68.6	186	0.4	62.6	3.3	20.5	22.1	81.9	35.6	50.9	69.1	9.5
Victoria	133244	833380		86630	65.4	972	1.4	64.2	1.9	22.1	23.0	85.7	33.1	51.4	71.1	9.3
Tasmania	12972	69465		9814	73.0	11	0.3	69.6	1.1	20.5	22.4	82.3	35.2	46.8	69.2	8.6
SA	36223	297074		26320	74.9	75	0.4	61.7	2.3	22.6	22.5	90.7	33.9	55.3	75.4	9.1
WA	91075	621134		65625	78.7	327	0.3	61.5	2.0	20.3	22.7	82.0	30.6	51.7	67.2	9.3
Australia	444750	2587276		298058	71.1	1584	0.7	62.9	2.3	21.2	22.6	84.3	33.3	51.9	70.1	9.3
TYPE:																
Fleece	264082	1677001		226956	86.9	579	0.2	66.2	1.4	21.3	21.9	86.9	34.4	51.7	73.0	9.0
Skirting	109574	568001		63243	59.2	997	2.4	55.0	4.8	20.6	23.2	75.8	28.7	56.1	60.1	9.4
Carding	71094	342274		7859	13.1	8	0.0	59.3	2.9	21.4	25.0	59.9	28.6	26.0	47.7	9.3
2007/2008:																
Queensland	15658	101529		10826	72.5	5	0.1	61.4	2.7	20.5	21.5	85.6	34.0	57.3	71.2	9.6
NSW	152586	656116		95445	68.6	296	0.6	62.9	2.3	20.9	21.7	85.8	34.5	52.7	71.5	9.7
Victoria	124720	762563		79545	64.6	808	1.3	64.1	1.4	22.2	23.0	87.8	30.4	50.0	71.7	9.3
Tasmania	11275	57568		8216	69.6	10	0.2	68.4	0.9	20.4	22.8	82.3	32.4	47.5	68.0	8.5
SA	34408	270784		25471	77.4	72	0.3	60.9	1.8	22.2	22.3	92.1	32.0	52.3	76.0	9.0
WA	82572	546563		59044	78.1	252	0.3	60.6	2.1	20.1	22.9	82.2	28.5	47.7	66.7	9.5
Australia	421219	2395123		278547	70.7	1443	0.7	62.6	1.9	21.2	22.5	86.1	31.4	50.7	70.8	9.4
TYPE:																
Fleece	247292	1548455		210725	86.2	390	0.2	65.8	1.1	21.4	21.8	88.9	32.4	50.6	73.6	9.3
Skirting	107022	540471		60188	58.4	1045	2.6	54.9	3.9	20.6	23.2	77.4	27.3	54.3	61.3	9.4
Carding	66905	306197		7634	13.8	8	0.0	59.3	2.4	21.6	24.9	60.9	29.0	25.8	50.7	10.3
DIFFERENCES:																
Queensland	5.4-	6.4-	6.3-	7.6-	1.6-	61.5-	0.0	0.4	0.3-	0.1-	0.3-	0.2	0.7-	2.1	0.3-	0.2-
NSW	1.4-	0.2-	0.7	2.6-	0.0	59.1	0.2	0.3	1.0-	0.4	0.4-	3.9	1.1-	1.8	2.4	0.2
Victoria	6.4-	8.5-	8.1-	8.2-	0.8-	16.9-	0.1-	0.1-	0.5-	0.1	0.0	2.1	2.7-	1.4-	0.6	0.0
Tasmania	13.1-	17.1-	16.8-	16.3-	3.4-	9.1-	0.1-	1.2-	0.2-	0.1-	0.4	0.0	2.8-	0.7	1.2-	0.1-
SA	5.0-	8.8-	8.3-	3.2-	2.5	4.0-	0.1-	0.8-	0.5-	0.4-	0.2-	1.4	1.9-	3.0-	0.6	0.1-
WA	9.3-	12.0-	11.9-	10.0-	0.6-	22.9-	0.0	0.9-	0.1	0.2-	0.2	0.2	2.1-	4.0-	0.5-	0.2
Australia	5.3-	7.4-	7.0-	6.5-	0.4-	8.9-	0.0	0.3-	0.4-	0.0	0.1-	1.8	1.9-	1.2-	0.7	0.1
Fleece	6.4-	7.7-	7.3-	7.2-	0.7-	32.6-	0.0	0.4-	0.3-	0.1	0.1-	2.0	2.0-	1.1-	0.6	0.3
Skirting	2.3-	4.8-	4.3-	4.8-	0.8-	4.8	0.2	0.1-	0.9-	0.0	0.0	1.6	1.4-	1.8-	1.2	0.0
Carding	5.9-	10.5-	10.0-	2.9-	0.7	0.0	0.0	0.0	0.5-	0.2	0.1-	1.0	0.4	0.2-	3.0	1.0

NOTE: AR% = Adoption Rate %, i.e. % of number of bales tested for Staple Measurement and Colour (Average Yellowness).

Differences in LOTS, BALES, and WEIGHT are year-on-year % differences.

Differences in ADOPTION RATE % and in the TEST RESULTS are year-on-year actual differences.

Change in SUPERFINE production (ktonnes) = -8.6%.

It has moved from 35.6% of the clip at the end of JUNE last year to 35.0% this year.

Hauteur is calculated using the TEAM-3 formulae as of July 1st, 2006.

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5		0.0-16.5	16.6-17.5	17.6-18.5	18.6-19.5	0.0-19.5
2006/2007:											
Queensland	103.0	511.7	1402.6	3022.5	5039.8		0.5	2.6	7.1	15.3	25.6
NSW	5206.8	12228.6	18713.6	20384.4	56533.3		4.6	10.7	16.4	17.8	49.5
Victoria	2356.3	7569.1	16628.6	21772.2	48326.1		1.6	5.1	11.3	14.8	32.8
Tasmania	542.0	1721.7	2988.2	2468.4	7720.2		4.5	14.2	24.7	20.4	63.8
SA	51.5	208.4	792.1	2578.1	3630.0		0.1	0.4	1.5	4.9	6.9
WA	859.1	4770.0	13270.6	22350.8	41250.4		0.8	4.3	12.1	20.3	37.5
Australia	9118.7	27009.4	53795.6	72576.3	162499.9		2.0	5.9	11.8	15.9	35.6
TYPE:											
Fleece	5911.2	16567.4	31354.1	43612.0	97444.8		2.0	5.5	10.5	14.5	32.5
Skirting	2064.7	6790.0	14149.9	19617.8	42622.4		2.1	6.9	14.4	20.0	43.5
Carding	1142.7	3652.0	8291.6	9346.5	22432.7		2.0	6.2	14.2	16.0	38.3
2007/2008:											
Queensland	151.3	535.4	1317.2	3068.3	5072.2		0.8	2.9	7.1	16.6	27.5
NSW	4173.3	9668.9	15350.7	20227.2	49420.1		3.6	8.4	13.3	17.6	43.0
Victoria	2276.7	6677.4	14086.5	19411.2	42451.8		1.7	4.9	10.4	14.3	31.4
Tasmania	940.4	1808.7	2270.9	1505.4	6525.4		9.3	18.0	22.6	15.0	64.8
SA	52.6	232.8	1191.3	2900.1	4376.9		0.1	0.5	2.5	6.0	9.0
WA	663.3	3558.6	12190.6	24305.5	40718.0		0.7	3.7	12.6	25.1	42.0
Australia	8257.7	22481.7	46407.2	71417.8	148564.3		1.9	5.3	10.9	16.8	35.0
TYPE:											
Fleece	5546.0	13920.4	27357.3	40850.2	87673.8		2.0	5.0	9.8	14.7	31.5
Skirting	1965.9	6060.2	12910.9	21191.3	42128.4		2.1	6.5	13.8	22.6	44.9
Carding	745.7	2501.2	6139.0	9376.2	18762.1		1.4	4.7	11.7	17.8	35.6
DIFFERENCES:											
Queensland	46.9	4.6	6.1-	1.5	0.6	6.3-	0.3	0.3	0.0	1.3	1.9
NSW	19.8-	20.9-	18.0-	0.8-	12.6-	0.7	1.0-	2.3-	3.1-	0.2-	6.5-
Victoria	3.4-	11.8-	15.3-	10.8-	12.2-	8.1-	0.1	0.2-	0.9-	0.5-	1.4-
Tasmania	73.5	5.1	24.0-	39.0-	15.5-	16.8-	4.8	3.8	2.1-	5.4-	1.0
SA	2.1	11.7	50.4	12.5	20.6	8.3-	0.0	0.1	1.0	1.1	2.1
WA	22.8-	25.4-	8.1-	8.7	1.3-	11.9-	0.1-	0.6-	0.5	4.8	4.5
Australia	9.4-	16.8-	13.7-	1.6-	8.6-	7.0-	0.1-	0.6-	0.9-	0.9	0.6-
Fleece	6.2-	16.0-	12.7-	6.3-	10.0-	374.8	0.0	0.5-	0.7-	4.2	1.0-
Skirting	4.8-	10.7-	8.8-	8.0	1.2-	60.4	0.0	0.4-	0.6-	8.2	1.4
Carding	34.7-	31.5-	26.0-	0.3	16.4-	10.0-	0.6-	1.5-	2.5-	3.6	2.7-

	WEIGHT (tonnes)					ALL WOOL	PERCENTAGE OF TOTAL CLIP				
	0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5		0.0-12.5	12.6-13.5	13.6-14.5	14.6-15.5	15.6-16.5
2006/2007:											
Queensland	0.0	0.3	0.6	6.6	95.5		0.0	0.0	0.0	0.0	0.5
NSW	0.7	3.1	72.3	888.3	4242.4		0.0	0.0	0.1	0.8	3.7
Victoria	2.2	5.8	27.9	287.8	2032.6		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	0.8	41.4	499.7		0.0	0.0	0.0	0.3	4.1
SA	0.0	0.0	0.0	0.7	50.8		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.1	1.1	57.3	800.7		0.0	0.0	0.0	0.1	0.7
Australia	2.9	9.4	102.6	1282.1	7721.7		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	2.9	8.2	74.6	902.4	4923.1		0.0	0.0	0.0	0.3	1.6
Skirting	0.0	1.0	17.2	263.5	1783.0		0.0	0.0	0.0	0.3	1.8
Carding	0.0	0.2	10.8	116.2	1015.5		0.0	0.0	0.0	0.2	1.7
2007/2008:											
Queensland	0.0	0.0	0.4	8.4	142.6		0.0	0.0	0.0	0.0	0.8
NSW	0.7	3.2	41.3	587.9	3540.1		0.0	0.0	0.0	0.5	3.1
Victoria	1.7	8.2	29.9	327.5	1909.4		0.0	0.0	0.0	0.2	1.4
Tasmania	0.0	0.0	12.9	149.4	778.2		0.0	0.0	0.1	1.5	7.7
SA	0.0	0.0	0.0	0.3	52.3		0.0	0.0	0.0	0.0	0.1
WA	0.0	0.0	1.0	59.2	603.1		0.0	0.0	0.0	0.1	0.6
Australia	2.4	11.3	85.4	1132.6	7025.9		0.0	0.0	0.0	0.3	1.7
TYPE:											
Fleece	2.3	10.6	71.6	831.2	4630.4		0.0	0.0	0.0	0.3	1.7
Skirting	0.2	0.8	10.2	219.4	1735.4		0.0	0.0	0.0	0.2	1.8
Carding	0.0	0.0	3.7	82.0	660.1		0.0	0.0	0.0	0.2	1.3
DIFFERENCES:											
Queensland	0.0	100.0-	33.3-	27.3	49.3	6.3-	0.0	0.0	0.0	0.0	0.3
NSW	0.0	3.2	42.9-	33.8-	16.6-	0.7	0.0	0.0	0.1-	0.3-	0.6-
Victoria	22.7-	41.4	7.2	13.8	6.1-	8.1-	0.0	0.0	0.0	0.0	0.0
Tasmania	0.0	0.0	1512.5	260.9	55.7	16.8-	0.0	0.0	0.1	1.2	3.6
SA	0.0	0.0	0.0	57.1-	3.0	8.3-	0.0	0.0	0.0	0.0	0.0
WA	0.0	100.0-	9.1-	3.3	24.7-	11.9-	0.0	0.0	0.0	0.0	0.1-
Australia	17.2-	20.2	16.8-	11.7-	9.0-	7.0-	0.0	0.0	0.0	0.0	0.0
Fleece	20.7-	29.3	4.0-	7.9-	5.9-	374.8	0.0	0.0	0.0	0.3	0.1
Skirting	0.0	20.0-	40.7-	16.7-	2.7-	60.4	0.0	0.0	0.0	0.2-	0.0
Carding	0.0	100.0-	65.7-	29.4-	35.0-	10.0-	0.0	0.0	0.0	0.2	0.4-